





	Article Summary							Version 1	
	Article Code	C-0326-KT-7270			Product Group	TOP			
	Article Name	NFL HOODIE			Product Sub-Category	PULLOVER HOODIE			
	Created On	08-28-2025 1:21:00 PM			Season	Q3 2026			
	Last Modified	09-22-2025 1:51:00 PM			Life Cycle Stage	Development			
Gender Classification		Collaboration	Sub Class D	Graphic	Fabrication	KNIT TOP			
Supplier		UN-AVAILABLE CO. LTD	Release Date	12 Sep 2026	Ex-Factory	19 Jun 2026			
								COLORS	
SIZES									
000, 001, 002, 003, 004, 005, 006, 007									

Bill of Materials - #1									Version 1
	Article Code	C-0326-KT-7270		BRUSHED FLEECE. 100% COTTON 420 GSM- UN-AVAILABLE (FB-K1573)	Product Group	TOP			
	Article Name	NFL HOODIE			Product Sub-Category	PULLOVER HOODIE			
	Created On	08-28-2025 1:21:00 PM	Material Description		Season	Q3 2026			
	Last Modified	09-22-2025 1:51:00 PM			Life Cycle Stage	Development			
Part	Material			Placement	Cons.	UOM.	Comments	Supplier	Supplier Ref.
Fabric									
BODY	BRUSHED FLEECE. 100% COTTON 420 GSM- UN-AVAILABLE (FB-K1573) - Ver.#1			BODY/HOOD/SLV	0	Meter		Vendor Sourced	KFA420SGZ
BACK NECK	RIB 1X1 99% COTTON 1% ELASTANE- UN-AVAILABLE (FB-K1574) - Ver.#1			CUFFS/ BODY BAND/ KANGA PKT OPENING	0	Meter			FW25R0004S-1
SEE PLACEMENT FOR DETAILS	UA - 100% COTTON JERSEY, 190GSM (FB-K508) - Ver.#1 REF# BDSS22P0921018T00D SINGLE JERSEY 20s			BNT	0	Meter			REF# BDSS22P0921018T00D
Trims									
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) - Ver.#1 White Satin ground, Black text COO, Content, and Care Instructions may vary by style.			2" ABOVE HEM LEFT SIDE SEAM	1.00	Each		Vendor Sourced	
	POLY BAG - GENERIC (PK101) - Ver.#1 Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1.00	Each		Vendor Sourced	
SEE PLACEMENT FOR DETAILS	UPC BARCODE STICKER (ST101) - Ver.#1 PLS ADVISE IF YOU HAVE THE CAPABILITY OF PRINTING UPC STICKERS				2.00	Each		Vendor Sourced	
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) - Ver.#1 COUNTRY OF ORIGIN TAB				1.00	Each		Reca Mainetti Asia Ltd	OVOF21_217_T
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) - Ver.#1 FOR HANGTAG ATTACHMENT				1.00	Each		Vendor Sourced	
	NFL WOVEN MAIN LABEL (TR-LT211) - Ver.#1				0	Each		Laven Industries Ltd.	
	NFL SIZE TAB (TR-LT212) - Ver.#1				0	Each		Laven Industries Ltd.	OVOP23_112_T
	NFL HOLOGRAPHIC HANGTAGS (TR-HG133) - Ver.#1				0	Each			
	OVO x NFL HANGTAG (TR-HG150) - Ver.#1 *includes string & pin				0	Each		Laven Industries Ltd.	OVOSP25_080_T
Graphics									
	TBD - SEE ARTWORK FILE (HT-102) - Ver.#1				0	Each			


Bill of Materials - #1 Material Image Sheet						Version 1		
	Article Code	C-0326-KT-7270		BRUSHED FLEECE. 100% COTTON 420 GSM- UN-AVAILABLE (FB-K1573)	Product Group	TOP		
	Article Name	NFL HOODIE			Product Sub-Category	PULLOVER HOODIE		
	Created On	08-28-2025 1:21:00 PM			Season	Q3 2026		
	Last Modified	09-22-2025 1:51:00 PM			Life Cycle Stage	Development		
	FB-K508 UA - 100% COTTON JERSEY, 190GSM			LT110 CC LABEL - APPAREL			PK101 POLY BAG - GENERIC	
	ST101 UPC BARCODE STICKER			LT138 TEAR-AWAY COO TAB: OVOF21_217_T			TR-TV140 5mm GROSGRAIN RIBBON LOOP	
	TR-LT211 NFL WOVEN MAIN LABEL			TR-LT212 NFL SIZE TAB			TR-HG133 NFL HOLOGRAPHIC HANGTAGS	
	TR-HG150 OVO x NFL HANGTAG							




Article Code	C-0326-KT-7270			Product Group	TOP			
Article Name	NFL HOODIE			Product Sub-Category	PULLOVER HOODIE			
Created On	08-28-2025 1:21:00 PM			Material	BRUSHED FLEECE. 100% COTTON 420 GSM- UN-AVAILABLE (FB-K1573)		Season	Q3 2026
Last Modified	09-22-2025 1:51:00 PM			Description			Life Cycle Stage	Development



- Reinforce pocket opening corners(inner side of garment)
- Trim off fabric swatch neatly.



Detail of hood pattern



gia cổ 4
góc
miệng túi

1 HOOD

SN topstitch at front edge to make channel for drawcord.
grommet exits for drawcord.

Drawcord ends double fold and tacked with bartack. Drawcord tacked at CF of hood as per photo reference. "BOLO TIE" Slider used to hold drawcords together. Refer to BOM.

Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.

2 NECK SEAM

Hood join to body with #512 mock safety stitch. SN topstitch on front neck, 1/4" in on body.

Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck.

3 SHOULDER SEAM

Set forward on body. Join with #512 mock safety stitch. 2N
coverstitch straddling seam, 1/4" spacing.

4 ARMHOLE SEAM

Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.

5 SLEEVE/ SIDE SEAM

Join in one operation. #512 mock safety stitch.

6 SLEEVE OPENING

Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.

7 KANGA POCKET

Self pocket bag. Opening edges turned in, 2N coverstitch to form hem, 1/4" spacing.

Side and top edges serged and turned in. SN topstitched to body. Bottom of bag finished into the band seam.

Bartacks at top and bottom of pkt openings.

Triangular reinforcements at top and bottom of kanga opening with jersey fabric swatch at inner side of garment.

8 BOTTOM OPENING

Folded rib band. Join to bottom opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.

THAM KHẢO QUY CÁCH MAY MÃ HÀNG LƯU Ý:

1. DÂY LUỒN CÓ CON CHẴN NHƯ HÌNH

7. TÚI KANGA Ở GIỮA TRƯỚC

**QUY CÁCH MAY NHƯ ÁO MẪU, VUI LÒNG GIA CỐ MẶT TRONG Ở
4 GÓC MIỀNG TÚI VỚI VẢI SJ CẮT MIỀNG TAM GIÁC NHƯ HÌNH**

Measurement - OFFICIAL 2025 GRAPHIC FIT - F/W 2025 6.4.2025								All measurements are in Inch					Version 1		
	Article Code	C-0326-KT-7270						Product Group		TOP					
	Article Name	NFL HOODIE						Product Sub-		PULLOVER HOODIE					
	Created On	08-28-2025 1:21:00 PM	Material Description	BRUSHED FLEECE. 100% COTTON 420 GSM- UN-AVAILABLE (FB-K1573)				Season		Q3 2026					
	Last Modified	09-22-2025 1:51:00 PM						Life Cycle Stage		Development					
	POM Code	POM Name			-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A201	Front body length from HPS : Top			1/2	1/2	Mixed	26	26 1/2	27	27 1/2	28	29	30	31
	H101	Neck width :: SEAM TO SEAM			1/4	1/4	Mixed	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2
	H201	Front neck drop from HPS : Crew			1/8	1/8	Mixed	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16
	H301	Back neck drop from HPS Crew			1/8	1/8	Mixed	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16
	D102	Shoulder slope :: from HPS			1/8	1/8	Mixed	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16
	D103	Shoulder displacement to front			1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
!	D101	Shoulder width :measured on CB body			3/8	3/8	Mixed	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4
	B301	Across: Chest : at mid. armhole			1/4	1/4	Mixed	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2
	B201	Across Back : at mid. armhole			1/4	1/4	Mixed	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4
!	B101	Chest width :1" below armhole			1/2	1/2	Mixed	20	21	22	23	24	25 1/2	27	28 1/2
!	C102	Bottom width : 1" above band seam			1/2	1/2	Mixed	18	19	20	21	22	23 1/2	25	26 1/2
!	C101	Bottom width at band:inside fold edges of band/he			1/2	1/2	Mixed	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24
!	E101	Armhole Straight :: measured straight			1/4	1/4	Mixed	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8
!	G101	Bicep width:1" below armhole			1/4	1/4	Mixed	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1/2	1/2	Mixed	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4
!	G104	L/Sleeve opening: inside fold edges of cuff/hem			1/8	1/8	Mixed	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16
!	G103	L/Sleeve :: 1" above cuff seam			1/8	1/8	Mixed	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16
	F701	Sleeve Cuff Band Height			1/8	1/8	0	3	3	3	3	3	3	3	3
	A703	Body Band Height			1/8	1/8	0	3	3	3	3	3	3	3	3
	H708	Hood casing width :: at CF			1/8	1/8	0	1	1	1	1	1	1	1	1
!	H703	Hood width :: at 5" Below Top Edge			1/4	1/4	1/4	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12
!	H701	Hood height at CF			1/4	1/4	Mixed	14 1/2	15	15	15 1/2	15 1/2	16	16	16
	H702	Hood height at HPS			1/4	1/4	Mixed	13	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2
!	N101	Kanga pocket height at center			1/4	1/4	Mixed	8 3/4	9	9	9 1/4	9 1/4	9 3/4	9 3/4	9 3/4
	N102	Kanga pocket width at top edge			1/4	1/4	Mixed	9 1/2	9 3/4	9 3/4	10	10	10 1/2	10 1/2	10 1/2
!	N103	Kanga pocket width at widest point			1/4	1/4	Mixed	13 1/2	13 3/4	13 3/4	14	14	14 1/2	14 1/2	14 1/2
	N104	Kanga pocket width at band seam			1/4	1/4	Mixed	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 1/2
	N201	Pocket opening hem height			1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
!	H709	drawcord length : Hood			1/2	1/2	Mixed	40	41	41	42	42	43	43	43
	H710	Hood drawcord exit pos. fr neck			1/8	1/8	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
	H606	Inside back neck binding width			1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Measurement - OFFICIAL 2025 GRAPHIC FIT - F/W 2025 6.4.2025										All measurements are in Inch					Version 1		
	Article Code	C-0326-KT-7270				BRUSHED FLEECE. 100% COTTON 420 GSM- UN-AVAILABLE (FB-K1573)				Product Group	TOP						
	Article Name	NFL HOODIE								Product Sub-	PULLOVER HOODIE						
	Created On	08-28-2025 1:21:00 PM			Material					Q3 2026							
	Last Modified	09-22-2025 1:51:00 PM			Description					Development							
	POM Code	POM Name					-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
	H404	Minimum Neck Stretch					0	1/2	0	24	24	24	24	24	24	24	24

NOTES
same as 2024 but with smaller pockets 10.21.2024

Cm of Measurement - OFFICIAL 2025 GRAPHIC FIT - F/W 2025 6.4.2025								All measurements are in CM					Version 1		
	Article Code	C-0326-KT-7270						Product Group		TOP					
	Article Name	NFL HOODIE						Product Sub-		PULLOVER HOODIE					
	Created On	08-28-2025 1:21:00 PM	Material Description	BRUSHED FLEECE. 100% COTTON 420 GSM- UN-AVAILABLE (FB-K1573)				Season		Q3 2026					
	Last Modified	09-22-2025 1:51:00 PM						Life Cycle Stage		Development					
	POM Code	POM Name			-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A201	Front body length from HPS : Top			1.27	1.27	Mixed	66.04	67.31	68.58	69.85	71.12	73.66	76.2	78.74
	H101	Neck width :: SEAM TO SEAM			0.635	0.635	Mixed	22.86	22.86	23.495	24.13	24.765	25.4	26.035	26.67
	H201	Front neck drop from HPS : Crew			0.3175	0.3175	Mixed	8.5725	8.5725	8.7312	8.89	9.0488	9.3663	9.6837	10.0013
	H301	Back neck drop from HPS Crew			0.3175	0.3175	Mixed	2.2225	2.2225	2.3813	2.54	2.6987	3.0162	3.3338	3.6513
	D102	Shoulder slope :: from HPS			0.3175	0.3175	Mixed	4.7625	4.9212	5.08	5.08	5.08	5.2387	5.3975	5.5563
	D103	Shoulder displacement to front			0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905
!	D101	Shoulder width :measured on CB body			0.9525	0.9525	Mixed	47.625	49.53	51.435	53.34	55.245	57.785	60.325	62.865
	B301	Across: Chest : at mid. armhole			0.635	0.635	Mixed	41.91	43.815	45.72	47.625	49.53	52.07	54.61	57.15
	B201	Across Back : at mid. armhole			0.635	0.635	Mixed	42.545	44.45	46.355	48.26	50.165	52.705	55.245	57.785
!	B101	Chest width :1" below armhole			1.27	1.27	Mixed	50.8	53.34	55.88	58.42	60.96	64.77	68.58	72.39
!	C102	Bottom width : 1" above band seam			1.27	1.27	Mixed	45.72	48.26	50.8	53.34	55.88	59.69	63.5	67.31
!	C101	Bottom width at band:inside fold edges of band/he			1.27	1.27	Mixed	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96
!	E101	Armhole Straight :: measured straight			0.635	0.635	Mixed	25.0825	26.035	26.9875	27.94	28.8925	30.1625	31.4325	32.7025
!	G101	Bicep width:1" below armhole			0.635	0.635	Mixed	23.495	24.13	24.765	25.4	26.035	26.8287	27.6225	28.4163
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1.27	1.27	Mixed	84.455	86.36	88.265	90.17	92.075	94.615	97.155	99.695
!	G104	L/Sleeve opening: inside fold edges of cuff/hem			0.3175	0.3175	Mixed	8.0962	8.5725	9.0488	9.525	10.0013	10.6363	11.2713	11.9063
!	G103	L/Sleeve :: 1" above cuff seam			0.3175	0.3175	Mixed	13.8112	14.2875	14.7637	15.24	15.7163	16.3513	16.9862	17.6212
	F701	Sleeve Cuff Band Height			0.3175	0.3175	0	7.62	7.62	7.62	7.62	7.62	7.62	7.62	7.62
	A703	Body Band Height			0.3175	0.3175	0	7.62	7.62	7.62	7.62	7.62	7.62	7.62	7.62
	H708	Hood casing width :: at CF			0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54
!	H703	Hood width :: at 5" Below Top Edge			0.635	0.635	0.635	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48
!	H701	Hood height at CF			0.635	0.635	Mixed	36.83	38.1	38.1	39.37	39.37	40.64	40.64	40.64
	H702	Hood height at HPS			0.635	0.635	Mixed	33.02	34.29	34.29	35.56	35.56	36.83	36.83	36.83
!	N101	Kanga pocket height at center			0.635	0.635	Mixed	22.225	22.86	22.86	23.495	23.495	24.765	24.765	24.765
	N102	Kanga pocket width at top edge			0.635	0.635	Mixed	24.13	24.765	24.765	25.4	25.4	26.67	26.67	26.67
!	N103	Kanga pocket width at widest point			0.635	0.635	Mixed	34.29	34.925	34.925	35.56	35.56	36.83	36.83	36.83
	N104	Kanga pocket width at band seam			0.635	0.635	Mixed	26.67	27.305	27.305	27.94	27.94	29.21	29.21	29.21
	N201	Pocket opening hem height			0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905
!	H709	drawcord length : Hood			1.27	1.27	Mixed	101.6	104.14	104.14	106.68	106.68	109.22	109.22	109.22
	H710	Hood drawcord exit pos. fr neck			0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175
	H606	Inside back neck binding width			0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525

Cm of Measurement - OFFICIAL 2025 GRAPHIC FIT - F/W 2025 6.4.2025							All measurements are in CM							Version 1		
	Article Code	C-0326-KT-7270					Product Group	TOP								
	Article Name	NFL HOODIE					Product Sub-	PULLOVER HOODIE								
	Created On	08-28-2025 1:21:00 PM	Material Description	BRUSHED FLEECE. 100% COTTON 420 GSM- UN-AVAILABLE (FB-K1573)			Season	Q3 2026								
	Last Modified	09-22-2025 1:51:00 PM					Life Cycle Stage	Development								
	POM Code	POM Name				-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	H404	Minimum Neck Stretch				0	1.27	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96

NOTES
same as 2024 but with smaller pockets 10.21.2024