




COLORS

SIZES

000, 001, 002, 003, 004, 005, 006, 007

						Bill of Material						Version 1
(@\@)	Article Code	C-03	25-KT-6156				Prod	uct Group)	TOP		
	Article Name	CFL	CLASSIC OWL HOODIE				Prod	uct Sub-C	Category	HOODIE		
()	Created On 09/26/24 10:19:22 AM Last Modified 10/03/24 9:50:24 AM		Material	100%	cotton heavy fleece 460gsm (FB-K507)	Seas		-	2025 Fall			
Dr.			<u> </u>	Description	REF#	PLAW21P2465001N00D PLAW21P2465002N00D		Cycle Stag	ae	Development		اصا اصا
<u> </u>		5,21 3130121 A4		KEF#	PLAW21P2465002N00D			 	Бечеторшене			
Part			Material			Placement	Qty.	UOM.		Comments	Supplier	Supplier Ref.
Fabric												
	100% cotton heavy	fleece 46	50gsm			Body/ Sleeves/ Kanga Pocket	0	Yards	1			
	(FB-K507)		3			, ,						
	REF# PLAW21P24	55001N0	0D									
	REF# PLAW21P24	55002N0	0D									
	100% COMBED CO	TTON JEF	RSEY, 190GSM			back neck tape	0	Meter				REF#
	(FB-K614)					·						OVOTRIP-TS01
	REF# OVOTRIP-TS()1										
	SINGLE JERSEY											
	1x1 RIB COTTON/ L	YCRA				Collar/ Cuffs/ Side Panel/ CF insert	0	Yards				
	(FB-K151)											
	WEIGHT TBD											
Trims												
	CC LABEL - APPARE	1.					1.00	Each			Vendor Sourced	
	(LT110)											
	White Satin ground,	Black te	xt									
			ructions may vary by style.									
	POLY BAG - GENER		, , , ,				1.00	Each			Vendor Sourced	
	(PK101)											
	Clear Plastic, with s	uffocation	n warning on back, UPC sticker p	lacement on bottom right co	orner of							
	bag.			v								
	UPC STICKER- 1" X	2.5"					1.00	Each				
	(TR-ST114)											
	PLEASE PRINT WIT	H THERM	MAL PRINTER									
	TEAR-AWAY COO T	AB: OVO	F21_217_T				1.00	Each			Reca Mainetti Asia	OVOF21_217_
	(LT138)										Ltd.	Т
	COUNTRY OF ORIG	IN TAB										
	OVO 2023 Alpha Siz	zing Tab					1.00	Each			Reca Mainetti Asia	LBOVO175
	(TR-LT246)										Ltd.	
	ARTICLE: OVOW23											
	OVO 2023 One Side	e Main La	nbel				1.00	Each			Reca Mainetti Asia	LBOVO172
	(TR-LT247)										Ltd.	
	RECA REF: LBOVO											
	OVO 2023 Booklet	Hangtag					1.00	Each	HANGTA	G TBC	Reca Mainetti Asia	HTOVO141A
	(TR-HG142)										Ltd.	
	Article code: HTOVO											<u> </u>
	5mm GROSGRAIN R	IBBON LO	OOP				1.00	Each			Vendor Sourced	
	(TR-TV140)											
	FOR HANGTAG ATT								-			
		CORD BA	SKETWEAVE COTTON				1.00	Each	DTM CON	1BO		
	(TR-DR163)								1			
	BUTTON HOLE HIG	H STITCH	1 COUNT				2.00	Each	DTM BOD	Υ	Vendor Sourced	
	(BB105)											

						Bill of Material						Version 1	
(<u>0</u> ,0)		Article Code	C-0325-KT-6156				Prod	uct Group					
M/		Article Name	CFL CLASSIC OWL HOODIE				Prod	uct Sub-C	ategory	HOODIE			
///	\ [Created On	09/26/24 10:19:22 AM	Material		cotton heavy fleece 460gsm (FB-K507)	Seas	on		2025 Fall			
<u> </u>	7	Last Modified	10/03/24 9:50:24 AM	Description		PLAW21P2465001N00D PLAW21P2465002N00D	Life	Cycle Stag	Development				
Part			Material			Placement	Qty.	UOM.		Comments	Supplier	Supplier Ref.	
Graphics													
	TBD - S	SEE ARTWORK	FILE				0	Each					
	(HT-10	2)											







Comments

HOOD

1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged seperately. CF of hood overlapping at the neck 3/4", left over right.

SN topstitch at front edge to make channel for drawcord. Buttonhole exits for drawcord.

Round drawcord, ends knotted. Drawcord tacked at CF of hood as per photo reference

Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.

NECK SEAM

Hood join to body with #512 mock safety stitch. Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck and front neck.

SHOULDER SEAM

Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.

ARMHOLE SEAM Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.

SLEEVE/ SIDE SEAM Join in one operation. #512 mock safety stitch.

SLEEVE OPENING

Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.


KANGA POCKET

Self pocket bag. Opening edges turned in, 2N coverstitch to form hem, 1/4" spacing.

Side and top edges serged and turned in. SN topstitched to body. Bottom of bag finished into the band seam. Bartacks at top and bottom of pkt openings.

BOTTOM OPENING

Folded rib band. Join to bottom opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.



REF# PLAW21P2465001N00D

100% cotton heavy fleece 460gsm (FB-K507)

2025 Fall Season Life Cycle Stage Development

1		1	-
4	1	-	-
-	-	-	-

<u>₩</u>	Last Modified 10/03/24 9:5	50:24 AM			scription		REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D					Life Cycl	e Stage	ge Development			 1-11-1	
POM	Description	+ Tol	- Tol	Grade	xxs	XS	S	M	L	XL	XXL	3XL						
! A201	Front body length from HPS : Top	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31						
! H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2						
! H201	Front neck drop from HPS : Crew	1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16						
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16						
! D102	Shoulder slope :: from HPS	1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16						
D103	Shoulder displacement to front	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4						
! D101	Shoulder width :measured on CB body	3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4						
! B301	Across: Chest : at mid. armhole	1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2						
! B201	Across Back : at mid. armhole	1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4						
! B101	Chest width :1" below armhole	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2						
! C102	Bottom width : 1" above band seam	1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2						
! C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24						
! E101	Armhole Straight :: measured straight	1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8						
! G101	Bicep width:1" below armhole	1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16						
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4						
! G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16						
! G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16						
F701	Sleeve Cuff Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4						
A703	Body Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4						
H708	Hood casing width :: at CF	1/8	1/8	NA	1	1	1	1	1	1	1	1						
! H703	Hood width :: at 5" Below Top Edge	1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12						
! H701	Hood height at CF	1/4	1/4	NA	14 1/2	15	15	15 1/2	15 1/2	16	16	16						
H702	Hood height at HPS	1/4	1/4	NA	13	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2						
! N101	Kanga pocket height at center	1/4	1/4	NA	8 3/4	9	9	9 1/4	9 1/4	9 3/4	9 3/4	9 3/4						
! N102	Kanga pocket width at top edge	1/4	1/4	NA	9 1/2	9 3/4	9 3/4	10	10	10 1/2	10 1/2	10 1/2						
! N103	Kanga pocket width at widest point	1/4	1/4	NA	13 1/2	13 3/4	13 3/4	14	14	14 1/2	14 1/2	14 1/2						
! N104	Kanga pocket width at band seam	1/4	1/4	NA	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 1/2						
N201	Pocket opening hem height	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4						
! H709	drawcord length : Hood	1/2	1/2	NA	40	41	41	42	42	43	43	43						
H710	Hood drawcord exit pos. fr neck	1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4						
H606	Neck binding width	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8		_				
! H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24						

Comments

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width)

8/17/23 revisions for Q1 and onwards:

add self half moon facing for the new main label

Created On

09/26/24 10:19:22 AM

Material

	•	Meas	All Measu	Version 1			
(@\@)	7 11 11 010 0000	C-0325-KT-6156			Product Group	ТОР	
164	Article Name	CFL CLASSIC OWL HOODIE			Product Sub-	HOODIE	
1///	Created On	09/26/24 10:19:22 AM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2025 Fall	1 3 1 (3 1
3	Last Modified	10/03/24 9:50:24 AM	1)accrintion	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage Development		

Printed by Curtis Niel on 10/04/24 2:12:11 PM Powered by WFX. All rights reserved.



REF# PLAW21P2465001N00D

<u>₩</u>	Last Modified 10/03/24 9:5	50:24 AM			Description		REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D					Life Cycl	e Stage	dage Development			-	1-11-1	
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL					•		
! A201	Front body length from HPS : Top	1.27	1.27	0	66.04	67.31	68.58	69.85	71.12	73.66	76.20	78.74							
! H101	Neck width :: SEAM TO SEAM	0.635	0.635	0	22.86	22.86	23.495	24.13	24.765	25.40	26.035	26.67							
! H201	Front neck drop from HPS : Crew	0.3175	0.3175	0	8.5725	8.5725	8.7312	8.89	9.0488	9.3663	9.6837	10.0013							
H301	Back neck drop from HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513							
! D102	Shoulder slope :: from HPS	0.3175	0.3175	0	4.7625	4.9212	5.08	5.08	5.08	5.2388	5.3975	5.5563							
D103	Shoulder displacement to front	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905							
! D101	Shoulder width :measured on CB body	0.9525	0.9525	0	47.625	49.53	51.435	53.34	55.245	57.785	60.325	62.865							
! B301	Across: Chest : at mid. armhole	0.635	0.635	0	41.910	43.815	45.720	47.625	49.530	52.070	54.610	57.150							
! B201	Across Back : at mid. armhole	0.635	0.635	0	42.545	44.45	46.355	48.26	50.165	52.705	55.245	57.785							
! B101	Chest width :1" below armhole	1.27	1.27	0	50.80	53.34	55.88	58.42	60.96	64.77	68.58	72.39							
! C102	Bottom width : 1" above band seam	1.27	1.27	0	45.72	48.26	50.80	53.34	55.88	59.69	63.50	67.31							
! C101	Bottom width at band:inside fold edges of band/hem	1.27	1.27	0	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96							
! E101	Armhole Straight :: measured straight	0.635	0.635	0	25.0825	26.035	26.9875	27.94	28.8925	30.1625	31.4325	32.7025							
! G101	Bicep width:1" below armhole	0.635	0.635	0	23.495	24.13	24.765	25.4	26.035	26.8287	27.6225	28.4163							
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1.27	1.27	0	84.455	86.36	88.265	90.17	92.075	94.615	97.155	99.695							
! G104	L/Sleeve opening: inside fold edges of cuff/hem	0.3175	0.3175	0	8.0963	8.5725	9.0487	9.525	10.0013	10.6363	11.2713	11.9063							
! G103	L/Sleeve :: 1" above cuff seam	0.3175	0.3175	0	13.8113	14.2875	14.7637	15.24	15.7163	16.3513	16.9863	17.6213							
F701	Sleeve Cuff Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985							
A703	Body Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985							
H708	Hood casing width :: at CF	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54							
! H703	Hood width :: at 5" Below Top Edge	0.635	0.635	0	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48							
! H701	Hood height at CF	0.635	0.635	0	36.83	38.10	38.10	39.37	39.37	40.64	40.64	40.64							
H702	Hood height at HPS	0.635	0.635	0	33.02	34.29	34.29	35.56	35.56	36.83	36.83	36.83							
! N101	Kanga pocket height at center	0.635	0.635	0	22.225	22.860	22.860	23.495	23.495	24.765	24.765	24.765							
! N102	Kanga pocket width at top edge	0.635	0.635	0	24.13	24.765	24.765	25.4	25.4	26.67	26.67	26.67							
! N103	Kanga pocket width at widest point	0.635	0.635	0	34.29	34.925	34.925	35.56	35.56	36.83	36.83	36.83							
! N104	Kanga pocket width at band seam	0.635	0.635	0	26.67	27.305	27.305	27.94	27.94	29.21	29.21	29.21							
N201	Pocket opening hem height	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905							
! H709	drawcord length : Hood	1.27	1.27	0	101.60	104.14	104.14	106.68	106.68	109.22	109.22	109.22							
H710	Hood drawcord exit pos. fr neck	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175							
H606	Neck binding width	0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525							
! H404	Minimum Neck Stretch	1.27	0	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96							

Comments

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width)

8/17/23 revisions for Q1 and onwards:

add self half moon facing for the new main label

		CM of M	All Mea	Version 1			
(a,a)	Alticic oouc	С-0325-КТ-6156			Product Group	TOP	
	Article Name	CFL CLASSIC OWL HOODIE]		Product Sub-	HOODIE	
1///	Created On	09/26/24 10:19:22 AM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2025 Fall	رکار رکار
10 M	Last Modified	10/03/24 9:50:24 AM	1)accrintion	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Development	

Printed by Curtis Niel on 10/04/24 2:12:11 PM Powered by WFX. All rights reserved. Page 9 of 9