
















Article Summary							Version 1
	Article Code	M-0225-KT-5728		FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)	Product Group	TOP	
	Article Name	WASHED PANELLED CREW			Product Sub-Category	SWEAT TOPS	
	Created On	07/08/24 2:45:19 PM			Season	2025 Summer	
	Last Modified	08/20/24 5:21:11 PM			Life Cycle Stage	Sample Evaluation	
Gender Classification		Mens	Sub Class D	CREWNECK	Fabrication	KNIT TOP	
Supplier		UN-AVAILABLE CO. LTD	Release Date	16 May 2025	Ex-Factory	21 Feb 2025	
<div><div>200</div><div>150</div></div>							COLORS
							<div><div></div>BLACK (BK)</div> <div><div></div>ARCTIC WOLF (ARC) 12-0602 TCX (.)</div>
SIZES							
000, 001, 002, 003, 004, 005, 006, 007							

Bill of Material														Version 1
	Article Code	M-0225-KT-5728			FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)				Product Group		TOP			
	Article Name	WASHED PANELLED CREW							Product Sub-Category		SWEAT TOPS			
	Created On	07/08/24 2:45:19 PM		Material					Season		2025 Summer			
	Last Modified	08/20/24 5:21:11 PM		Description					Life Cycle Stage		Sample Evaluation			
Part	Material			Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK Feb ExFactory3		ARC ARCTIC WOLF Feb ExFactory3
Fabric														
	FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)			BODY/SLV/DORITO		0	Meter	ENZYME WASHING FOR A FADED APPEARANCE WITH SOFT HANDFEEL		C2300233		None		None
	2X1 COTTON /LYCRA -WEIGHT TBD (FB-K1010)			CUFF/ BODY BAND/NECK		0	Meter					None		None
Trims														
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172					1	Each		Reca Mainetti Asia Ltd.	LBOVO172		None		None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175					1	Each		Reca Mainetti Asia Ltd.	OVOW23_181_T		None		None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB					1	Each		Reca Mainetti Asia Ltd.	OVOF21_217_T		None		None
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT					1	Each		Vendor Sourced			None		None
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A					1	Each		Reca Mainetti Asia Ltd.	HTOVO141A		None		None
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.					1	Each		Vendor Sourced			None		None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER					2	Each					None		None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.					1	Each		Vendor Sourced			None		None
Graphics														

Bill of Material												Version 1	
	Article Code	M-0225-KT-5728		FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)				Product Group	TOP				
	Article Name	WASHED PANELLED CREW						Product Sub-Category	SWEAT TOPS				
	Created On	07/08/24 2:45:19 PM						Season	2025 Summer				
	Last Modified	08/20/24 5:21:11 PM						Life Cycle Stage	Sample Evaluation				
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK Feb ExFactory3		ARC ARCTIC WOLF Feb ExFactory3
	TBD - SEE ARTWORK FILE (HT-102)				0	Each					None		None

Material Image Sheet						Version 1
	Article Code	M-0225-KT-5728	Material Description	Product Group	TOP	
	Article Name	WASHED PANELLED CREW		Product Sub-Category	SWEAT TOPS	
	Created On	07/08/24 2:45:19 PM		Season	2025 Summer	
	Last Modified	08/20/24 5:21:11 PM		Life Cycle Stage	Sample Evaluation	
 FB-K1185 FRENCH TERRY- 100% COTTON, 450GSM	 TR-LT247 OVO 2023 One Side Main Label	 TR-LT246 OVO 2023 Alpha Sizing Tab	 LT138 TEAR-AWAY COO TAB: OVOF21_217_T	 TR-TV140 5mm GROSGRAIN RIBBON LOOP	 TR-HG142 OVO 2023 Booklet Hangtag	
 LT110 CC LABEL - APPAREL	 TR-ST114 UPC STICKER- 1" X 2.5"	 PK101 POLY BAG - GENERIC				

UPC LAYOUT 2024							Version 1
	Article Code	M-0225-KT-5728		FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)	Product Group	TOP	
	Article Name	WASHED PANELLED CREW			Product Sub-Category	SWEAT TOPS	
	Created On	07/08/24 2:45:19 PM			Season	2025 Summer	
	Last Modified	08/20/24 5:21:11 PM			Life Cycle Stage	Sample Evaluation	
		Material	Description				




OCTOBER'S VERY OWN

UPC INFORMATION

STYLE # : M-0421-KT-1117
SIZE : MD (03)
COLOUR : BLACK (BK)
PRODUCT CODE : KNIT TOP
DIVISION : MENS
SKU : M-0421-KT-1117-BK-03

COLOUR AND SIZE CODE ARE INCLUDED IN THE UPC CODE AND BARCODE.



STICKER PLACEMENT
(2 PER GARMENT)


DIMENSIONS


UPC STICKER#1
PLACE ON BOTTOM RIGHT
CORNER OF POLY BAG.


UPC STICKER #2
PLACE INSIDE HANGTAG BOOKLET




ROUNDED CORNERS

EZYME WASH EXAMPLE						Version 1
Article Code	M-0225-KT-5728			Product Group	TOP	
Article Name	WASHED PANELLED CREW			Product Sub-Category	SWEAT TOPS	
Created On	07/08/24 2:45:19 PM	Material Description	FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)	Season	2025 Summer	
Last Modified	08/20/24 5:21:11 PM			Life Cycle Stage	Sample Evaluation	




Construction details -Crew PANEL							Version 1
	Article Code	M-0225-KT-5728		FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)	Product Group	TOP	
	Article Name	WASHED PANELLED CREW			Product Sub-Category	SWEAT TOPS	
	Created On	07/08/24 2:45:19 PM	Material Description		Season	2025 Summer	
	Last Modified	08/20/24 5:21:11 PM			Life Cycle Stage	Sample Evaluation	





Comments


- 1 RIB COLLARETTE, DOUBLE FOLD
JOIN COLLAR TO BODY: 2ND COVERSTITCH, 1/8" GAUGE,
JOIN SEAM ON WEARER'S LEFT SHOULDER SEAM.
CLEAN FINISH COLLARETTE EDGES
- 2 DORITO cut and sew
mock safety serged with 3NDL C/S, straddle seam
- 3 SHOULDER SEAM
Set forward on body. Join with #512 mock safety stitch. 1/4" 3N
coverstitch straddling seam
- 4 FRONT YOKE
Join with mock safety serged, 3NDL C/S, straddle seams.
- 5 ARMHOLE SEAM
Join with #512 mock safety stitch. 3N coverstitch straddling
seam, 1/4" spacing.
- 6 SLEEVE INSEAM/SIDE SEAM
#512 mock safety stitch.
- 7 SLEEVE OPENING
Folded rib cuff. Join to sleeve opening with #512 mock safety
stitch. 1/4" 3N coverstitch, straddling seam
- 8 BOTTOM OPENING
Folded rib band. Join to bottom opening with #512 mock safety
stitch. 1/4" 3N coverstitch, straddling seam

3 Needle 5 Thread Coverstitch		605	Lap Seaming, Coverseaming, Binding on Knits	Specify 1) Needle spacing (Ex: 1/4") 2) SPI	Stitch formed with 3-needle threads, a top cover thread and a bottom looper thread.
-------------------------------	--	-----	---	---	---


Measurement - Crewneck										All Measurements are in Inches				Version 1			
	Article Code	M-0225-KT-5728		FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)						Product Group		TOP					
	Article Name	WASHED PANELLED CREW								Product Sub-Category		SWEAT TOPS					
	Created On	07/08/24 2:45:19 PM								Season		2025 Summer					
	Last Modified	08/20/24 5:21:11 PM								Life Cycle Stage		Sample Evaluation					
POM	Description		+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
⚠ A201	Front body length from HPS : Top		1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31				
⚠ H101	Neck width :: SEAM TO SEAM		1/4	1/4	NA	7 1/4	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4				
⚠ H201	Front neck drop from HPS : Crew		1/8	1/8	NA	3 1/2	3 1/2	3 9/16	3 5/8	3 11/16	3 13/16	3 15/16	4 1/16				
H301	Back neck drop from HPS Crew		1/8	1/8	NA	1 1/8	1 1/8	1 3/16	1 1/4	1 5/16	1 7/16	1 9/16	1 11/16				
⚠ H605	Neckband width		1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
⚠ D102	Shoulder slope :: from HPS		1/8	1/8	NA	2 1/8	2 3/16	2 1/4	2 1/4	2 1/4	2 5/16	2 3/8	2 7/16				
D103	Shoulder displacement to front		1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
⚠ D101	Shoulder width :measured on CB body		3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4				
⚠ B301	Across: Chest : at mid. armhole		1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2				
⚠ B201	Across Back : at mid. armhole		1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4				
⚠ B101	Chest width :1" below armhole		1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2				
⚠ C102	Bottom width : 1" above band seam		1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2				
⚠ C101	Bottom width at band:inside fold edges of band/hem		1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24				
⚠ E101	Armhole Straight :: measured straight		1/4	1/4	NA	9 1/2	9 7/8	10 1/4	10 5/8	11	11 1/2	12	12 1/2				
⚠ G101	Bicep width:1" below armhole		1/4	1/4	NA	9	9 1/4	9 1/2	9 3/4	10	10 5/16	10 5/8	10 15/16				
⚠ F101	L:Sleeve overarm fr. CB neck :: 3 x point measure		1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4				
⚠ G104	L:Sleeve opening: inside fold edges of cuff/hem		1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16				
⚠ G103	L:Sleeve :: 1" above cuff seam		1/4	1/4	NA	5 3/16	5 3/8	5 9/16	5 3/4	5 15/16	6 3/16	6 7/16	6 11/16				
F701	Sleeve Cuff Band Height		1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
A703	Body Band Height		1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
D302	Front yoke depth :: from HPS		1/4	1/4	NA	7 5/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4				
N221	Dorito width: edge to edge		1/8	1/8	1/8	2 7/8	3	3 1/8	3 1/4	3 3/8	3 1/2	3 5/8	3 3/4				
N222	Dorito height: CF NK seam to edge		1/8	1/8	1/8	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4				
⚠ H404	Minimum Neck Stretch		1/2	0	NA	24	24	24	24	24	24	24	24				
Comments																	
REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width)																	

UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto - 2nd Version [Sample 1 (M)]								Version 1			
	Article Code	M-0225-KT-5728			Product Group	TOP					
	Article Name	WASHED PANELLED CREW			Product Sub-Category	SWEAT TOPS					
	Created On	07/08/24 2:45:19 PM			Material	FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)		Season		2025 Summer	
	Last Modified	08/20/24 5:21:11 PM			Description			Life Cycle Stage		Sample Evaluation	
POM	Description				+ Tol	- Tol	M	Sample	Diff	Revised	
A201	Front body length from HPS : Top				1/2	1/2	27 1/2	27	-1/2		
H101	Neck width :: SEAM TO SEAM				1/4	1/4	7 3/4	7	-3/4		
H201	Front neck drop from HPS : Crew				1/8	1/8	3 1/2	3 1/2	0	3 5/8	
H301	Back neck drop from HPS Crew				1/8	1/8	1 3/4	1 1/4	-1/2	1 1/4	
H605	Neckband width				1/8	1/8	7/8	3/4	-1/8	3/4	
D102	Shoulder slope :: from HPS				1/8	1/8	2	1 1/2	-1/2	2 1/4	
D103	Shoulder displacement to front				1/8	1/8	3/4	7/8	1/8		
D101	Shoulder width :measured on CB body				3/8	3/8	21	21	0		
B301	Across: Chest : at mid. armhole				1/4	1/4	18 3/4	19	1/4		
B201	Across Back : at mid. armhole				1/4	1/4	19	19 1/2	1/2		
B101	Chest width :1" below armhole				1/2	1/2	23	23 1/2	1/2		
C102	Bottom width : 1" above band seam				1/2	1/2	21	21 1/4	1/4		
C101	Bottom width at band:inside fold edges of band/hem				1/2	1/2	18 1/2	18 1/2	0		
E101	Armhole Straight :: measured straight				1/4	1/4	11	11	0	10 5/8	
G101	Bicep width:1" below armhole				1/4	1/4	10	10 1/4	1/4	9 3/4	
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure				1/2	1/2	35 1/2	35	-1/2		
G104	L/Sleeve opening: inside fold edges of cuff/hem				1/8	1/8	3 3/4	3 1/2	-1/4		
G103	L/Sleeve :: 1" above cuff seam				1/4	1/4	6	6	0	5 3/4	
F701	Sleeve Cuff Band Height				1/8	1/8	2 3/4	2 3/4	0		
A703	Body Band Height				1/8	1/8	2 3/4	2 3/4	0		
D302	Front yoke depth :: from HPS				1/4	1/4	0	6 1/2	6 1/2	7 3/4	
N221	Dorito width: edge to edge				1/8	1/8	3	2 7/8	-1/8	3 1/4	
N222	Dorito height: CF NK seam to edge				1/8	1/8	3	3	0	2 1/4	
H404	Minimum Neck Stretch				1/2	0	24	24	0		
Newly Added Points of Measurement											
D302 - Front yoke depth :: from HPS											
COMMENT											
STYLING COMMENTS: 1. Neck rib collarette seam please revise to wearer's left shoulder seam. See photo. 2. Remove back neck halfmoon yoke.											
FITTING COMMENTS: Noted overall fits are not adjusted due to previous fit comments sent after this sample is in the sewing process. 1. Increase neck width as per spec. Adjust front and back neck drop as per specs. 2. Increase shoulder slope as per spec. 3. Raise armhole straight as per revised spec. 4. Reduce bicep and sleeve opening at 1" above as per spec. 5. Drop front yoke as per new spec. Dorito is no longer connected to the yoke seam. 6. Adjust Dorito as per specs. 7. Bring all other measurements back to meet specs.											
IMPROVE ABOVE AND RESUBMIT A 2ND FIT SAMPLE FOR APPROVAL											
Sample Size:		M									
Status:		Rejected									
Rejected By:		SandyHuang (October's Very Own Merchandising)									

UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto - 2nd Version [Sample 1 (M)]							Version 1
	Article Code	M-0225-KT-5728		FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)	Product Group	TOP	
	Article Name	WASHED PANELLED CREW			Product Sub-Category	SWEAT TOPS	
	Created On	07/08/24 2:45:19 PM	Material		Season	2025 Summer	
	Last Modified	08/20/24 5:21:11 PM	Description		Life Cycle Stage	Sample Evaluation	
Rejected On: 08/20/24 5:21:04 PM							

UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto - 2nd Version - Fit Photos							Version 1
	Article Code	M-0225-KT-5728			Product Group	TOP	
	Article Name	WASHED PANELLED CREW			Product Sub-Category	SWEAT TOPS	
	Created On	07/08/24 2:45:19 PM	Material Description	FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)	Season	2025 Summer	
	Last Modified	08/20/24 5:21:11 PM			Life Cycle Stage	Sample Evaluation	



UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto - 2nd Version - Corrections 1						Version 1
Article Code	M-0225-KT-5728			Product Group	TOP	
Article Name	WASHED PANELLED CREW			Product Sub-Category	SWEAT TOPS	
Created On	07/08/24 2:45:19 PM	Material	FRENCH TERRY- 100% COTTON, 450GSM (FB-K1185)	Season	2025 Summer	
Last Modified	08/20/24 5:21:11 PM	Description		Life Cycle Stage	Sample Evaluation	

