


							Bill	of Materia	I				Version 1
	Article Code	M-0225-KT-5725								Product Group	TOP		
	Article Name	SS SOCCER JERSE	ΞΥ							Product Sub-Category	JERSEY		
	Created On	07/05/24 11:32:	:16 AM	Materi	ial	100% POLYE	STER CLOSE	D MESH (FB-	(1116)	Season	2025 Summer		
	Last Modified	08/01/24 1:11:5	54 PM	Descri	iption					Life Cycle Stage	Development		1
Part	Mat	erial	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	VG VERDANT GR March Ex-Fact		RD RED arch Ex-Factory4	M	BK BLACK arch Ex-Factory4
Fabric													
	100% POLYESTE MESH (FB-K1116)	ER CLOSED	BODY /SLV	0	Meter				None	Non	ne	Nor	ne
	1X1 RIB (FB-K1117)		NECK/SLV OPENING	0	Meter	with tipping			None	Non	ne	Nor	ne
Trims				•									
	TEE MAIN LABE (TR-LT251) LBOVO151	L-LBOVO151		1	Each		Reca Mainetti Asia Ltd.		None	Non	ne	Nor	ne
	OVO 2023 Alpha (TR-LT246) ARTICLE: OVOW23_181_1	-		1	Each		Reca Mainetti Asia Ltd.	OVOW23 _181_T	None	Non	ne	Nor	ne
	TEAR-AWAY CO OVOF21_217_T (LT138) COUNTRY OF OI			1	Each		Reca Mainetti Asia Ltd.	OVOF21_ 217_T	None	Non	e	Nor	ne
	OVO 2023 Bookl (TR-HG142) Article code: HT0	let Hangtag OVO141A		1	Each		Reca Mainetti Asia Ltd.	HTOVO1 41A	None	Non	ne	Nor	ne
	CC LABEL - APP. (LT110) White Satin grou COO, Content, a Instructions may	nd, Black text nd Care		1	Each		Vendor Sourced		None	Non	ne	Nor	ne
	UPC STICKER (TR-ST111) 1.8" x 1.8"			2	Each				None	Non	ie	Nor	ne
	PLS ADVISE IF Y CAPABILITY OF F STICKERS	PRINTING UPC											
	POLY BAG - GEN (PK101) Clear Plastic, wi warning on back placement on bo of bag.	th suffocation , UPC sticker		1	Each		Vendor Sourced		None	Non	ne	Nor	ne
Graphics	<b>S</b>												

							Bill	of Materi	al							Version 1
	Article Code	M-0225-KT-5725									Produc	t Group		ТОР		
	Article Name	SS SOCCER JERSE	Υ								Produc	t Sub-Cate	jory	JERSEY		
	Created On 07/05/24 11:32:16 AM			Materi	al	100% POLYESTER CLOSED MESH (FB-K1116)				Season			2025 Summer			
	Last Modified 08/01/24 1:11:54 PM			Descri	iption	on				Life Cy	cle Stage		Development			
Part	Mat	erial	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		VG VERDANT GRE March Ex-Facto			Mar	RD RED ch Ex-Factory4		BK BLACK March Ex-Factory4
	TBD - SEE ARTV (HT-102)	ORK FILE		0	Each					None			None			None

			Materia	Image Sheet				Version 1
Article Code	M-0225-KT-5725				Product Group	TOP		
Article Name	SS SOCCER JERSEY				Product Sub-Category	JERSEY		
Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED	MESH (FB-K1116)	Season	2025 Summer		
Last Modified	08/01/24 1:11:54 PM	Description			Life Cycle Stage	Development		
AND	OCTOBER'S VERY OWN	Sizes from the second of the s	E GROUND	Section of the sectio	The state of the s	The state of the s	190%, COT 1 190%,	BEET'S OWN.  UNITED THE CONTROL OF T
FB-K1116	TR-LT251		TR-LT246	LT138	TR-HG14	2	LT1	10
100% POLYESTER CLO MESH	DSED TEE MAIN LABEL- LBOVO151	OVO 202	23 Alpha Sizing Tab	TEAR-AWAY COO TAB: OVOF21_217_T	OVO 2023 Bookle	t Hangtag	CC LABEL -	APPAREL
C A N V A S \$58.00 SPORTSCAP - BLACK SPORTCAP								
TR-ST111 UPC STICKER	PK101 POLY BAG - GENERIO	С						

			Construction- SOCCER SHIRT w/ Raglan Sleeve			Version 1
Article Code	M-0225-KT-5725			Product Group	ТОР	
Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	



### Comments

- NECKBAND:
  1X1 RIB COLLAR, DOUBLE FOLD, MOCK SAFETY SERGE,
  512 TO NECK SEAM, 2 NDL EDGE T/S TO FRONT NECK
  SEAM. 1/4" GAUGE
- 2 NECK/SHOULDER TAPE:
  JERSEY BINDING ALONG BACK NECK FROM HPS TO HPS,
  2 NDL CHAINSTITCH (LOOPER SIDE EXPOSED ON
  EXTERIOR)
- 3 ARMHOLE SEAM: RAGLAN
  MOCK SAFETY SERGED, 512, FLAT PIPING INSERTED INTO
  SEAM WITH SINGLE NEEDLE EDGESTITCH
- 4 SLEEVE HEM: CUFF 1X1 RIB, DOUBLE LAYER FOLD MOCK SAFETY SERGE TO JOIN TO PANEL,
- 5 SLEEVE MOCK SAFETY SERGED, 512
- 6 SIDE SEAM
  MOCK SAFETY SERGED, 512
- BODY HEM:
  SELF TURNED WITH 2 NDL COVERSTITCH, 1/4" GAUGE
- 1. Flat knit rib gập đôi, diễu 2 kim tại cổ trước, to bản 1/4 inch
- 2. Viền cổ bằng vải chính từ đỉnh vai đến đỉnh vai, diễu móc xích 2 kim (móc xích nằm ở mặt trên)
- 3. Tay raglan, có piping bằng vải chính tại cách trước + sau, diễu 1 kim
- 4. Rib tay là flat knit rib gập đôi
- 5. Tay áo may vắt xổ 2 kim
- 6. May vắt sổ
- 7. Lai diễu 2 kim to bản 1/4 inch

			TIPPED RIB REFERENCE			Version 1
Article Code	M-0225-KT-5725			Product Group	ТОР	
Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	

# TIPPED RIB:



			COLLAR CONSTRUCTION REFERENCE			Version 1
Article Code	M-0225-KT-5725			Product Group	TOP	
Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	

## COLLAR CONSTRUCTIONR REF.



\* PLEASE DISREGARD DORITO

		Measui	ement She	et - SOC	CER SHI	RT - w/ F	Raglan Sl	eeve				All Meas	urements	are in Inc	ches	Version 1
	Article Code	M-0225-KT-5725									Product G	roup	TOP			
	<b>Article Name</b>	SS SOCCER JERSEY									Product S	ub-Category	JERSEY			
	Created On	07/05/24 11:32:16 AM	Mater		100% POL	YESTER CL	OSED MESH	(FB-K1116	5)		Season		2025 Sun	nmer		
	Last Modified	08/01/24 1:11:54 PM	Descr	iption							Life Cycle	Stage	Developm	ent		
POM		Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL			
! A101	Front body length from	n HPS : Top	1/2	1/2	NA	25 3/4	26 1/4	26 3/4	27 1/4	27 3/4	28 3/4	29 3/4	30 3/4			
! A102	Back body length from	m HPS : Longer length	1/2	1/2	NA	26 3/4	27 1/4	27 3/4	28 1/4	28 3/4	29 3/4	30 3/4	31 3/4			
! H101	Neck width :: SEAM TO	) SEAM	1/4	1/4	NA	6 1/2	6 1/2	6 3/4	7	7 1/4	7 1/2	7 3/4	8			
! H201	Front neck drop from	HPS : Crew	1/8	1/8	NA	4 3/8	4 3/8	4 7/16	4 1/2	4 9/16	4 11/16	4 13/16	4 15/16			
H301	Back neck drop from	HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16			
! H605	Outer Collar height a	t CB	1/8	1/8	NA	1	1	1	1	1	1	1	1			
H603	Outer Collar spread :	: at CF	1/8	1/8	0	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2			
B505	CF NECKBAND heigl	nt	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4			
<b>!</b> B301	Across: Chest : at mi	d. armhole, raglan	1/4	1/4	NA	10 3/4	11 1/2	12 1/4	13	13 3/4	14 3/4	15 3/4	16 3/4			
<b>!</b> B201	Across Back : at mid.	armhole, Raglan	1/4	1/4	NA	12	12 3/4	13 1/2	14 1/4	15	16	17	18			
! B101	Chest width :1" below	v armhole	1/2	1/2	NA	17 3/4	18 3/4	19 3/4	20 3/4	21 3/4	23 1/4	24 3/4	26 1/4			
! C101	Bottom width at band	:inside fold edges of band/hem	1/2	1/2	NA	17 1/4	18 1/4	19 1/4	20 1/4	21 1/4	22 3/4	24 1/4	25 3/4			
! E101	Armhole Depth :: fror	n HPS Squared Down (Raglan)	1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8			
! F303	S:Sleeve overarm fr.	CB neck :: 3 x point measure	1/4	1/4	NA	17 1/4	17 3/4	18 1/4	18 3/4	19 1/4	20	20 3/4	21 1/2			
! G101	Bicep width:1" below	armhole	1/8	1/8	NA	7 1/2	7 3/4	8	8 1/4	8 1/2	8 13/16	9 1/8	9 7/16			
! G301	S/Sleeve opening:ins	ide fold edges of cuff or hem	1/8	1/8	NA	5 3/4	6	6 1/4	6 1/2	6 3/4	7 1/16	7 3/8	7 11/16			
H606	Neck binding width		1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8			
A701	Body hem depth		1/8	1/8	NA	1	1	1	1	1	1	1	1			
F702	Sleeve trim Height		1/8	1/8	NA	1	1	1	1	1	1	1	1			
! H404	Minimum Neck Stretcl	า	1/2	0	NA	24	24	24	24	24	24	24	24			

Comments

REFERENCE: OVO GRAPHIC SHIRT W/ RAGLAN STYLING (11.21.2023)
-Added dorito

-Raglan Styling

4.10.2024 ref tommy outer collar

and Branden's yellow soccer jersey for fit

	Article Name	SS SOCCER JERSEY			Product Sub-C	ategory	JERSEY				
	Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season		2025 Summer				
	Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stag	je	Development				
POM	1		Desc	ription	+ Tol	- Tol	М	Sample	Diff	Revised	
A101	Front b	ody length from HPS : Top			1/2	1,	27 1/4	27 3/8	1/8		
A102	Back bo	dy length from HPS : Longer length	l		1/2	1,	29 1/4	29 1/4	0	28 1/4	
H101	Neck w	ridth :: SEAM TO SEAM			1/4	1,	/4 7	7	0		
H201	Front n	eck drop from HPS : Crew			1/8	1,	/8 4 1/2	4	-1/2		
H301	Back ne	eck drop from HPS Crew			1/8	1,	/8 1	5/8	-3/8		
H605	Outer C	collar height at CB			1/8	1,	/8 1 1/2	1 1/2	0	1	
H603	Outer C	collar spread :: at CF			1/8	1,	/8 2	2	0	1 1/2	
B505	CF NEC	KBAND height			1/8	1,	/8 1	1	0	3/4	
B301	Across:	Chest: at mid. armhole, raglan			1/4	1,	13 3/4	13 1/2	-1/4	13	
B201	Across I	Back : at mid. armhole, Raglan			1/4	1,	<sup>′</sup> 4 15 1/4	14 1/4	-1	14 1/4	
B101	Chest w	vidth :1" below armhole			1/2	1,	20 1/2	20	-1/2	20 3/4	
B401	Side Pa	nel placement from below UAP			1/4	1,	<sup>'</sup> 4 2	5 1/2	3 1/2		
C201	Side Pa	nel total width (front & back) at hen	<del>1 edge</del>		1/4	1,	4 5 3/4	5 5/8	-1/8		
C101	Bottom	width at band:inside fold edges of b	and/hem		1/2	1,	<sup>'</sup> 2 20	19 1/2	-1/2	20 1/4	
E101	Armhole	e Depth :: from HPS Squared Down	(Raglan)		1/4	1,	4 10 3/4	10 1/2	-1/4	11	
F303	S:Sleev	e overarm fr. CB neck :: 3 x point n	neasure		1/4	1,	<sup>′</sup> 4 18 3/4	19	1/4		
G101	Bicep w	ridth:1" below armhole			1/8	1,	/8 0	8	8	8 1/4	
G301	S/Sleev	e opening:inside fold edges of cuff of	or hem		1/8	1,	/8 6 1/2	6 3/8	-1/8		
H606	Neck bi	nding width			1/8	1,	/8 3/8	3/8	0		

**Product Group** 

1/8

1/8

1/8

1/8

1

ol

TOP

Version 1

UN-AVAILABLE CO. LTD: Fit Approval-1 -proto [Sample 1 (M)]

Newly Added Points of Measurement

G101 - Bicep width:1" below armhole

COMMENT

1.8.24

A701

702

H404

PROTO SAMPLE: Green with yellow trim

Body hem depth

Sleeve trim Height

Minimum Neck Stretch

## STYLING COMMENTS:

1. Please remove the side panels. Make a regular side seam- see updated Construction page.

#### FITTING COMMENTS:

- 1. Please reduce the back length making it less curved- see revised spec.
- 2. Bring back the front and back neck depth measurements. Ensure the front neck shaping is not too curved- see photos.
- 3. Reduce the outer back and inner front collar band heights and reduce the spacing of the front collar spread- see revised specs and photo.
- 4. Increase the chest and bottom widths- see revised specs.

M-0225-KT-5725

Article Code

- 5. Reduce the across front measurement 1/2" and keep the across back measurement as the sample- See revised specs and photos.
- 6. Lower the armhole and increase the bicep width- see revised measurements and added BICEP POM.
- 7. Adjust the shaping of the raglan sleeve to increase the width slightly over the shoulder- see photos
- 8. Ensure all measurements are brought back to spec.

## **WORKMANSHIP COMMENTS:**

UN-AVAILABLE CO. LTD: Fit Approval-1 -proto [Sample 1 (M)]										
Article Code	M-0225-KT-5725			Product Group	TOP	0				
Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY					
Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer					
Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development					

<sup>1.</sup> Watch when sewing the raglan to the body and the neck trim to the body. Ensure the fabric lies flat and there is no puckering or pulling along seams.

#### SUBMIT A 2ND FIT SAMPLE WITH ALL CORRECTIONS

\*\* PLEASE SUBMIT A PAPER COPY OF THE PATTERN WITH THE 2ND FIT SAMPLE

A102 - Back body length from HPS : Longer length : REVISED

H201 - Front neck drop from HPS: Crew: BRING BACK TO SPEC

H301 - Back neck drop from HPS Crew: BRING BACK TO SPEC

H605 - Outer Collar height at CB: REVISED

H603 - Outer Collar spread :: at CF : REVISED

B505 - CF NECKBAND height: REVISED

B301 - Across: Chest: at mid. armhole, raglan: REVISED

B201 - Across Back: at mid. armhole, Raglan: KEEP AS SAMPLE

B101 - Chest width: 1" below armhole: REVISED

B401 - Side Panel placement from below UAP : REMOVE

C201 - Side Panel total width (front & back) at hem edge: REMOVE

C101 - Bottom width at band:inside fold edges of band/hem: REVISED

E101 - Armhole Depth :: from HPS Squared Down (Raglan) : REVISED

G101 - Bicep width: 1" below armhole: ADDED POM- REVISED SPEC

Sample Size: 

N

Status: Rejected

Rejected By: SerenaCabatan (October's Very Own Merchandising)

**Rejected On:** 08/01/24 1:11:50 PM

<sup>2.</sup> Ensure the sleeve band heights are even all around the body.

	U	N-AVAILABLE (	CO. LTD: Fit Approval-1 -proto - SAMPLE FRONT SIDE	AND BACK		Version 1
Article Code	M-0225-KT-5725			Product Group	TOP	
Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	



			UN-AVAIL	ABLE CO. LTD: Fit Approval-1 -proto - Remove side	panel		Version 1
Art	ticle Code	м-0225-кт-5725			Product Group	TOP	0000
Art	ticle Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
Cre	eated On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
Las	st Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	



LOẠI BỎ BÁN THÀNH PHẨM SƯỜN, VÀ MAY SƯỜN BÌNH THƯỜNG CHO MẪU 2ND PROTO

Removing side panel, please proceed with regular side seam

	UN-AVAILABI	E CO. LTD: Fit	: Approval-1 -proto - Sample improvement photos	- Drag lines at the	ront	Version 1
Article Code	M-0225-KT-5725			Product Group	ТОР	
Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	
1						1




BÁN THÀNH PHẦN THÂN
TRƯỚC DỰT LÊN, TẠO
THÀNH NHỮNG ĐƯỜNG KÉO
TẠI THÂN TRƯỚC.
VUI LÒNG VẢI THIỆN ĐỂ CÂN
BẰNG THÂN TRƯỚC TRÊN
MẪU 2ND PROTO


UN-AVAILABLE CO. LTD: Fit Approval-1 -proto - Sample improvement photos - Sleeve call-outs							Version 1
	Article Code	M-0225-KT-5725			Product Group	ТОР	
	Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
	Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
	Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	



GIẢM MỘT CHÚT PHẦN VẢI DƯ Ở THÂN TRƯỚC

TAY QUÁ CHẬT Ở PHẦN VAI, TĂNG NGANG TAY LÊN MỘT CHÚT





UN-AVAILABLE CO. LTD: Fit Approval-1 -proto - Sample improvement photos - Front fit improvements							Version 1
Aı	rticle Code	M-0225-KT-5725			Product Group	TOP	
At	Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
Cı	reated On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
La	ast Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	




UN-AVAILABLE CO. LTD: Fit Approval-1 -proto - Sample improvement photos - Sleeve fit improvements							Version 1
	Article Code	M-0225-KT-5725			Product Group	TOP	2006
	Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
	Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
	Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	

THÊM PHẦN RAGLAN TẠI CỔ TRƯỚC ĐỂ CẢI THIỆN DÁNG CỔ

TĂNG NGANG TAY TẠI GIỮA PHẦN RAGLAN TỔNG CỘNG 1/2", XEM HÌNH BÊN

TĂNG NGANG TAY TẠI BẮP TAY TỔNG CỘNG 1/2" ( NGHĨA LÀ 1/4" MỖI BÊN)



UN-AVAILABLE CO. LTD: Fit Approval-1 -proto - Sample improvement photos - Workmanship call-outs							Version 1
	Article Code	M-0225-KT-5725			Product Group	ТОР	0000
	Article Name	SS SOCCER JERSEY			Product Sub-Category	JERSEY	
	Created On	07/05/24 11:32:16 AM	Material	100% POLYESTER CLOSED MESH (FB-K1116)	Season	2025 Summer	
	Last Modified	08/01/24 1:11:54 PM	Description		Life Cycle Stage	Development	

