




		Article Summary					Version 1					
		Article Code		M-0125-KB-5672		Product Group		BOTTOM				
		Article Name		MESH SHORT		Product Sub-Category		SHORT				
		Created On		06/25/24 2:58:35 PM		Season		2025 Spring				
		Last Modified		06/25/24 3:04:37 PM		Life Cycle Stage		DeveLopment				
		Material Description		MESH - 100% POLYESTER, 200GSM (FB-K692)								
Gender Classification			Mens		Sub Class D		PULL ON SHORT		Fabrication		KNIT BOTTOM	
Supplier			UN-AVAILABLE CO. LTD		Release Date		07 Mar 2025		Ex-Factory		13 Dec 2024	
										COLORS		
										 BLACK (BK)		
										 OPEN AIR (OA) (.)		
										 WHITE (WT)		
										 MIMOSA (MMS) 14-0848 TCX		
SIZES												
001, 002, 003, 004, 005, 006, 007												

Bill of Material										Version 1
	Article Code	M-0125-KB-5672			MESH - 100% POLYESTER, 200GSM (FB-K692)	Product Group	BOTTOM			
	Article Name	MESH SHORT				Product Sub-Category	SHORT			
	Created On	06/25/24 2:58:35 PM		Material		2025 Spring				
	Last Modified	06/25/24 3:04:37 PM		Description		Development				


Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK Dec Exfactory2		OA OPEN AIR Dec Exfactory2		WT WHITE Dec Exfactory2		MMS MIMOSA Dec Exfactory2
Fabric															
BODY	MESH - 100% POLYESTER, 200GSM (FB-K692)	BODY, POCKETS	0	Meter					Not Used		None		None		None
LINING 1	MESH - CLOSED (FB-K774) 100% POLYESTER	BODY LINING	0	Meter					Not Used		None		None		None
LINING 1	DAZZLE (FB-K562) 100% POLYESTER 160-180GSM	BODY LINING-OPTION 2	0	Meter	DTM BODY				Not Used		None		None		None
Trims															
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.		1	Each		Laven Industries Ltd.			Not Used		None		None		None
SEE PLACEMENT FOR DETAILS	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.		1	Each		Vendor Sourced			Not Used		None		None		None
SEE PLACEMENT FOR DETAILS	UPC STICKER- 1.25" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER		1	Each					None		None		None		None
WAISTBAND	ELASTIC - 1 3/4" (EC107) VENDOR SOURCED	WB	1	Each		Vendor Sourced			Not Used		None		None		None
DRAWCORD	LOOP DRAWCORD 1/4" ROUND, FLAT (DR127) 100% POLYESTER, 38MM DRAWSTRING WHITE-D110 T11038DSWHITE	WB	1	Each	TBD	Vendor Sourced			Not Used		None		None		None
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A		0	Each		Reca Mainetti Asia Ltd.	HTOVO1 41A		Not Used		None		None		None

Bill of Material										Version 1	
	Article Code	M-0125-KB-5672			MESH - 100% POLYESTER, 200GSM (FB-K692)	Product Group	BOTTOM				
	Article Name	MESH SHORT				Product Sub-Category	SHORT				
	Created On	06/25/24 2:58:35 PM		Material		2025 Spring					
	Last Modified	06/25/24 3:04:37 PM		Description		Development					

Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK Dec Exfactory2		OA OPEN AIR Dec Exfactory2		WT WHITE Dec Exfactory2		MMS MIMOSA Dec Exfactory2
SEE PLACEMENT FOR DETAILS	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB	SINGLE STITCH- EASILY REMOVABLE	1	Each		Reca Mainetti Asia Ltd.			Not Used		None		None		None
SEE PLACEMENT FOR DETAILS	OVO 2023 Main Loop Label (TR-LT252)		1	Each		Reca Mainetti Asia Ltd.	LBOVO1 47		Not Used		None		None		None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		1	Each		Vendor Sourced			Not Used		None		None		None
SEE PLACEMENT FOR DETAILS	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO1 75		1	Each		Reca Mainetti Asia Ltd.	OVOW23 _181_T		Not Used		None		None		None
Graphics															
	TBD - SEE ARTWORK FILE (HT-102)		0	Each					Not Used		None		None		None

	Material Image Sheet				Version 1						
	Article Code	M-0125-KB-5672			Product Group	BOTTOM					
	Article Name	MESH SHORT			Product Sub-Category	SHORT					
	Created On	06/25/24 2:58:35 PM			Season	2025 Spring					
	Last Modified	06/25/24 3:04:37 PM			Life Cycle Stage	Deve1opment					
											
FB-K692 MESH - 100% POLYESTER, 200GSM		FB-K774 MESH - CLOSED		FB-K562 DAZZLE		LT110 CC LABEL - APPAREL		PK101 POLY BAG - GENERIC		TR-ST114 UPC STICKER- 1.25" X 2.5"	
											
EC107 ELASTIC - 1 3/4"		DR127 LOOP DRAWCORD 1/4" ROUND, FLAT		TR-HG142 OVO 2023 Booklet Hangtag		LT138 TEAR-AWAY COO TAB: OVOF21_217_T		TR-LT252 OVO 2023 Main Loop Label		TR-TV140 5mm GROSGRAIN RIBBON LOOP	
											
TR-LT246 OVO 2023 Alpha Sizing Tab											

Construction details - Knit Bottom					Version 1	
	Article Code	M-0125-KB-5672	Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)	Product Group	BOTTOM
	Article Name	MESH SHORT			Product Sub-Category	SHORT
	Created On	06/25/24 2:58:35 PM			Season	2025 Spring
	Last Modified	06/25/24 3:04:37 PM			Life Cycle Stage	DeveLopment



Comments

- 1 FULLY LINED
JOINED AT INTERIOR WAISTBAND EDGE AND INTERIOR LEG HEM
- 2 WAISTBAND:
SELF TURN ENCASED ELASTIC WAISTBAND, EDGES ARE MOCK SAFETY SERGED
APPLY ROW OF SN CHAINSTITCH 1/2" BELOW WB EDGE & SN CHAINSTITCH TO STITCH DOWN EDGE ELASTIC (ENSURE TO CATCH ELASTIC IN STITCH LINE), CLEAN FINISHED
DRAWCORD EXIT: 1 BUTTONHOLE (INTERIOR EXIT) AT CF,
- 3 DREWCORD:
CORD FORMS A LOOP,SEE PHOTO
- 4 ONSEAM POCKET:
POCKET LINING SET TO INTERIOR BODY (NOT IN-BETWEEN SELF + LINING LAYERS)
ON-SEAM POCKETS: 1/4" SN T/S
SELF POCKET BAG: MOCK SAFETY SERGE, 512
POCKET BAG SEWN INTO WAISTBAND AND SIDE SEAM
BARTACK TOP AND BOTTOM POCKET OPENING
- 5 FRONT AND BACK RISE: MOCK SAFETY SERGE, 512
- 6 INSEAM / OUTSEAM: MOCK SAFETY SERGE, 512
- 7 SIDE SLIT:
SLIT AT SIDE SEAM/LEG OPENING. SIDES DOUBLE TURNED IN, 1/4" S/N T/S, APPLY BARTACK AT TOP OF THE SLIT.
- 8 LEG HEM:
DOUBLE SELF FOLD: 2 N 1/4" COVERSTITCH
- 9 BACK PATCH POCKET:
SELF PATCH, LINED WITH SELF, PLACED AT WEARER'S RIGHT SIDE.
POCKET HEM: SINGLE TURN & S/N T/S
SIDES ARE SINGLE TURNED AND S/N EDGE T/S, TRIANGULAR REINFORCEMENT T/S AT POCKET OPENING 2 ENDS.

Measurement Sheet - Mesh Shorts										All Measurements are in Inches						Version 1	
	Article Code	M-0125-KB-5672								Product Group		BOTTOM					
	Article Name	MESH SHORT								Product Sub-		SHORT					
	Created On	06/25/24 2:58:35 PM	Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)						Season		2025 Spring					
	Last Modified	06/25/24 3:04:37 PM								Life Cycle Stage		DeveLopment					
POM	Description		+ Tol	- Tol						Grade	XXS	XS	S	M		L	XL
! J101	Waist measurement relaxed :: 1/2 body		1/2	1/2	NA	12 3/4	13 3/4	14 3/4	15 3/4	16 3/4	18 1/4	19 3/4	21 1/4				
! J104	WB height: top edge to bottom stitch		1/8	1/8	NA	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2				
! K101	Hip at 1" below WB seam: Waist pattern mmt.		1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2				
! K102	Full Hip: 3 xpt. Measure		1/2	1/2	NA	22	23	24	25	26	27 1/2	29	30 1/2				
! M101	Thigh :: 1" below crotch seam		1/4	1/4	NA	12 7/8	13 1/2	14 1/8	14 3/4	15 3/8	16 1/4	17 1/8	18				
C202	Side seam forward position, fr fold		1/8	1/8	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2				
! I101	Outseam length: WB top edge to leg opening		1/4	1/4	TBA	TBA	TBA	TBA	18 1/2	TBA	TBA	TBA	TBA				
! I302	Inseam length :: short		1/4	1/4	NA	6 3/4	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2				
! M402	Leg opening:short :: inside fold edges of opening		1/4	1/4	NA	11 3/8	12	12 5/8	13 1/4	13 7/8	14 3/4	15 5/8	16 1/2				
! L103	Front rise :: INCLUDING WB		1/4	1/4	NA	12 1/4	12 1/2	12 3/4	13	13 1/4	13 1/2	13 3/4	14				
! L203	Back rise :: INCLUDING WB		1/4	1/4	NA	15	15 1/4	15 1/2	15 3/4	16	16 1/4	16 1/2	16 3/4				
! N201	Onseam pocket length		1/4	1/4	NA	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2				
! N202	Onseam pocket stitch width		1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4				
N205	Onseam pocket position from Rib/Band seam		1/8	1/8	NA	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4				
! N211	Onseam Pocket bag height :: at center		1/4	1/4	NA	11	11	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2				
N212	Onseam Pocket bag width:: at widest pt.		1/4	1/4	NA	6 3/4	7	7	7 1/4	7 1/4	7 1/2	7 3/4	7 3/4				
! N601C	Back pocket length at center		1/8	1/8	NA	5 1/2	5 3/4	5 3/4	6	0	6 1/4	6 1/2	6 1/2				
! N701	Back pocket width at center		1/8	1/8	NA	5	5 1/4	5 1/4	5 1/2	0	5 3/4	6	6				
N703	Back pocket from WB seam/stitch		1/8	1/8	NA	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2				
N508	Back pocket position from CB seam		1/8	1/8	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3				
Q201	Side slit length		1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4				
I702	Leg hem depth		1/8	1/8	NA	1	1	1	1	1	1	1	1				
! J501	Drawcord length : waist, total length		1	1	NA	50	50	50	50	56	56	56	56				
Comments																	
REFERENCE: Supreme mesh short size M overall fit - shorten rises by 1" - back pocket revise to patch pocket																	