

29 NOV 2024

COLORS

BLACK (BK)
BLACK

OPEN AIR (OA)
LIGHT BLUE (.)

WHITE (WT)
WHITE


MIMOSA (MMS)
14-0848 TCX
GOLDEN HOUR


SIZES


 $001,\ 002,\ 003,\ 004,\ 005,\ 006,\ 007$

									Bill	of Material					 Version 1	1
(@\@)	Article Code	M-0125-KE	3-5672									Product Group	вот	ГОМ		1
	Article Name	MESH SHOP	RT									Product Sub-Category	SHOF	₹Т		
///	Created On	06/25/24	2:58:35 PM			Material	MESH	- 100% PO	LYESTER,	200GSM (FB-K692)		Season	2025	5 Spring		
-A-N	Last Modified	11/11/24	3:37:30 PM			Description						Life Cycle Stage	Prod	duction		
Part	Material		Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK Nov Exfactory4		OA OPEN AIR Nov Exfactory4	·	WT WHITE Nov Exfactory4	MMS MIMOSA Nov Exfactor	:y4
Fabric																
BODY	MESH - 100% POL 200GSM (FB-K692)	LYESTER,	BODY, POCKETS	0	Meter					Not Used	No	ne		None	None	
LINING 1	MESH - CLOSED (FB-K774) 100% POLYESTEI	R	BODY LINING	0	Meter					Not Used	No	ne		None	None	
LINING 1	DAZZLE (FB-K562) 100% POLYESTEI 160-180GSM	R	BODY LINING- OPTION 2	0	Meter	DTM BODY				Not Used	No	ne		None	None	
Trims																
SEE PLACEMENT FOR DETAILS	CC LABEL - APPA (LT110) White Satin groun text COO, Content, an Instructions may style.	nd, Black		1	Each		Laven Industries Ltd.	5		Not Used	No	ne		None	None	
SEE PLACEMENT FOR DETAILS	POLY BAG - GENI (PK101) Clear Plastic, with suffocation warni back, UPC sticker placement on bott corner of bag.	n ing on		1	Each		Vendor Sourced			Not Used	No	ne		None	None	
SEE PLACEMENT FOR DETAILS	UPC STICKER- 1" (TR-ST114) PLEASE PRINT WI THERMAL PRINTE	πн		1	Each					None	No	ne		None	None	
WAISTBAND	ELASTIC - 1 3/4" (EC107) VENDOR SOURCE	ĒD	WB	1	Each		Vendor Sourced			Not Used	No	ne		None	None	
DRAWCORD	LOOP DRAWCOR ROUND, FLAT (DR127) 100% POLYESTEI DRAWSTRING WH D110 T11038DSWHITE	R, 38MM HITE-	WB	1	Each	TBD	Vendor Sourced			Not Used	No	ne		None	None	
SEE PLACEMENT FOR DETAILS	OVO 2023 Bookle (TR-HG142) Article code: HTC			0	Each		Reca Mainetti Asia Ltd.	HTOVO1 41A		Not Used	No	ne		None	None	


								Bill c	of Material						Version 1	ı
(@\@)	Article Code M-0125-KB	3-5672									Product Group	BOTT	тОМ	ij.		i
1 K/	Article Name MESH SHOR	₹Т]						Product Sub-Category	y SHOR	रा	1		ı
///	Created On 06/25/24	2:58:35 PM			Material	MESH	- 100% POL	YESTER,	200GSM (FB-K692)		Season	2025	5 Spring			ı
<u>√</u> }⁄	Last Modified 11/11/24	3:37:30 PM			Description	Description					Life Cycle Stage	Proc	duction		i	
Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK Nov Exfactory4		OA OPEN AIR Nov Exfactory4		WT WHITE Nov Exfactory4		MMS MIMOSA Nov Exfactory	<i>y</i> 4
PLACEMENT FOR	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB	SINGLE STITCH- EASILY REMOVABLE	1	Each		Reca Mainetti Asia Ltd.			Not Used	No	ne		None		None	
SEE PLACEMENT FOR DETAILS	OVO 2023 Main Loop Label (TR-LT252)		1	Each		Reca Mainetti Asia Ltd.	LBOVO1 47		Not Used	No	ne		None		None	
PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		1	Each		Vendor Sourced			Not Used	No	ne		None		None	
PLACEMENT FOR DETAILS	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO1 75		1	Each		Reca Mainetti Asia Ltd.	OVOW23 _181_T		Not Used	No	ne		None		None	
Graphics		•	•				-			•	•			•	•	
	TBD - SEE ARTWORK FILE (HT-102)		0	Each					Not Used	No	ne		None		None	








					CARE LABEL PLACEMENT	
	(<u>@</u> , <u>@</u>)	Article Code	м-0125-кв-5672			Product Group
		Article Name	MESH SHORT			Product Sub-Cat
	/()	Created On	06/25/24 2:58:35 PM	Material	MESH - 100% POLYESTER, 200GSM (FB-K692)	Season
	No As	Last Modified	11/11/24 3:37:30 PM	Description		Life Cycle Stage
L						









			CARE LABEL PLACEMENT			Version 1
Article Code	м-0125-кв-5672			Product Group	воттом	
Article Name	MESH SHORT			Product Sub-Category	SHORT	
Created On	06/25/24 2:58:35 PM	Material	MESH - 100% POLYESTER, 200GSM (FB-K692)	Season	2025 Spring	
Last Modified	11/11/24 3:37:30 PM	Description		Life Cycle Stage	Production	

OFFSHORE KNIT & ACTIVEWEAR BOTTOMS MAIN LABEL LBOVO147 - COL A - OPT 1 *INSERT AT CB WAISTBAND SEAM SIZE TAB OVOW23_181_T - 2023 *INSERT AT WAISTBAND SEAM 0.25" FROM MAIN LABEL TEAR AWAY COO TAB LT138 *INSERT AT WAISTBAND SEAM 0.25" FROM SIZE TAB




*ATTACH TO LOOP AT THE FRONT WAISTBAND SEAM




CARE LABEL PLACEMENT
*ATTACH AT LEFT SIDE SEAM 2" BELOW WAISTBAND SEAM




				PACKING DETAILS			Version 1
(a,a)	Article Code	м-0125-кв-5672			Product Group	воттом	
	Article Name	MESH SHORT			Product Sub-Category	SHORT	
/()	Created On	06/25/24 2:58:35 PM	Material	MESH - 100% POLYESTER, 200GSM (FB-K692)	Season	2025 Spring	
MAY.	Last Modified	11/11/24 3:37:30 PM	Description		Life Cycle Stage	Production	








8.89 cm





BACK



CENTER UPC PLACEMENT STICKER

IN BETWEEN THE HANG TAG HOLE AND **BOTTOM EDGE**





Comments

WAISTBAND:

- 1 FULLY LINED
 JOINED AT INTERIOR WAISTBAND EDGE AND INTERIOR
 LEG HEM
- SELF TURN ENCASED ELASTIC WAISTBAND, EDGES ARE MOCK SAFETY SERGED

 APPLY ROW OF SN CHAINSITITCH 1/2" BELOW WB EDGE & SN CHAINSTITCH TO STITCH DOWN EDGE ELASTIC (ENSURE TO CATCH ELASTIC IN STITCH LINE), CLEAN FINISHED

DRAWCORD EXIT: 1 BUTTONHOLE (INTERIOR EXIT) AT CF,

- 3 DREWCORD: CORD FORMS A LOOP,SEE PHOTO
- ONSEAM POCKET:
 POCKET LINING SET TO INTERIOR BODY (NOT INBETWEEN SELF + LINING LAYERS)
 ON-SEAM POCKETS: 1/4" SN T/S
 SELF POCKET BAG: MOCK SAFETY SERGE, 512
 POCKET BAG SEWN INTO WAISTBAND AND SIDE SEAM BARTACK TOP AND BOTTOM POCKET OPENING
- FRONT AND BACK RISE: MOCK SAFETY SERGE, 512
- 6 INSEAM / OUTSEAM: MOCK SAFETY SERGE, 512
- 7 SIDE SLIT: SLIT AT SIDE SEAM/LEG OPENING. SIDES DOUBLE TURNED IN, 1/4" S/N T/S, APPLY BARTACK AT TOP OF THE SLIT.
- 8 LEG HEM: DOUBLE SELF FOLD: 2 N 1/4" COVERSTITCH
- 9 BACK PATCH POCKET:
 SELF PATCH, LINED WITH SELF, PLACED AT WEARER'S
 RIGHT SIDE.
 POCKET HEM: SINGLE TURN & S/N T/S
 SIDES ARE SINGLE TURNED AND S/N EDGE T/S,
 TRIANGULAR REINFORCEMENT T/S AT POCKET OPENING
 2 ENDS.

			Meas	surement	Sheet -	Mesh Sh	orts					All Meas	surements	are in Inc	ches	,	Version 1
(@\@)	Article Code	м-0125-кв-5672									Product	Group	воттом			-	
M	Article Name	MESH SHORT									Product	Sub-	SHORT				
	Created On	06/25/24 2:58:35 PM		terial	MESH -	100% POL	YESTER, 20	OGSM (FB-	K692)		Season		2025 Spr	ng			
<u> </u>	Mast Modified	11/11/24 3:37:30 PM	Des	scription							Life Cycl	e Stage	Product	on			
POM		Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! J101	Waist measurement rela	axed :: 1/2 body	1/2	1/2	NA	12 3/4	13 3/4	14 3/4	15 3/4	16 3/4	18 1/4	19 3/4	21 1/4				
! J104	WB height: top edge to I	bottom stitch	1/8	1/8	NA	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2				
! K101	Hip at 1" below WB sear	m: Waist pattern mmt.	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2				
! K102	Full Hip: 3 xpt. Measure		1/2	1/2	NA	22	23	24	25	26	27 1/2	29	30 1/2				
! M101	Thigh :: 1" below crotch	seam	1/4	1/4	NA	12 7/8	13 1/2	14 1/8	14 3/4	15 3/8	16 1/4	17 1/8	18				
C202	Side seam forward posi	tion, fr fold	1/8	1/8	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2				
! I101	Outseam length: WB to	p edge to leg opening	1/4	1/4	TBA	TBA	TBA	TBA	18 1/2	TBA	TBA	TBA	TBA				
! 1302	Inseam length :: short		1/4	1/4	NA	6 3/4	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2				
! M402	Leg opening:short :: ins	side fold edges of opening	1/4	1/4	NA	11 3/8	12	12 5/8	13 1/4	13 7/8	14 3/4	15 5/8	16 1/2				
! L103	Front rise :: INCLUDING	WB	1/4	1/4	NA	12 1/4	12 1/2	12 3/4	13	13 1/4	13 1/2	13 3/4	14				
! L203	Back rise :: INCLUDING	WB	1/4	1/4	NA	15	15 1/4	15 1/2	15 3/4	16	16 1/4	16 1/2	16 3/4				
! N201	Onseam pocket length		1/4	1/4	NA	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2				
! N202	Onseam pocket stitch w	idth	1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4				
N205	Onseam pocket position	from Rib/Band seam	1/8	1/8	NA	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4				
! N211	Onseam Pocket bag hei	ght :: at center	1/4	1/4	NA	11	11	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2				
N212	Onseam Pocket bag wid	lth:: at widest pt.	1/4	1/4	NA	6 3/4	7	7	7 1/4	7 1/4	7 1/2	7 3/4	7 3/4				
! N601C	Back pocket length at co	enter	1/8	1/8	NA	5 1/2	5 3/4	5 3/4	6	0	6 1/4	6 1/2	6 1/2				
! N701	Back pocket width at ce	nter	1/8	1/8	NA	5	5 1/4	5 1/4	5 1/2	0	5 3/4	6	6				
N703	Back pocket from WB se	am/stitch	1/8	1/8	NA	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2			_ 	
N508	Back pocket position from	m CB seam	1/8	1/8	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3			_ 	
Q201	Side slit length		1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4			_ 	
1702	Leg hem depth		1/8	1/8	NA	1	1	1	1	1	1	1	1				
! J501	Drawcord length : waist	, total length	1	1	NA	50	50	50	50	56	56	56	56				

Comments

REFERENCE: Supreme mesh short size M overall fit - shorten rises by 1" - back pocket revise to patch pocket

		UI	N-AVAILABLE C	O. LTD: PP Approval-1 pp [Sample 1 (M)]						Version 1
(@\@)	Article Code	м-0125-кв-5672			Product Group		BOTTOM		4	
164	Article Name	MESH SHORT			Product Sub-Ca	tegory	SHORT			
///	Created On	06/25/24 2:58:35 PM	Material	MESH - 100% POLYESTER, 200GSM (FB-K692)	Season		2025 Spring			
1 SY 1	Last Modified	11/11/24 3:37:30 PM	Description		Life Cycle Stage	•	Production			
					<u> </u>		1	1		

POM	Description	+ Tol	- Tol	М	Sample	Diff	Revised
J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	15 3/4	15 1/2	-1/4	
J104	WB height: top edge to bottom stitch	1/8	1/8	1 1/2	1 5/8	1/8	
K101	Hip at 1" below WB seam: Waist pattern mmt.	1/2	1/2	23	22 3/4	-1/4	
K102	Full Hip: 3 xpt. Measure	1/2	1/2	25	25 1/2	1/2	
M101	Thigh :: 1" below crotch seam	1/4	1/4	14 3/4	14 3/4	0	
C202	Side seam forward position, fr fold	1/8	1/8	1/2	3/4	1/4	
I101	Outseam length: WB top edge to leg opening	1/4	1/4	18 1/2	18 1/2	0	
1302	Inseam length :: short	1/4	1/4	7 1/2	7 5/8	1/8	
M402	Leg opening:short :: inside fold edges of opening	1/4	1/4	13 1/4	13 1/2	1/4	
L103	Front rise :: INCLUDING WB	1/4	1/4	13	12 3/4	-1/4	
L203	Back rise :: INCLUDING WB	1/4	1/4	15 3/4	15 3/4	0	
N201	Onseam pocket length	1/4	1/4	6	5 3/4	-1/4	
N202	Onseam pocket stitch width	1/8	1/8	1/4	1/4	0	
N205	Onseam pocket position from Rib/Band seam	1/8	1/8	3/4	1/2	-1/4	
N211	Onseam Pocket bag height :: at center	1/4	1/4	11 1/2	11 1/2	0	
N212	Onseam Pocket bag width:: at widest pt.	1/4	1/4	7 1/4	7 1/2	1/4	
N601C	Back pocket length at center	1/8	1/8	6	6	0	
N701	Back pocket width at center	1/8	1/8	5 1/2	5 1/2	0	
N703	Back pocket from WB seam/stitch	1/8	1/8	1 1/2	1 1/4	-1/4	
N508	Back pocket position from CB seam	1/8	1/8	2 1/2	2 1/2	0	
Q201	Side slit length	1/8	1/8	1 1/4	1 1/4	0	
1702	Leg hem depth	1/8	1/8	1	1	0	
J501	Drawcord length : waist, total length	1	1	50	47	-3	
	COMMENT	,					

11.5.24

FITTING COMMENTS:

- 1. Bring back to spec on side seam forward position measurements
- 2. Bring back to spec onseam pocket position from rib/band seam measurements
- 3. Bring back to spec on back pocket from WB seam/ stitch
- 4. Bring back to spec on drawcord length
- 5. Please watch for these discrepancies in the future

- 1. Đưa về thông số kỹ thuật cho các phép đo vị trí đường may bên phía trước.
- 2. Đưa về thông số kỹ thuật cho vị trí túi đường may từ đường may gân/ bo.
- 3. Đưa về thông số kỹ thuật cho vị trí túi sau từ đường may/thêu cạp quần.
- 4. Đưa về thông số kỹ thuật cho độ dài dây rút.
- 5. Vui lòng lưu ý những sai lệch này trong tương lai.

1. Vui lòng đảm bảo không có hiện tượng nhăn quá mức trên các đường may, đường may bên đang bị nhăn.

WORKMANSHIP COMMENTS:

- Vui lòng cải thiện điều này, xem hình ảnh kèm theo. 1. Please ensure there is no excessive puckering on seams, the side seams are puckering. Please improve this, see photo
- 2. Please ensure the inseams are even on both legs 2. Vui lòng đảm bảo đường may trong của cả hai ống quần đều bằng nhau.

		UN	-AVAILABLE C	O. LTD: PP Approval-1 pp [Sample 1 (M)]			Version 1
(9 , 9)	Article Code	м-0125-кв-5672			Product Group	BOTTOM	
164	Article Name	MESH SHORT			Product Sub-Category	SHORT	
	Created On	06/25/24 2:58:35 PM	Material	MESH - 100% POLYESTER, 200GSM (FB-K692)	Season	2025 Spring	
	Last Modified	11/11/24 3:37:30 PM	Description		Life Cycle Stage	Production	

PP IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PRODUCTION WITH CORRECTIONS


Sample Size: M

Status: Approved


Approved By: KoryLui (October's Very Own Merchandising)

Approved On: 11/11/24 3:36:07 PM

MẪU PP ĐƯỢC CHẤP THUẬN CHO QUY CÁCH MAY VÀ CẤU TRÚC MAY, VUI LÒNG TIẾN HÀNH CHO SẢN XUẤT VỚI NHỮNG ĐIỂM ĐÚNG.









PLEASE WATCH WORKMANSHIP, SHORT IS PUCKERING AT SEAMS. PLEASE ENSURE THAT THE SEAMS ARE SMOOTH AND DOES NOT PUCKER

Vui lòng kiểm tra kỹ thuật may, đường may bị nhăn ở các mối nối. Hãy đảm bảo rằng các mối nối được may thẳng và không bị nhăn.

Printed by Kory Lui on 11/11/24 3:38:29 PM Powered by WFX. All rights reserved. Page 15 of 15