

000, 001, 002, 003, 004, 005, 006, 007, XXS, XS, SM, MD, LG, XL, 2X, 3X, 4XL, 008

		1		_		В	ill of Ma	aterial				.		Versio	
	Article Code				· · · · · · · · · · · · · · · · · · ·							TOP			
	Article Name	CHROME FAMILY HOODIE								Produ	ct Sub-Categor			25 ES W	
	Created On	08/27/24 1:11:14 PM		Material	100% cotton REF# PLAW21	heavy	fleece 4	60gsm (FB-K50	7)	Seaso	n	2025 Spring			
	Last Modified	09/23/24 11:01:02 AM		Description	REF# PLAW21					Life Cy	cle Stage	Pre-Production		A	
Part	Material			Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		SBL SODALITE BLUE		BK BLACK	
Fabric										1					
	(FB-K507) REF# PLAW21P:			OOD/SLV/HALF BAG PALM	MOON/	0	Yards	MINI OG FLEECE			N	lone	Non	e	
	REF# PLAW21P2465002N00D UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s		POCKET BAG KNUCKLE SIDE/BACK NECK TAPE		0	Meter				N	lone	None	Э		
	1X1 RIB COTTON /LYCRA (FB-K1066) WEIGHT TBD		BODY BAND/ CUFFS			0	Meter				N	None		None	
Trims															
	UPC STICKER- (TR-ST114) PLEASE PRINT V	1" X 2.5" VITH THERMAL PRINTER				2	Each	All vendors must use a thermal printer. They cannot use an "ink jet printer".			N	lone	Non	9	
	DRAWCORD CT BARTACKED EN (DR128)	N 3/8" FLAT, FOLDBACK IDS				1	Each	DTM BODY, HEATHER DRAWCORD ON HEATHER BODY			N	lone	None	Э	
	CC LABEL - APP (LT110) White Satin grou COO, Content, a vary by style.					1	Each		Vendor Sourced		N	lone	Non	Э	
		IN RIBBON LOOP ATTACHMENT				1	Each		Vendor Sourced		N	lone	None	е	
	(LT138) COUNTRY OF O					1	Each		Reca Mainetti Asia Ltd.	OVOF21_ 217_T	N	lone	None	e	
		NERIC ith suffocation warning on er placement on bottom right				1	Each		Vendor Sourced		N	lone	None	e	

					Bill of M	aterial						Version 1
	Article Code	M-0125-KT-5948						Produ	ct Group	TOP		A A Q
	Article Name	Article Name CHROME FAMILY HOODIE Created On 08/27/24 1:11:14 PM Material						Produ	ct Sub-Category	HOODIE		
	Created On					160gsm (FB-K50	7)	Seaso	n	2025 Spring		
	Last Modified	09/23/24 11:01:02 AM	Description	REF# PLAW21P246				Life C	ycle Stage	Pre-Production	Pre-Production	
Part	Material		Placement	Qt	y. UOM.	Comments	Supplier	Supplier Ref.		SBL SODALITE BLUE		BK BLACK
Graphics												
	TBD - SEE ARTV (HT-102)	VORK FILE			0 Each				No	one	Nor	ie

			Materia	Image Sheet				Version	
Article Code	м-0125-кт-5948		Product Group TOP						
Article Name	CHROME FAMILY HOODIE				Product Sub-Category	HOODIE			
Created On	08/27/24 1:11:14 PM	Material	100% cotton heavy fle		Season	2025 Spring Pre-Production		25 25 20	
Last Modified	09/23/24 11:01:02 AM	Description	REF# PLAW21P2465001N00		Life Cycle Stage			A COLUMN TO A COLU	
CARD	Accident CHI CARD	STYL CASO	PRODUCT THE	COTOBER'S VERY OWN. WHO, GOTTOR COTOB OR COTOBER'S VERY OWN. WHO, GOTTOR COTOBER OR COTOBER COTOBE	Cook. QAT 5	inst)	Service of the control of the contro		
FB-K507	FB-K508		TR-ST114	LT110	TR-TV14	0	LT1	38	
00% cotton heavy flee 460gsm	ece UA - 100% COTTON JERSEY, 190GSM	UPC S	TICKER- 1" X 2.5"	CC LABEL - APPAREL	5mm GROSGRAII LOOP	N RIBBON	TEAR-AWAY OVOF21		
PK101									
POLY BAG - GENERI	C								

	CM Measurement - Hoodie - Relaxed Fit ver2												All M	All Measurements are in CMs			
	Article Code M-0125-KT-5948												Product Group		A A 0		
	Article Name												Product Sub-Categ		25 25 3		
	11, ,			Mater		100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D						Season 2025 Spring					
	Last Modified	09/23/24 11:03	1:02 AM	Descr	iption		w21P24650					Life Cycle Stage	Pre-Pro	duction			
POM	Descri	otion	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! A201	Front body length from	n HPS : Top	1.27	1.27	0	66.04	67.31	68.58	69.85	71.12	73.66	76.20	78.74				
! H101	Neck width :: SEAM TO) SEAM	0.635	0.635	0	22.86	22.86	23.495	24.13	24.765	25.40	26.035	26.67				
! H201	Front neck drop from	HPS : Crew	0.3175	0.3175	0	8.5725	8.5725	8.7312	8.89	9.0488	9.3663	9.6837	10.0013				
H301	Back neck drop from	HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513				
! D102	Shoulder slope :: from	1 HPS	0.3175	0.3175	0	4.7625	4.9212	5.08	5.08	5.08	5.2388	5.3975	5.5563				
D103	Shoulder displaceme	nt to front	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905				
! D101	Shoulder width :mea	sured on CB body	0.9525	0.9525	0	47.625	49.53	51.435	53.34	55.245	57.785	60.325	62.865				
! B301	Across: Chest : at mic	l. armhole	0.635	0.635	0	41.910	43.815	45.720	47.625	49.530	52.070	54.610	57.150				
! B201	Across Back : at mid.	armhole	0.635	0.635	0	42.545	44.45	46.355	48.26	50.165	52.705	55.245	57.785				
! B101	Chest width :1" below	armhole	1.27	1.27	0	50.80	53.34	55.88	58.42	60.96	64.77	68.58	72.39				
! C102	Bottom width : 1" abo	ve band seam	1.27	1.27	0	45.72	48.26	50.80	53.34	55.88	59.69	63.50	67.31				
! C101	Bottom width at band:inside fold edges of band/hem		1.27	1.27	0	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96				
! E101	Armhole Straight :: measured straight		0.635	0.635	0	25.0825	26.035	26.9875	27.94	28.8925	30.1625	31.4325	32.7025				
! G101	Bicep width:1" below	armhole	0.635	0.635	0	23.495	24.13	24.765	25.4	26.035	26.8287	27.6225	28.4163				
! F101	L:Sleeve overarm fr. (measure	CB neck :: 3 x point	1.27	1.27	0	84.455	86.36	88.265	90.17	92.075	94.615	97.155	99.695				
! G104	L/Sleeve opening: in cuff/hem	side fold edges of	0.3175	0.3175	0	8.0963	8.5725	9.0487	9.525	10.0013	10.6363	11.2713	11.9063				
! G103	L/Sleeve :: 1" above of	cuff seam	0.3175	0.3175	0	13.8113	14.2875	14.7637	15.24	15.7163	16.3513	16.9863	17.6213				
F701	Sleeve Cuff Band He	ight	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985				
A703	Body Band Height		0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985				
H708	Hood casing width ::	at CF	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54				
! H703	Hood width :: at 5" Be	low Top Edge	0.635	0.635	0	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48				
! H701	Hood height at CF		0.635	0.635	0	36.83	38.10	38.10	39.37	39.37	40.64	40.64	40.64				
H702	Hood height at HPS		0.635	0.635	0	33.02	34.29	34.29	35.56	35.56	36.83	36.83	36.83				
! N101	Kanga pocket height	at center	0.635	0.635	0	22.225	22.860	22.860	23.495	23.495	24.765	24.765	24.765				
! N102	Kanga pocket width a	nt top edge	0.635	0.635	0	24.13	24.765	24.765	25.4	25.4	26.67	26.67	26.67				
! N103			0.635	0.635	0	34.29	34.925	34.925	35.56	35.56	36.83	36.83	36.83				
! N104	Kanga pocket width a	it band seam	0.635	0.635	0	26.67	27.305	27.305	27.94	27.94	29.21	29.21	29.21				
N201	Pocket opening hem	height	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905				
! H709	drawcord length : Ho	od	1.27	1.27	0	101.60	104.14	104.14	106.68	106.68	109.22	109.22	109.22				
H710	Hood drawcord exit p	os. fr neck	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175				
H606	Neck binding width		0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525				
! H404	Minimum Neck Stretch	1	1.27	0	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96				

Comments

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) 8/17/23 revisions for Q1 and onwards:
- add self half moon facing for the new main label

		СМ Меа	All Meas	urements are in CMs	Version 1		
	icic oouc	м-0125-кт-5948			Product Group	ТОР	A A 2
Artic	icle Name	CHROME FAMILY HOODIE			Product Sub-Category	HOODIE	25 25 M
Crea	ated On	08/27/24 1:11:14 PM		100% cotton heavy fleece 460gsm (FB-K507)	Season	2025 Spring	
Last	t Modified	09/23/24 11:01:02 AM	Decription	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Pre-Production	Arrest and a
- add a locker loop	p at CB				•	•	•

Construction details - Hoodie - rev relaxed fit										
Article Code	M-0125-KT-5948			Product Group	TOP					
Article Name	CHROME FAMILY HOODIE			Product Sub-Category	HOODIE	25 25 10				
Created On	08/27/24 1:11:14 PM			Season	2025 Spring					
Last Modified	09/23/24 11:01:02 AM	I laccrintian	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Pre-Production					



Comments

1 HOOD

1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged seperately. CF of hood overlapping at the neck 3/4", left over right.

SN topstitch at front edge to make channel for drawcord. Buttonhole exits for drawcord.

Drawcord ends double fold and tacked with bartack. Drawcord tacked at CF of hood as per photo reference

Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.

- 2 NECK SEAM
 Hood join to body with #512 mock safety stitch.
 Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck.
- 3 SHOULDER SEAM
 Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- ARMHOLE SEAM
 Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 5 SLEEVE/ SIDE SEAM
 Join in one operation. #512 mock safety stitch.
- 6 SLEEVE OPENING
 Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- 7 KANGA POCKET
 Self pocket bag. Opening edges turned in, 2N coverstitch to form hem, 1/4" spacing.
 Side and top edges serged and turned in. SN topstitched to body. Bottom of bag finished into the band seam.
 Bartacks at top and bottom of pkt openings.
- 8 BOTTOM OPENING
 Folded rib band. Join to bottom opening with #512 mock safety
 stitch. 2N coverstitch, straddling seam, 1/4" spacing.