


















	Article Code		C-0424-KT-5335			Article Summary		Product Group		TOP		Version 1	
	Article Name		OVO X NFL HOODIE			Product Sub-Category		SWEAT TOPS					
	Created On		03/21/24 7:52:57 AM			Season		2024 Winter					
	Last Modified		04/16/24 3:01:33 PM			Life Cycle Stage		DeveToplevel					
Gender Classification		Collaboration		Sub Class D		PULL OVER HOODIE		Fabrication		KNIT TOP			
Supplier				Release Date				Ex-Factory					
										COLORS			
SIZES													
000, 001, 002, 003, 004, 005, 006, 007, XXS, XS, SM, MD, LG, XL, 2X, 3X													

Bill of Material										Version 1	
	Article Code	C-0424-KT-5335		Material Description	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Product Group	TOP				
	Article Name	OVO X NFL HOODIE			Product Sub-Category	SWEAT TOPS					
	Created On	03/21/24 7:52:57 AM			Season	2024 Winter					
	Last Modified	04/16/24 3:01:33 PM			Life Cycle Stage	Development					
"Part"		Material			Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.
Fabric											
	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D				FRONT/BACK BODY/HOOD		1.00	Yards			
	1x1 RIB COTTON/ SPANDEX (FB-K144) 1X1 RIB COTTON/SPANDEX, 465GSM-485GSM				SLEEVE CUFFS DOUBLE LAYER, HEM DOUBLE LAYER, SIDE PANELS DOUBLE LAYER, RIB DORITO		1.00	Each		Roopa Knitting Mills	
	100% Cotton Jersey, 180gsm (FB-K139)				BACK NECK BINDING		1.00	Yards		Roopa Knitting Mills	
Trims											
	100% COTTON FLAT BASKETWEAVE DRAWCORD - 3/8" (DR142) 3/8", flat basketweave, 100% cotton with a double fold back & bar tack finish.						1.00	Each	WHITE		
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.						1.00	Each		Vendor Sourced	
	UPC BARCODE STICKER (ST101) PLS ADVISE IF YOU HAVE THE CAPABILITY OF PRINTING UPC STICKERS						2.00	Each		Vendor Sourced	
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.						1.00	Each		Vendor Sourced	
	NFL WOVEN MAIN LABEL (TR-LT211)						1.00	Each		Laven Industries Ltd.	
	NFL HANG TAG (TR-HG131)						1.00	Each		Laven Industries Ltd.	
	NFL SIZE TAB (TR-LT212)						1.00	Each		Laven Industries Ltd.	
	NFL HOLOGRAPHIC HANGTAGS (TR-HG133)						1.00	Each			
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB						1.00	Each		Reca Mainetti Asia Ltd.	OVOF21_217_T
Graphics											
	TBD - SEE ARTWORK FILE (HT-102)						0	Each			



Material Image Sheet							Version 1
	Article Code	C-0424-KT-5335			Product Group	TOP	
	Article Name	OVO X NFL HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	03/21/24 7:52:57 AM			Season	2024 Winter	
	Last Modified	04/16/24 3:01:33 PM			Life Cycle Stage	Deve1opment	
			Material Description	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D			
							
FB-K507 100% cotton heavy fleece 460gsm	PK101 POLY BAG - GENERIC		ST101 UPC BARCODE STICKER	LT110 CC LABEL - APPAREL	TR-LT211 NFL WOVEN MAIN LABEL	TR-HG131 NFL HANG TAG	
							
TR-LT212 NFL SIZE TAB	TR-HG133 NFL HOLOGRAPHIC HANGTAGS		LT138 TEAR-AWAY COO TAB: OVOF21_217_T				

Construction details - OG Hoodie - RF w/cord							Version 1
	Article Code	C-0424-KT-5335	<div>Material</div> <div>Description</div>	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Product Group	TOP	
	Article Name	OVO X NFL HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	03/21/24 7:52:57 AM			Season	2024 Winter	
	Last Modified	04/16/24 3:01:33 PM			Life Cycle Stage	DeveTolpment	





Comments

- HOOD**
 1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. CF of hood overlapping at the neck 3/4", left over right.
 SN topstitch at front edge to make channel for drawcord.
 Gromment or button hole exits for drawcord at exterior of hood CF casing.
 Drawcord ends: Single fold and bartacked or double fold and topstitched. Cord tacked at the inside top of the hood so cord cannot be pulled out.
 Self and lining chain tacked at the top of the head at CB dart seams.
- HALF MOON BACK NECK FACING**
 Self half moon facing, serged, set to body with S/N edge T/S.
- NECK SEAM**
 Hood join to body with #512 mock safety stitch.
 Inside back neck cleanfinished with self taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck.
- SHOULDER SEAM**
 Set forward on body. Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- ARMHOLE SEAM**
 Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- SLEEVE INSEAM**
 Join with #512 mock safety stitch.
- SIDE SEAM**
 Set forward on body. Join with #512 mock safety stitch. SN edge topstitch on side panel, holding seam allowance.
- ON-SEAM POCKET**
 Self fold back facing from front panel. Join to pocket bags with #512 mock safety stitch. SN topstitch at opening, 1/4" in.
 Bartacks at top and bottom of opening.
 Top pocket bag in jersey, bottom pocket bag in self. Bottom of bag finished into the bottom band seam.
- CUFF AND BOTTOM OPENING**
 Folded rib band. Join to sleeve or bottom openings with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.

Measurement Sheet- OG Hoodie - RF										All Measurements are in Inches						Version 1		
	Article Code	C-0424-KT-5335				100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D				Product Group	TOP							
	Article Name	OVO X NFL HOODIE								Product Sub-	SWEAT TOPS							
	Created On	03/21/24 7:52:57 AM			Material Description					Season	2024 Winter							
	Last Modified	04/16/24 3:01:33 PM								Life Cycle Stage	Development							
POM	Description			+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! A201	Front body length from HPS : Top			1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31				
! H101	Neck width :: SEAM TO SEAM			1/4	1/4	NA	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2				
! H201	Front neck drop from HPS : Crew			1/8	1/8	NA	3 1/8	3 1/8	3 3/16	3 1/4	3 5/16	3 7/16	3 9/16	3 11/16				
H301	Back neck drop from HPS Crew			1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16				
! D102	Shoulder slope :: from HPS			1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16				
D103	Shoulder displacement to front			1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
! D101	Shoulder width :measured on CB body			3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4				
! B301	Across: Chest : at mid. armhole			1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2				
! B201	Across Back : at mid. armhole			1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4				
! B101	Chest width :1" below armhole			1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2				
! C102	Bottom width : 1" above band seam			1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2				
! C101	Bottom width at band:inside fold edges of band/hem			1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24				
! E101	Armhole Straight :: measured straight			1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8				
! G101	Bicep width:1" below armhole			1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16				
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4				
! G104	L/Sleeve opening: inside fold edges of cuff/hem			1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16				
! G103	L/Sleeve :: 1" above cuff seam			1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16				
F701	Sleeve Cuff Band Height			1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
A703	Body Band Height			1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
H708	Hood casing width :: at CF			1/8	1/8	NA	1	1	1	1	1	1	1	1				
! H703	Hood width :: at 5" Below Top Edge			1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12				
! H701	Hood height at CF			1/4	1/4	NA	14 3/4	15	15	15 1/2	15 1/2	16	16	16				
H702	Hood height at HPS			1/4	1/4	NA	13 1/4	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2				
! H709	drawcord length : Hood			1/2	1/2	NA	41	41	41	42	42	43	43	43				
H710	Hood drawcord exit pos. fr neck			1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4				
B401	Side seam forward position from fold			1/8	1/8	NA	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2 1/8	2 3/8	2 1/2				
! N201	On seam pocket opening length			1/4	1/4	NA	5 3/4	6	6	6 1/4	6 1/4	6 1/2	6 1/2	6 3/4				
N202	On seam opening topstitch width			1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4				
N206	On seam pocket position up from band seam			1/4	1/4	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 7/8	3 1/8	3 1/4				
N212	On seam pocket bag width at bottom			1/4	1/4	NA	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4	9	9 1/4				
H606	Neck binding width			1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8				
B505	Half moon facing width			1/8	1/8	NA	6	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4				
B506	Half moon facing height: from CB neck			1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16				
! H404	Minimum Neck Stretch			1/2	0	NA	24	24	24	24	24	24	24	24				

Comments

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) + OG pkts
*added DC

Measurement Sheet- OG Hoodie - RF					All Measurements are in Inches		Version 1
	Article Code	C-0424-KT-5335			Product Group	TOP	
	Article Name	OVO X NFL HOODIE			Product Sub-	SWEAT TOPS	
	Created On	03/21/24 7:52:57 AM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2024 Winter	
	Last Modified	04/16/24 3:01:33 PM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Development	
2024 onwards: 1. add a locker loop at CB neck 2. add a half moon facing at back neck for the new main label							