







Article Summary										Version 1		
	Article Code	C-0424-KT-5359				Product Group	TOP					
	Article Name	OVO X NFL POLARTEC POLARFLEECE MOCK NECK				Product Sub-Category	SWEAT TOPS					
	Created On	04/04/24 12:33:12 PM		Material	POLARTEC MICROFLEECE - 8200 (FB-K447) 100% polyester			Season	2024 Winter			
	Last Modified	04/08/24 12:45:05 PM		Description				Life Cycle Stage	Development			
Gender Classification		Collaboration		Sub Class D		PULL OVER HOODIE			Fabrication		KNIT TOP	
Supplier				Release Date		13 Dec 2024			Ex-Factory			
										COLORS		
SIZES												
000, 001, 002, 003, 004, 005, 006, 007, XXS, XS, SM, MD, LG, XL, 2X, 3X												

Bill of Material										Version 1
	Article Code	C-0424-KT-5359		POLARTEC MICROFLEECE - 8200 (FB-K447) 100% polyester	Product Group		TOP			
	Article Name	OVO X NFL POLARTEC POLARFLEECE MOCK NECK			Product Sub-Category		SWEAT TOPS			
	Created On	04/04/24 12:33:12 PM	Material		Season		2024 Winter			
	Last Modified	04/08/24 12:45:05 PM	Description		Life Cycle Stage		DeveLopment			
"Part"	Material			Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.
Fabric										
BODY	POLARTEC MICROFLEECE - 8200 (FB-K447) 100% polyester			BODY & SLEEVE, KANGA POCKET, SLEEVE POCKET, HOOD		0	Meter		Polartec	
Trims										
SEE PLACEMENT FOR DETAILS	TRICOT SPANDEX BINDING (TV132)			SLEEVE HEM, TOP COLLAR		1.00	Meter		Vendor Sourced	
BACK NECK	TWILL TAPE- PRESHRUNK (TV101)			BACK NECK TAPE		1.00	Meter	NYLON OR POLY TWILL TAPE		
ZIPPER	YKK 5GG VISLON ZIPPER - DA8LH PULLER (TR-ZP261)			FRONT PLACKET		1.00	Each		Vendor Sourced	
ZIPPER PULLS	GROSGRAIN PULLER TAB - NYLON (ZP114) GROSGRAIN 1/4" WIDTH			ZIPPER PULL		1.00	Each		Vendor Sourced	
BOTTOM	SHOCK CORD - 2.5MM (DR124) CINCH CORD: 2.5MM SHOCK CORD * PLS SUBMIT FOR APPROVAL *			ENCASED IN BOTTOM HEM		1.00	Each			
BOTTOM	SMALL PLASTIC PIGNOSE STOPPER (HD176) SEE PHOTO			BOTTOM INSIDE SIDE SEAM		2.00	Each		Vendor Sourced	
BOTTOM	ENAMEL COATED METAL EYELET - 8MM (HD162)			SHOCK CORD EXITS		4.00	Each		Vendor Sourced	
BACK NECK	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172			CENTRED INSIDE BACK NECK, 1/2" FROM NECK SEAM		1.00	Each		Reca Mainetti Asia Ltd.	LBOVO172
BACK NECK	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175			CENTRED & STITCHED TO BOTTOM OF MAIN LABEL		1.00	Each		Reca Mainetti Asia Ltd.	OVOW23_181_T
BACK NECK	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB			TACKED INTO INSIDE NECK SEAM *REMOVABLE*		1.00	Each		Reca Mainetti Asia Ltd.	OVOF21_217_T
SIDE INSERT 1	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.			SEE TRIM DETAILS		1.00	Each	VENDOR SOURCED	Vendor Sourced	
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A			PINNED TO RIBBON LOOP		1.00	Each		Reca Mainetti Asia Ltd.	HTOVO141A
LEFT CHEST	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT			HANGTAG ATTACHMENT		1.00	Each		Vendor Sourced	

Bill of Material										Version 1			
	Article Code	C-0424-KT-5359				Product Group		TOP					
	Article Name	OVO X NFL POLARTEC POLARFLEECE MOCK NECK				Product Sub-Category		SWEAT TOPS					
	Created On	04/04/24 12:33:12 PM		Material Description	POLARTEC MICROFLEECE - 8200 (FB-K447) 100% polyester		Season		2024 Winter				
	Last Modified	04/08/24 12:45:05 PM					Life Cycle Stage		Development				
"Part"		Material			Placement			Qty.	UOM.	Comments		Supplier	Supplier Ref.
		POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.						1.00	Each	VENDOR SOURCED		Vendor Sourced	
SEE PLACEMENT FOR DETAILS		UPC STICKER (TR-ST111) 1.5" x 1.5" PLS ADVISE IF YOU HAVE THE CAPABILITY OF PRINTING UPC STICKERS			1. INSIDE HANGTAG 2. ON POLYBAG			2.00	Each				
Graphics													

Material Image Sheet				Version 1							
	Article Code	C-0424-KT-5359		Product Group	TOP						
	Article Name	OVO X NFL POLARTEC POLARFLEECE MOCK NECK		Product Sub-Category	SWEAT TOPS						
	Created On	04/04/24 12:33:12 PM		Season	2024 Winter						
	Last Modified	04/08/24 12:45:05 PM		Life Cycle Stage	Development						
											
FB-K447 POLARTEC MICROFLEECE - 8200		TV132 TRICOT SPANDEX BINDING		DR124 SHOCK CORD - 2.5MM		HD176 SMALL PLASTIC PIGNOSE STOPPER		TR-LT247 OVO 2023 One Side Main Label		TR-LT246 OVO 2023 Alpha Sizing Tab	
											
LT138 TEAR-AWAY COO TAB: OVOF21_217_T		LT110 CC LABEL - APPAREL		TR-HG142 OVO 2023 Booklet Hangtag		TR-TV140 5mm GROSGRAIN RIBBON LOOP		PK101 POLY BAG - GENERIC		TR-ST111 UPC STICKER	

Construction details - 1/4 Zip Mock							Version 1
	Article Code	C-0424-KT-5359			Product Group	TOP	
	Article Name	OVO X NFL POLARTEC POLARFLEECE MOCK NECK			Product Sub-Category	SWEAT TOPS	
	Created On	04/04/24 12:33:12 PM	Material	POLARTEC MICROFLEECE - 8200 (FB-K447)	Season	2024 Winter	
	Last Modified	04/08/24 12:45:05 PM	Description	100% polyester	Life Cycle Stage	Development	



Comments

- COLLAR/NECK:
2 piece self collar. Seam at collar top edge, clean finished with elastic binding, S/N edge T/S on binding edge. Collar join to neck with #512 mock safety stitch.

Binding taping at inside neck to cleanfinish. 2N topstitch at neck, straddling seam, 1/4" spacing. Ends of tape folded in to cleanfinish.
- CF ZIPPER
Exposed zipper closure at CF. Grosgrain zipper pulling tab apply to zipper puller. SN edge topstitch around zipper seams. Top of zipper tape and seam allowances cleanfinished into collar. Inside lower zipper tape edges and seam allowance cleanfinished with elastic binding. SN edge topstitch at binding. Ends folded in and tacked.

Self zipper garage apply to bottom of zipper.
- SHOULDER SEAM:
Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- ARMHOLE:
Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- SLEEVE INSEAM/ SIDE SEAM
Join with #512 mock safety stitch.
- SLEEVE OPENING CUFF
Sleeve opening edge cleanfinished with elastic binding. SN edge chain topstitch on binding.
- BODY EDGE
Self turned up hem, 1/4" 2NDL C/S. Internal Shock cord + stopper apply to wearer's right side seam. Eyelet cord exits.

Measurement Sheet - 1/4 Zip Mock - Rev RF										All Measurements are in Inches						Version 1	
	Article Code	C-0424-KT-5359		Material Description	POLARTEC MICROFLEECE - 8200 (FB-K447) 100% polyester					Product Group		TOP					
	Article Name	OVO X NFL POLARTEC POLARFLEECE MOCK NECK								Product Sub-		SWEAT TOPS					
	Created On	04/04/24 12:33:12 PM	Season							2024 Winter							
	Last Modified	04/08/24 12:45:05 PM	Life Cycle Stage							Development							
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL					
! A201	Front body length from HPS : Top	1/2	1/2	NA	26 1/2	27	27 1/2	28	28 1/2	29 1/2	30 1/2	31 1/2					
! H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	7	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2					
! H201	Front neck drop from HPS : Crew	1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16					
H301	Back neck drop from HPS Crew	1/8	1/8	NA	5/8	5/8	11/16	3/4	13/16	15/16	1 1/16	1 3/16					
! H601	Collar height at CF	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4					
! H604	Collar height at CB	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4					
! H403	Collar measurement at outer edge	1/4	1/4	NA	17	17 1/2	18	18 1/2	19	19 5/8	20 1/4	20 7/8					
! O102	Zipper length : 1/2" GROUP GRADE	1/4	1/4	NA	8 1/2	8 1/2	9	9	9	9 1/2	9 1/2	9 1/2					
! D102	Shoulder slope :: from HPS	1/8	1/8	NA	2	2 1/16	2 1/8	2 1/8	2 1/8	2 3/16	2 1/4	2 5/16					
D103	Shoulder displacement to front	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4					
! D101	Shoulder width :measured on CB body	3/8	3/8	NA	19 1/2	20 1/4	21	21 3/4	22 1/2	23 1/2	24 1/2	25 1/2					
! B301	Across: Chest : at mid. armhole	1/4	1/4	NA	17 1/4	18	18 3/4	19 1/2	20 1/4	21 1/4	22 1/4	23 1/4					
! B201	Across Back : at mid. armhole	1/4	1/4	NA	17 1/2	18 1/4	19	19 3/4	20 1/2	21 1/2	22 1/2	23 1/2					
! B101	Chest width :1" below armhole	1/2	1/2	NA	21	22	23	24	25	26 1/2	28	29 1/2					
! C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	19	20	21	22	23	24 1/2	26	27 1/2					
A703	Body Hem Height	1/8	1/8	NA	1	1	1	1	1	1	1	1					
! E101	Armhole Straight :: measured straight	1/4	1/4	NA	10 1/8	10 1/2	10 7/8	11 1/4	11 5/8	12 1/8	12 5/8	13 1/8					
! G101	Bicep width:1" below armhole	1/8	1/8	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16					
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4					
! G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 7/16	3 5/8	3 13/16	4	4 3/16	4 7/16	4 11/16	4 15/16					
! G103	L/Sleeve :: 1" above cuff seam	1/4	1/4	NA	5 11/16	5 7/8	6 1/16	6 1/4	6 7/16	6 11/16	6 15/16	7 3/16					
F701	Sleeve Binding Height	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8					
! H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24					
Comments																	
REFERENCE: M-0423-KT-4011 ARCH OVO MOCK NK size L=M 11/27/23 Sandy																	