



	Article Code		C-0125-KT-5631			Article Summary		Product Group		TOP		 
	Article Name		OVO X GRETZKY HOODIE					Product Sub-Category		SWEAT TOPS		
	Created On		06/18/24 5:01:46 PM			Material		Season		2025 Spring		
	Last Modified		06/26/24 10:53:56 AM			Description		Life Cycle Stage		Development		
						100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D						
Gender Classification		Collaboration		Sub Class D		PULL OVER HOODIE		Fabrication		KNIT TOP		
Supplier		UN-AVAILABLE CO. LTD		Release Date				Ex-Factory				
   										COLORS		
SIZES												
000, 001, 002, 003, 004, 005, 006, 007, XXS, XS, SM, MD, LG, XL, 2X, 3X, 4XL, 008												

Bill of Material										Version 1		
	Article Code	C-0125-KT-5631			Material Description	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D		Product Group	TOP		 	
	Article Name	OVO X GRETZKY HOODIE				Product Sub-Category	SWEAT TOPS					
	Created On	06/18/24 5:01:46 PM				Season	2025 Spring					
	Last Modified	06/26/24 10:53:56 AM				Life Cycle Stage	DeveIopment					
Part	Material				Placement		Qty.	UOM.	Comments		Supplier	Supplier Ref.
Fabric												
	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D						0	Yards				
	100% COMBED COTTON JERSEY, 190GSM (FB-K614) REF# OVOTRIP-TS01 SINGLE JERSEY						0	Meter	DTM BODY			REF# OVOTRIP-TS01
	1x1 RIB COTTON/ LYCRA (FB-K151) WEIGHT TBD						0	Yards	DTM BODY			
Trims												
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.						1.00	Each			Vendor Sourced	
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.						1.00	Each			Vendor Sourced	
	UPC STICKER- 1.25" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER						1.00	Each				
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB						1.00	Each			Reca Mainetti Asia Ltd.	OVOF21_217_T
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175						1.00	Each			Reca Mainetti Asia Ltd.	LBOVO175
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172						1.00	Each			Reca Mainetti Asia Ltd.	LBOVO172
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A						1.00	Each			Reca Mainetti Asia Ltd.	HTOVO141A
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT						1.00	Each	BLACK ON BLACK GROUND WHITE ON BLUE GROUND		Vendor Sourced	
	100% COTTON FLAT BASKETWEAVE DRAWCORD - 3/8" (DR142) 3/8", flat basketweave, 100% cotton with a double fold back & bar tack finish.						1.00	Each	COLOUR TBD		Vendor Sourced	
	BUTTON HOLE HIGH STITCH COUNT (BB105)						2.00	Each	DTM BODY		Vendor Sourced	

Bill of Material										Version 1	
	Article Code	C-0125-KT-5631		Material Description	Product Group		TOP				
	Article Name	OVO X GRETZKY HOODIE			Product Sub-Category		SWEAT TOPS				
	Created On	06/18/24 5:01:46 PM	Season		2025 Spring						
	Last Modified	06/26/24 10:53:56 AM	Life Cycle Stage		Development						
Part	Material			Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	
Graphics											
	TBD - SEE ARTWORK FILE (HT-102)					0	Each				

Material Image Sheet							Version 1
	Article Code	C-0125-KT-5631			Product Group	TOP	
	Article Name	OVO X GRETZKY HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	06/18/24 5:01:46 PM			Season	2025 Spring	
	Last Modified	06/26/24 10:53:56 AM			Life Cycle Stage	Development	
			Material Description	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D			
							
FB-K507 100% cotton heavy fleece 460gsm	LT110 CC LABEL - APPAREL		PK101 POLY BAG - GENERIC	TR-ST114 UPC STICKER- 1.25" X 2.5"	LT138 TEAR-AWAY COO TAB: OVOF21_217_T	TR-LT246 OVO 2023 Alpha Sizing Tab	
							
TR-LT247 OVO 2023 One Side Main Label	TR-HG142 OVO 2023 Booklet Hangtag		TR-TV140 5mm GROSGRAIN RIBBON LOOP				

UPC PLACEMENT							Version 1
	Article Code	C-0125-KT-5631			Product Group	TOP	
	Article Name	OVO X GRETZKY HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	06/18/24 5:01:46 PM			Season	2025 Spring	
	Last Modified	06/26/24 10:53:56 AM			Life Cycle Stage	Development	
			Material Description	100% cotton heavy fleece 460gsm (FB-k507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D			




OCTOBER'S VERY OWN

UPC INFORMATION

STYLE # : M-0421-KT-1117
SIZE : MD (03)
COLOUR : BLACK (BK)
PRODUCT CODE : KNIT TOP
DIVISION : MENS
SKU : M-0421-KT-1117-BK-03

COLOUR AND SIZE CODE ARE INCLUDED IN THE UPC CODE AND BARCODE.



STICKER PLACEMENT
(2 PER GARMENT)

UPC STICKER#1
PLACE ON BOTTOM RIGHT
CORNER OF POLY BAG.




UPC STICKER #2
PLACE INSIDE HANGTAG BOOKLET



DIMENSIONS



Construction details - OG Hoodie - RF w/cord							Version 1
	Article Code	C-0125-KT-5631			Product Group	TOP	
	Article Name	OVO X GRETZKY HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	06/18/24 5:01:46 PM		Material	Season	2025 Spring	
	Last Modified	06/26/24 10:53:56 AM		Description	Life Cycle Stage	DeveTlopment	
				100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D			



1. NÓN 1 MẢNH BẰNG VẢI CHÍNH, ĐIỀU MIỆNG NÓN 3/4". THỪA KHUY LỖ XỎ DÂY LUÔN.
2. ĐƯỜNG MAY CỔ: VẮT SỔ, VIÊN CỔ SAU BẰNG VẢI SINGLE, ĐIỀU 1 KIM MỀP
3. VAI HỒM VỀ TRƯỚC, VẮT SỔ, ĐIỀU RÊ 2 KIM
4. NÁCH VẮT SỔ, ĐIỀU RÊ 2 KIM
- 5 + 6. ĐƯỜNG MAY VAI + NÁCH : MÓC XÍCH 2 KIM 1/4" (#512)
7. TÚI SƯỜN: MAY VẢI CHÍNH. GẮN VỚI BAO TÚI ABWFNG ĐƯỜNG VẮT SỔ. ĐIỀU 1 KIM TẠI MIỆNG TÚI. ĐÓNG BỌ TRÊN VÀ DƯỚI MIỆNG TÚI LỚP TRÊN BAO TÚI LÀ AVRI SINGLE, MẶT DƯỚI LÀ VẢI CHÍNH
8. BO TAY + LAI : GẤP RIB LÊN MAY VẮT SỔ. ĐIỀU RÊ 2 KIM TO BÀN 1/4 INCH
9. LAI ÁO LÀ GHÉP BO , CẦN CẢN CHÍNH LAI TRƯỚC VÀ SAU ĐỀU NHAU ,CHỖM VỀ TRƯỚC TẠI HAI BÊN SƯỜN

Comments

- 1 HOOD
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. CF of hood overlapping at the neck 3/4", left over right.
SN topstitch at front edge to make channel for drawcord.
Gromment or button hole exits for drawcord at exterior of hood CF casing.
Drawcord ends: knotted. Cord tacked at the inside top of the hood so cord cannot be pulled out.
Self and lining chain tacked at the top of the head at CB dart seams.
- 2 NECK SEAM
Hood join to body with #512 mock safety stitch.
Inside back neck cleanfinished with self taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck.
- 3 SHOULDER SEAM
Set forward on body. Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 4 ARMHOLE SEAM
Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 5 SLEEVE INSEAM
Join with #512 mock safety stitch.
- 6 SIDE SEAM
Set forward on body. Join with #512 mock safety stitch. SN edge topstitch on side panel, holding seam allowance.
- 7 ON-SEAM POCKET
Self fold back facing from front panel. Join to pocket bags with #512 mock safety stitch. SN topstitch at opening, 1/4" in.
Bartacks at top and bottom of opening.
Top pocket bag in jersey, bottom pocket bag in self. Bottom of bag finished into the bottom band seam.
- 8 CUFF AND BOTTOM OPENING
Folded rib band. Join to sleeve or bottom openings with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- 9 BOTTOM OPENING HAS TWO RIB SEAMS ALIGNING TO FORWARD SIDE SEAMS



Article Code	C-0125-KT-5631			Product Group	TOP	
Article Name	OVO X GRETZKY HOODIE			Product Sub-	SWsEAT TOPS	
Created On	06/18/24 5:01:46 PM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2025 Spring	
Last Modified	06/26/24 10:53:56 AM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	development	

POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! A201	Front body length from HPS : Top	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31				
! H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2				
! H201	Front neck drop from HPS : Crew	1/8	1/8	NA	3 1/8	3 1/8	3 3/16	3 1/4	3 5/16	3 7/16	3 9/16	3 11/16				
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16				
! D102	Shoulder slope :: from HPS	1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16				
D103	Shoulder displacement to front	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
! D101	Shoulder width :measured on CB body	3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4				
! B301	Across: Chest : at mid. armhole	1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2				
! B201	Across Back : at mid. armhole	1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4				
! B101	Chest width :1" below armhole	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2				
! C102	Bottom width : 1" above band seam	1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2				
! C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24				
! E101	Armhole Straight :: measured straight	1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8				
! G101	Bicep width:1" below armhole	1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16				
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4				
! G104	L:Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16				
! G103	L:Sleeve :: 1" above cuff seam	1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16				
F701	Sleeve Cuff Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
A703	Body Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
H708	Hood casing width :: at CF	1/8	1/8	NA	1	1	1	1	1	1	1	1				
! H703	Hood width :: at 5" Below Top Edge	1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12				
! H701	Hood height at CF	1/4	1/4	NA	14 3/4	15	15	15 1/2	15 1/2	16	16	16				
H702	Hood height at HPS	1/4	1/4	NA	13 1/4	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2				
! H709	drawcord length : Hood	1/2	1/2	NA	41	41	41	42	42	43	43	43				
H710	Hood drawcord exit pos. fr neck	1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4				
B401	Side seam forward position from fold	1/8	1/8	NA	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2 1/8	2 3/8	2 1/2				
! N201	On seam pocket opening length	1/4	1/4	NA	5 3/4	6	6	6 1/4	6 1/4	6 1/2	6 1/2	6 3/4				
N202	On seam opening topstitch width	1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4				
N206	On seam pocket position up from band seam	1/4	1/4	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 7/8	3 1/8	3 1/4				
N212	On seam pocket bag width at bottom	1/4	1/4	NA	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4	9	9 1/4				
H606	Neck binding width	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8				
! H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24				

Comments

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) + OG pkts

*added DC

2024 onwards:

- ~~1. add a locker loop at CB neck~~
2. add a half moon facing at back neck for the new main label

Measurement Sheet- OG Hoodie - RF					All Measurements are in Inches		Version 1
	Article Code	C-0125-KT-5631			Product Group	TOP	 
	Article Name	OVO X GRETZKY HOODIE			Product Sub-	SWEAT TOPS	
	Created On	06/18/24 5:01:46 PM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2025 Spring	
	Last Modified	06/26/24 10:53:56 AM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Development	

CM Measurement Sheet- OG Hoodie - RF										All Measurements are in CMs					Version 1	
	Article Code	C-0125-KT-5631			Material Description	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D				Product Group		TOP				
	Article Name	OVO X GRETZKY HOODIE								Product Sub-		SWEAT TOPS				
	Created On	06/18/24 5:01:46 PM								Season		2025 Spring				
	Last Modified	06/26/24 10:53:56 AM								Life Cycle Stage		Development				
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! A201	Front body length from HPS : Top	1.27	1.27	0	66.04	67.31	68.58	69.85	71.12	73.66	76.20	78.74				
! H101	Neck width :: SEAM TO SEAM	0.635	0.635	0	22.86	22.86	23.495	24.13	24.765	25.40	26.035	26.67				
! H201	Front neck drop from HPS : Crew	0.3175	0.3175	0	7.9375	7.9375	8.0962	8.255	8.4138	8.7313	9.0487	9.3663				
H301	Back neck drop from HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513				
! D102	Shoulder slope :: from HPS	0.3175	0.3175	0	4.7625	4.9212	5.08	5.08	5.08	5.2388	5.3975	5.5563				
D103	Shoulder displacement to front	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905				
! D101	Shoulder width :measured on CB body	0.9525	0.9525	0	47.625	49.53	51.435	53.34	55.245	57.785	60.325	62.865				
! B301	Across: Chest : at mid. armhole	0.635	0.635	0	41.910	43.815	45.720	47.625	49.530	52.070	54.610	57.150				
! B201	Across Back : at mid. armhole	0.635	0.635	0	42.545	44.45	46.355	48.26	50.165	52.705	55.245	57.785				
! B101	Chest width :1" below armhole	1.27	1.27	0	50.80	53.34	55.88	58.42	60.96	64.77	68.58	72.39				
! C102	Bottom width : 1" above band seam	1.27	1.27	0	45.72	48.26	50.80	53.34	55.88	59.69	63.50	67.31				
! C101	Bottom width at band:inside fold edges of band/hem	1.27	1.27	0	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96				
! E101	Armhole Straight :: measured straight	0.635	0.635	0	25.0825	26.035	26.9875	27.94	28.8925	30.1625	31.4325	32.7025				
! G101	Bicep width:1" below armhole	0.635	0.635	0	23.495	24.13	24.765	25.4	26.035	26.8287	27.6225	28.4163				
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1.27	1.27	0	84.455	86.36	88.265	90.17	92.075	94.615	97.155	99.695				
! G104	L/Sleeve opening: inside fold edges of cuff/hem	0.3175	0.3175	0	8.0963	8.5725	9.0487	9.525	10.0013	10.6363	11.2713	11.9063				
! G103	L/Sleeve :: 1" above cuff seam	0.3175	0.3175	0	13.8113	14.2875	14.7637	15.24	15.7163	16.3513	16.9863	17.6213				
F701	Sleeve Cuff Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985				
A703	Body Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985				
H708	Hood casing width :: at CF	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54				
! H703	Hood width :: at 5" Below Top Edge	0.635	0.635	0	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48				
! H701	Hood height at CF	0.635	0.635	0	37.465	38.10	38.10	39.37	39.37	40.64	40.64	40.64				
H702	Hood height at HPS	0.635	0.635	0	33.655	34.29	34.29	35.56	35.56	36.83	36.83	36.83				
! H709	drawcord length : Hood	1.27	1.27	0	104.14	104.14	104.14	106.68	106.68	109.22	109.22	109.22				
H710	Hood drawcord exit pos. fr neck	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175				
B401	Side seam forward position from fold	0.3175	0.3175	0	3.4925	3.810	4.1275	4.445	4.7625	5.3975	6.0325	6.350				
! N201	On seam pocket opening length	0.635	0.635	0	14.605	15.240	15.240	15.875	15.875	16.510	16.510	17.145				
N202	On seam opening topstitch width	0.3175	0.3175	0	0.635	0.635	0.635	0.635	0.635	0.635	0.635	0.635				
N206	On seam pocket position up from band seam	0.635	0.635	0	5.3975	5.715	6.0325	6.35	6.6675	7.3025	7.9375	8.255				
N212	On seam pocket bag width at bottom	0.635	0.635	0	19.050	19.685	20.320	20.955	21.590	22.225	22.860	23.495				
H606	Neck binding width	0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525				
! H404	Minimum Neck Stretch	1.27	0	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96				
Comments																
REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) + OG pkts *added DC 2024 onwards: 1. add a locker loop at CB neck 2. add a half moon facing at back neck for the new main label																

CM Measurement Sheet- OG Hoodie - RF					All Measurements are in CMs		Version 1
	Article Code	C-0125-KT-5631			Product Group	TOP	 
	Article Name	OVO X GRETZKY HOODIE			Product Sub-	SWEAT TOPS	
	Created On	06/18/24 5:01:46 PM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2025 Spring	
	Last Modified	06/26/24 10:53:56 AM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	DeveIopment	