















Bill of Material										Version 1	
	Article Code	C-0125-KT-5853	<div>Material Description</div>	FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)		Product Group	TOP				
	Article Name	PLAYSTATION UTILITY CREWNECK				Product Sub-Category	SWEAT TOPS				
	Created On	08/12/24 12:38:59 PM				Season	2025 Spring				
	Last Modified	12/13/24 3:46:00 PM				Life Cycle Stage	Sample Evaluation				
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK
Fabric											
BODY	FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)		BODY/ HOOD/ SLEEVES		0	Meter	450GSM				None
	100% NYLON, 126 GSM (FB-W1118)		POCKET ON SLEEVE		0	Meter					None
	1X1 RIB COTTON /LYCRA (FB-K1066) WEIGHT TBD		BODY BAND/ CUFFS/ NECK		0	Meter					None
Trims											
BACK NECK	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172		CENTRED INSIDE BACK NECK, 1/2" DOWN FROM NECK SEAM *PATCH NOT REQUIRED		1	Each		Reca Mainetti Asia Ltd.	LBOVO172		None
BACK NECK	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175		CENTRED & STITCHED TO BOTTOM OF MAIN LABEL		1	Each		Reca Mainetti Asia Ltd.	LBOVO175		None
BACK NECK	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB		TACKED INSIDE BACK NECK SEAM *REMOVABLE*		1	Each		Reca Mainetti Asia Ltd.	OVOF21_217_T		None
SIDE INSERT 1	CC LABEL - 100% NYLON MADE IN CHINA (TR-LT231) *UPDATE FABRIC CONTENT AS REQUIRED				1	Each	VENDOR SOURCED	Vendor Sourced			None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		HANGTAG ATTACHMENT		1	Each		Vendor Sourced			None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each	VENDOR SOURCED	Vendor Sourced			None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER		1. INSIDE HANGTAG 2. ON POLYBAG		2	Each					None
	VELCRO (TR-VL106)		AT POCKET ON SLEEVE		1	Each	1" LENGHT X 3/4" H- COLOUR BLACK				None
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A				1	Each		Reca Mainetti Asia Ltd.	HTOVO141A		None



Material Image Sheet						Version 1	
	Article Code	C-0125-KT-5853	Material Description	FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)	Product Group	TOP	
	Article Name	PLAYSTATION UTILITY CREWNECK			Product Sub-Category	SWEAT TOPS	
	Created On	08/12/24 12:38:59 PM			Season	2025 Spring	
	Last Modified	12/13/24 3:46:00 PM			Life Cycle Stage	Sample Evaluation	
							
FB-K1080 FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM		FB-W1118 100% NYLON, 126 GSM		TR-LT247 OVO 2023 One Side Main Label		LT138 TEAR-AWAY COO TAB: OVOF21_217_T	
							
TR-LT231 CC LABEL - 100% NYLON MADE IN CHINA		TR-TV140 5mm GROSGRAIN RIBBON LOOP		PK101 POLY BAG - GENERIC		TR-HG142 OVO 2023 Booklet Hangtag	

Construction details - Crew							Version 1
	Article Code	C-0125-KT-5853		FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)	Product Group	TOP	
	Article Name	PLAYSTATION UTILITY CREWNECK			Product Sub-Category	SWEAT TOPS	
	Created On	08/12/24 12:38:59 PM	Material		Season	2025 Spring	
	Last Modified	12/13/24 3:46:00 PM	Description		Life Cycle Stage	Sample Evaluation	



Comments

- 1 **NECK**
Set in rib band. Double folded, join to body with mock safety serged. Rib seam at wearer's left side, 1/2" back from HSP.S/N edge t/s on front neck.
Back neck is clean finished with taping. Taping edges are clean finished with edge t/s.
- 2 **SHOULDER SEAM**
Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 3 **ARMHOLE SEAM**
Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 4 **SLEEVE/ SIDE SEAM**
Join in one operation. #512 mock safety stitch.
- 5 **SLEEVE OPENING**
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- 6 **BOTTOM OPENING**
Folded rib band. Join to bottom opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- 7 **WEARER'S RIGHT SIDE SLEEVE POCKET: NYLON, velcro closure.**
FLAP: doubled, all edges are cleanfinished, 1/4" S/N T/S. Set to set to sleeve with S/N understitch.
PATCH: 1/4" bellows around the pocket, S/N Edge T/S, opening hem self turn & S/N T/S. Set to SLV with S/N Edge T/S. Darts at bottom of the bag to form bellows. See next page for detailed photo of pocket

Pocket Construction Details							Version 1
	Article Code	C-0125-KT-5853		FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)	Product Group	TOP	
	Article Name	PLAYSTATION UTILITY CREWNECK			Product Sub-Category	SWEAT TOPS	
	Created On	08/12/24 12:38:59 PM	Material		Season	2025 Spring	
	Last Modified	12/13/24 3:46:00 PM	Description		Life Cycle Stage	Sample Evaluation	


Comments



- 1



SLEEVE POCKET: NYLON, velcro closure.

FLAP: doubled, all edges are cleanfinished, 1/4" S/N T/S. Set to set to sleeve with S/N understitch.

PATCH: 1/4" bellows around the pocket, S/N Edge T/S, opening hem self turn & S/N T/S. Set to SLV with S/N Edge T/S. Darts at bottom of the bag to form bellows



Measurement - Crew - Rev relaxed Fit										All Measurements are in Inches						Version 1		
	Article Code	C-0125-KT-5853					FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)				Product Group		TOP					
	Article Name	PLAYSTATION UTILITY CREWNECK									Product Sub-		SWEAT TOPS					
	Created On	08/12/24 12:38:59 PM									Season		2025 Spring					
	Last Modified	12/13/24 3:46:00 PM									Life Cycle Stage		Sample Evaluation					
POM	Description			+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! A201	Front body length from HPS : Top			1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31				
! H101	Neck width :: SEAM TO SEAM			1/4	1/4	NA	7 1/4	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4				
! H201	Front neck drop from HPS : Crew			1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16				
H301	Back neck drop from HPS Crew			1/8	1/8	NA	1 5/8	1 5/8	1 11/16	1 3/4	1 13/16	1 15/16	2 1/16	2 3/16				
H606	Neckband Height			1/8	1/8	NA	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8				
! D102	Shoulder slope :: from HPS			1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16				
D103	Shoulder displacement to front			1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
! D101	Shoulder width :measured on CB body			3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4				
! B301	Across: Chest : at mid. armhole			1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2				
! B201	Across Back : at mid. armhole			1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4				
! B101	Chest width :1" below armhole			1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2				
! C102	Bottom width : 1" above band seam			1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2				
! C101	Bottom width at band:inside fold edges of band/hem			1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24				
! E101	Armhole Straight :: measured straight			1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8				
! G101	Bicep width:1" below armhole			1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16				
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4				
! G104	L/Sleeve opening: inside fold edges of cuff/hem			1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16				
! G103	L/Sleeve :: 1" above cuff seam			1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16				
F701	Sleeve Cuff Band Height			1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
A703	Body Band Height			1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
Q403	Back neck taping height			1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8				
! H404	Minimum Neck Stretch			1/2	0	NA	24	24	24	24	24	24	24	24				
! N603	Sleeve pocket height at center (including flap)			1/8	1/8	NA	4 1/4	4 1/4	4 1/4	4 1/2	4 1/2	4 1/4	5	5				
N604	Sleeve pocket flap height at center			1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/2	1 1/2	1 1/4	2	2				
N608	Sleeve pocket flap width at top edge			1/8	1/8	NA	3 1/2	3 1/2	3 1/2	3 3/4	3 3/4	3 1/2	4 1/4	4 1/4				
! N606	Sleeve pocket width at top edge			1/8	1/8	NA	3 1/4	3 1/4	3 1/4	3 1/2	3 1/2	3 1/4	4	4				
N312	Sleeve pocket bellow width			1/8	1/8	NA	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2				
N232	Sleep pocket position from SHOULDER POINT seam			1/8	1/8	GA	GA	GA	GA	3 1/2	GA	GA	GA	GA				
Comments																		
REFERENCE: UPDATED 2023 Stussy hoodie fit + OVO relaxed fit crew neck msmts 8/17/23 revisions for Q1 and onwards: - neck finish revise to set in band with back neck tape - add self half moon facing for the new main label - add a locker loop at CB																		

UN-AVAILABLE CO. LTD: Fit Approval-1 [Sample 1 (M)]							Version 1
	Article Code	C-0125-KT-5853			Product Group	TOP	
	Article Name	PLAYSTATION UTILITY CREWNECK			Product Sub-Category	SWEAT TOPS	
	Created On	08/12/24 12:38:59 PM	Material	FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)	Season	2025 Spring	
	Last Modified	12/13/24 3:46:00 PM	Description		Life Cycle Stage	Sample Evaluation	

POM	Description	+ Tol	- Tol	M	Sample	Diff	Revised
A201	Front body length from HPS : Top	1/2	1/2	27 1/2	27 1/4	-1/4	
H101	Neck width :: SEAM TO SEAM	1/4	1/4	7 3/4	7 7/8	1/8	
H201	Front neck drop from HPS : Crew	1/8	1/8	3 1/2	3 1/2	0	
H301	Back neck drop from HPS Crew	1/8	1/8	1 3/4	1 1/2	-1/4	
H606	Neckband Height	1/8	1/8	7/8	3/4	-1/8	
D102	Shoulder slope :: from HPS	1/8	1/8	2	2 3/8	3/8	
D103	Shoulder displacement to front	1/8	1/8	3/4	3/4	0	
D101	Shoulder width :measured on CB body	3/8	3/8	21	21 1/4	1/4	
B301	Across: Chest : at mid. armhole	1/4	1/4	18 3/4	20 1/8	1 3/8	
B201	Across Back : at mid. armhole	1/4	1/4	19	20 1/2	1 1/2	
B101	Chest width :1" below armhole	1/2	1/2	23	24	1	
C102	Bottom width : 1" above band seam	1/2	1/2	21	21 3/4	3/4	
C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	18 1/2	18 1/4	-1/4	
E101	Armhole Straight :: measured straight	1/4	1/4	11	11 1/4	1/4	
G101	Bicep width:1" below armhole	1/4	1/4	10	10 1/4	1/4	
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	35 1/2	36	1/2	
G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	3 3/4	3 3/4	0	
G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	6	6	0	
F701	Sleeve Cuff Band Height	1/8	1/8	2 3/4	2 1/2	-1/4	
A703	Body Band Height	1/8	1/8	2 3/4	2 5/8	-1/8	
Q403	Back neck taping height	1/8	1/8	3/8	3/8	0	
H404	Minimum Neck Stretch	1/2	0	24	24	0	
N603	Sleeve pocket height at center (including flap)	1/8	1/8	5	5	0	4 1/2
N604	Sleeve pocket flap height at center	1/8	1/8	2	2	0	1 1/2
N608	Sleeve pocket flap width at top edge	1/8	1/8	4 1/4	4 1/4	0	3 3/4
N606	Sleeve pocket width at top edge	1/8	1/8	4	4	0	3 1/2
N312	Sleeve pocket bellow width	1/8	1/8	1/4	3/8	1/8	1/2
N232	Sleep pocket position from SHOULDER POINT seam*	1/8	1/8	2	2 1/2	1/2	3 1/2

Renamed Points of Measurement



*N232 - Sleep pocket position from armhole seam Revised to N232 - Sleep pocket position from SHOULDER POINT seam

COMMENT

12.12.24

FITTING COMMENTS:

1. Bring back to spec on back neck drop measurement
2. Bring back to spec on shoulder slope
3. Bring back to spec on across chest
4. Bring back to spec on across back
5. Bring back to spec on chest
6. Bring back Bottom width : 1" above band seam
7. Bring back to spec Sleeve Cuff Band Height
8. Revised Sleeve pocket bellow width measurement

UN-AVAILABLE CO. LTD: Fit Approval-1 [Sample 1 (M)]						Version 1
	Article Code	C-0125-KT-5853			Product Group	TOP
	Article Name	PLAYSTATION UTILITY CREWNECK			Product Sub-Category	SWEAT TOPS
	Created On	08/12/24 12:38:59 PM			Season	2025 Spring
	Last Modified	12/13/24 3:46:00 PM			Life Cycle Stage	Sample Evaluation
			Material Description	FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)		

9. Revised sleeve pocket to be smaller (1/2" smaller total in height and width)

10. Ensure all measurements are brought back to spec.

11. Added sleeve pocket position measurement



WORKMANSHIP COMMENTS:

1. At the sleeve pocket, the velcro stripes exhibit sharp corners. It should be die-cut with round corners to avoid scratching when worn. Please improve this.
2. Sleeve pocket appears unbalanced and tilted, please ensure that the sleeve pocket sits evenly on sleeve when on body. To help this, please rebalance the sleeve and adjust the angle by approximately 3/8"
3. Please ensure there is no excessive puckering at seams or on the contrast pocket
 4. The sample is very out of spec, please ensure that the sample measures within tolerance before sending it to us. Thank you.





PROTO IS REJECTED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO 2ND FIT WITH CORRECTIONS

N312 - Sleeve pocket bellow width : Revised to 1/2" for better fold

Sample Size: M
 Status: Rejected
 Rejected By: KoryLui (October's Very Own Merchandising)
 Rejected On: 12/13/24 3:45:41 PM

UN-AVAILABLE CO. LTD: Fit Approval-1 - FRONT SIDE BACK							Version 1
	Article Code	C-0125-KT-5853	<div>Material Description</div>	Product Group		TOP	
	Article Name	PLAYSTATION UTILITY CREWNECK		Product Sub-Category		SWEAT TOPS	
	Created On	08/12/24 12:38:59 PM		Season		2025 Spring	
	Last Modified	12/13/24 3:46:00 PM		Life Cycle Stage		Sample Evaluation	






UN-AVAILABLE CO. LTD: Fit Approval-1 - SLEEVE POCKET BALANCING							Version 1
	Article Code	C-0125-KT-5853			Product Group	TOP	
	Article Name	PLAYSTATION UTILITY CREWNECK			Product Sub-Category	SWEAT TOPS	
	Created On	08/12/24 12:38:59 PM			Season	2025 Spring	
	Last Modified	12/13/24 3:46:00 PM			Life Cycle Stage	sample Evaluation	
					Material	FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)	
			Description				



Sleeve pocket appears unbalanced and tilted, please ensure that the sleeve pocket sits evenly on sleeve when on body. To help this, please rebalance the sleeve and adjust the angle by approximately 3/8"

TÚI TRÊN TAY ÁO KHÔNG CÂN BẰNG VÀ NGHIÊN. VUI LÒNG ĐẢM BẢO TÚI TAY NẰM CÂN BẰNG TRÊN TAY KHI MẶC VÀO ĐỂ CẢI THIỆN ĐIỀU NÀY. VUI LÒNG CÂN BẰNG LẠI TÚI TAY VÀ ĐIỀU CHỈNH GÓC KHOẢNG 3/8"

UN-AVAILABLE CO. LTD: Fit Approval-1 - VELCRO ROUNDED CORNERS							Version 1
	Article Code	C-0125-KT-5853	<div>Material</div> <div>Description</div>	FR TERRY, 100% COTTON - ALD SAMPLE- 450GSM (FB-K1080)	Product Group	TOP	
	Article Name	PLAYSTATION UTILITY CREWNECK			Product Sub-Category	SWEAT TOPS	
	Created On	08/12/24 12:38:59 PM			Season	2025 Spring	
	Last Modified	12/13/24 3:46:00 PM			Life Cycle Stage	Sample Evaluation	



At the sleeve pocket, the velcro stripes exhibit sharp corners. It should be die-cut with round corners to avoid scratching when worn. Please improve this.

BĂNG DÍNH CẦN CẮT BO 4 GÓC ĐỂ TRÁNH BỊ GÂY KHI MẶC, NHƯ HÌNH BÊN