























Article Summary							Version 1
	Article Code	C-0225-KT-6132			Product Group	TOP	
	Article Name	SPORTS ILLUSTRATED COVER PHOTO HOODIE			Product Sub-Category	SWEAT TOP - LS	
	Created On	09/17/24 4:06:39 PM	Material Description	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Summer	
	Last Modified	10/03/24 3:25:01 PM			Life Cycle Stage	Development	
Gender Classification		Collaboration	Sub Class D	HOODIE	Fabrication	KNIT TOP	
Supplier		UN-AVAILABLE CO. LTD	Release Date	28 Mar 2025	Ex-Factory	03 Jan 2025	
							COLORS
							 BLACK (BK) BLACK
SIZES							
000, 001, 002, 003, 004, 005, 006, 007							

Bill of Material										Version 1	
	Article Code	C-0225-KT-6132					Product Group	TOP			
	Article Name	SPORTS ILLUSTRATED COVER PHOTO HOODIE					Product Sub-Category	SWEAT TOP - LS			
	Created On	09/17/24 4:06:39 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)			Season	2025 Summer			
	Last Modified	10/03/24 3:25:01 PM	Description				Life Cycle Stage	DeveTlopment			
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK
Fabric											
	FLEECE 100%COTTON 410GSM (FB-K1003)		BODY/ HOOD/SLV/HALF MOON/ POCKET BAG PALM		0	Meter	MINI OG FLEECE		VTK5946-1B		None
	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s		POCKET BAG KNUCKLE SIDE/BACK NECK TAPE		0	Meter					None
	1X1 RIB COTTON /LYCRA (FB-K1066) WEIGHT TBD		BODY BAND/ CUFFS		0	Meter					None
Trims											
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER				2	Each	All vendors must use a thermal printer. They cannot use an "ink jet printer".				None
	DRAWCORD FLAT 3/8" BARTACK (TR-DR190)				1	Each	DTM BODY, HEATHER DRAWCORD ON HEATHER BODY				None
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				1	Each		Vendor Sourced			None
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT				1	Each		Vendor Sourced			None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB				1	Each		Reca Mainetti Asia Ltd.	OVOF21_217_T		None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each		Vendor Sourced			None
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172				0	Each		Reca Mainetti Asia Ltd.	LBOVO172		None

Bill of Material											Version 1	
	Article Code	C-0225-KT-6132					Product Group	TOP				
	Article Name	SPORTS ILLUSTRATED COVER PHOTO HOODIE					Product Sub-Category	SWEAT TOP - LS				
	Created On	09/17/24 4:06:39 PM	Material Description	FLEECE 100%COTTON 410GSM (FB-K1003)			Season	2025 Summer				
	Last Modified	10/03/24 3:25:01 PM					Life Cycle Stage	Development				
Part	Material		Placement			Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A					0	Each		Reca Mainetti Asia Ltd.	HTOVO141A		None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175					0	Each		Reca Mainetti Asia Ltd.	LBOVO175		None
Graphics												
	TBD - SEE ARTWORK FILE (HT-102)					0	Each					None


Material Image Sheet						Version 1					
	Article Code	C-0225-KT-6132			Product Group	TOP					
	Article Name	SPORTS ILLUSTRATED COVER PHOTO HOODIE			Product Sub-Category	SWEAT TOP - LS					
	Created On	09/17/24 4:06:39 PM			Season	2025 Summer					
	Last Modified	10/03/24 3:25:01 PM			Life Cycle Stage	Development					
											
FB-K508 UA - 100% COTTON JERSEY, 190GSM		TR-ST114 UPC STICKER- 1" X 2.5"		TR-DR190 DRAWCORD FLAT 3/8" BARTACK		LT110 CC LABEL - APPAREL		TR-TV140 5mm GROSGRAIN RIBBON LOOP		LT138 TEAR-AWAY COO TAB: OVOF21_217_T	
											
PK101 POLY BAG - GENERIC		TR-LT247 OVO 2023 One Side Main Label		TR-HG142 OVO 2023 Booklet Hangtag		TR-LT246 OVO 2023 Alpha Sizing Tab					

Construction details - OG Hoodie - RF w/cord							Version 1
	Article Code	C-0225-KT-6132			Product Group	TOP	
	Article Name	SPORTS ILLUSTRATED COVER PHOTO HOODIE			Product Sub-Category	SWEAT TOP - LS	
	Created On	09/17/24 4:06:39 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Summer	
	Last Modified	10/03/24 3:25:01 PM	Description		Life Cycle Stage	Development	






Comments

- HOOD**
 1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. CF of hood overlapping at the neck 3/4", left over right.
 SN topstitch at front edge to make channel for drawcord. Gromment or button hole exits for drawcord at exterior of hood CF casing.
 Drawcord ends: knotted. Cord tacked at the inside top of the hood so cord cannot be pulled out.
 Self and lining chain tacked at the top of the head at CB dart seams.
- NECK SEAM**
 Hood join to body with #512 mock safety stitch. Inside back neck cleanfinished with self taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back and front neck
- SHOULDER SEAM**
 Set forward on body. Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- ARMHOLE SEAM**
 Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- SLEEVE INSEAM**
 Join with #512 mock safety stitch.
- SIDE SEAM**
 Set forward on body. Join with #512 mock safety stitch. SN edge topstitch on side panel, holding seam allowance.
- ON-SEAM POCKET**
 Self fold back facing from front panel. Join to pocket bags with #512 mock safety stitch. SN topstitch at opening, 1/4" in. Bartacks at top and bottom of opening.
 Top pocket bag in jersey, bottom pocket bag in self. Bottom of bag finished into the bottom band seam.
- CUFF OPENING**
 Folded rib band. Join to sleeve or bottom openings with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- BODY BAND**
 Folded rib band. Join to bottom opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing. ENSURE THE TWO RIB SEAMS ALIGN WITH SIDE SEAM Set forward on


	Construction details - OG Hoodie - RF w/cord					Version 1	
	Article Code	C-0225-KT-6132			Product Group	TOP	
	Article Name	SPORTS ILLUSTRATED COVER PHOTO HOODIE			Product Sub-Category	SWEAT TOP - LS	
	Created On	09/17/24 4:06:39 PM			Season	2025 Summer	
	Last Modified	10/03/24 3:25:01 PM	Material Description	FLEECE 100%COTTON 410GSM (FB-K1003)	Life Cycle Stage	Development	








hood and drawcord tacking reference





body

RIB SEAM ALIGN WITH FORWARD SIDE SEAM



Measurement Sheet- OG Hoodie - RF												All Measurements are in Inches						Version 1	
	Article Code	C-0225-KT-6132					FLEECE 100%COTTON 410GSM (FB-K1003)						Product Group	TOP					
	Article Name	SPORTS ILLUSTRATED COVER PHOTO HOODIE											Product Sub-	SWEAT TOP - LS					
	Created On	09/17/24 4:06:39 PM				Material Description	Season	2025 Summer											
	Last Modified	10/03/24 3:25:01 PM					Life Cycle Stage	Development											
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL							
! A201	Front body length from HPS : Top	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31							
! H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2							
! H201	Front neck drop from HPS : Crew	1/8	1/8	NA	3 1/8	3 1/8	3 3/16	3 1/4	3 5/16	3 7/16	3 9/16	3 11/16							
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16							
! D102	Shoulder slope :: from HPS	1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16							
D103	Shoulder displacement to front	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4							
! D101	Shoulder width :measured on CB body	3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4							
! B301	Across: Chest : at mid. armhole	1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2							
! B201	Across Back : at mid. armhole	1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4							
! B101	Chest width :1" below armhole	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2							
! C102	Bottom width : 1" above band seam	1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2							
! C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24							
! E101	Armhole Straight :: measured straight	1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8							
! G101	Bicep width:1" below armhole	1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16							
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4							
! G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16							
! G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16							
F701	Sleeve Cuff Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4							
A703	Body Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4							
H708	Hood casing width :: at CF	1/8	1/8	NA	1	1	1	1	1	1	1	1							
! H703	Hood width :: at 5" Below Top Edge	1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12							
! H701	Hood height at CF	1/4	1/4	NA	14 3/4	15	15	15 1/2	15 1/2	16	16	16							
H702	Hood height at HPS	1/4	1/4	NA	13 1/4	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2							
! H709	drawcord length : Hood	1/2	1/2	NA	41	41	41	42	42	43	43	43							
H710	Hood drawcord exit pos. fr neck	1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4							
B401	Side seam forward position from fold	1/8	1/8	NA	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2 1/8	2 3/8	2 1/2							
! N201	On seam pocket opening length	1/4	1/4	NA	5 3/4	6	6	6 1/4	6 1/4	6 1/2	6 1/2	6 3/4							
N202	On seam opening topstitch width	1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4							
N206	On seam pocket position up from band seam	1/4	1/4	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 7/8	3 1/8	3 1/4							
N212	On seam pocket bag width at bottom	1/4	1/4	NA	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4	9	9 1/4							
H606	Neck binding width	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8							
! H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24							
Comments																			
REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) + OG pkts *added DC 2024 onwards:																			

Measurement Sheet- OG Hoodie - RF					All Measurements are in Inches		Version 1
	Article Code	C-0225-KT-6132			Product Group	TOP	
	Article Name	SPORTS ILLUSTRATED COVER PHOTO HOODIE			Product Sub-	SWEAT TOP - LS	
	Created On	09/17/24 4:06:39 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Summer	
	Last Modified	10/03/24 3:25:01 PM	Description		Life Cycle Stage	Development	
1. add a half moon facing at back neck for the new main label							