





000, 001, 002, 003, 004, 005, 006, 007

SIZES


| | | | | | | Bill of Material | | | | | | | Version 1 |
|----------|--|---|---|------------|---------------|------------------------------------|------|-------|------------------|-------------------------------|------------------|----------|------------------|
| | | Article Code | С-0225-КТ-5821 | | | | | | Product Group | TOF |) | | |
| M | <u> </u> | Article Name | SPORTS ILLUSTRATED GYM CREWNEC | | | | | | Product Sub-Ca | | AT TOPS | SPORTS . | |
| | \mathcal{L} | Created On | 08/01/24 2:57:34 PM | Mate | rial | FLEECE 100%COTTON 410GSM (FB-K1003 | 5) | | Season | 202 | 25 Summer | | ILLINGTRAFTED A |
| - | Last Modified 12/06/24 3:28:23 PM | | | | ription | | | | Life Cycle Stage | Pro | duction | 100 | |
| Part | | | Material | | | Placement | Oty. | UOM. | Comments | Supplier | Supplier Ref. | | PG Pearl Grey |
| Fabric | | | | <u>'</u> | | | • | • | • | ı | 1 | | , |
| | FLEEC (FB-K1 | | TON 410GSM | | BODY/SLEI | EVES/ 1/2 MOON | 0 | Meter | | | VTK5946- 1B | | None |
| | 1x1 RII (FB-K1 WEIGH | | LYCRA | | BODY BAN | D/ CUFFS | 0 | Yards | DTM BODY | | | No | None |
| | 100% COMBED COTTON JERSEY, 200GSM (FB-K564) BARATA | | | | BACK NECI | KTAPE + LOCKER LOOP | 0 | Meter | DTM BODY | | | | None |
| Trims | | | | • | | | • | • | | | | | |
| | (PK10 ^r Clear I | Plastic, with | RIC suffocation warning on back, Uform right corner of bag. | PC sticker | | | 1 | Each | | Vendor Sourced | | | None |
| | (TR-ST 1.8" x | 1.8" | U HAVE THE CAPABILITY OF PR | INTING | | | 2 | Each | | | | | None |
| | UPC ST CC LAI (LT110 White | TICKERS BEL - APPAR) Satin ground | | | | | 1 | Each | | Vendor Sourced | | | None |
| | TEAR- (LT138 | AWAY COO | TAB: OVOF21_217_T | | single stitch | n -should be easily removed | 1 | Each | | Reca Mainetti Asia Ltd. | | | None |
| | (TR-LT | | de Main Label 0172 | | | | 1 | Each | | Reca Mainetti Asia Ltd. | LBOVO17 | | None |
| | OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175 | | | | | | 1 | Each | | Reca Mainetti Asia Ltd. | OVOW23 _181_T | | None |
| | (TR-T\ | /140) | RIBBON LOOP TACHMENT | | | | 1 | Each | | Vendor Sourced | | | None |
| | (TR-H | 023 Booklet 3142) code: HTO\ | | | | | 1 | Each | | Reca Mainetti Asia Ltd. | HTOVO14 1A | | None |

| | | • | | | Bill of Material | | | | | | | Version 1 |
|----------|----------------|-------------------------------------|---------------------------------|-------------|-------------------------------------|------|----------|-----------------|-------------------|------------------|--|------------------|
| (@\@) | | Article Code | C-0225-KT-5821 | | | | | Product Group | | TOP | | 0 |
| W/ | | Article Name | SPORTS ILLUSTRATED GYM CREWNECK | | | | • | Product Sub-Cat | egory | SWEAT TOPS | | SPORTS . |
| | | Created On | 08/01/24 2:57:34 PM | Material | FLEECE 100%COTTON 410GSM (FB-K1003) | | | Season | | 2025 Summer | | ILLINOTRATED \ |
| <u> </u> | 91 | Last Modified | 12/06/24 3:28:23 PM | Description | | | Life Cyc | | e Cycle Stage Pro | | | |
| Part | | Material | | | Placement | Oty. | UOM. | Comments | Suppl | Supplier Ref. | | PG Pearl Grey |
| | (TR-L | Athletics Lab T287) S24_110_T | el | See artwo | See artwork for placemnet | | Each | | | EA01E038 01 | | WHITE/GOLD WG |
| Graphics | | | | | | | | | | | | |
| | TBD - (HT-1 | SEE ARTWO 02) | RK FILE | | | 0 | Each | | | | | None |










Comments

1 NECK

Set in rib band. Double folded, join to body with mock safety serged. Rib seam at wearer's left side, 1/2" back from HSP.S/N edge t/s on front neck.

Back neck is clean finished with taping. Taping edges are clean finished with edge t/s.

- 2 HALF MOON BACK NECK FACING
 Self half moon facing, edge is folded in, clean finished with S/N edge T/S.
- 3 SHOULDER SEAM
 Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 4 ARMHOLE SEAM
 Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 5 SLEEVE/ SIDE SEAM
 Join in one operation. #512 mock safety stitch.
- 6 SLEEVE OPENING
 Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- 7 BOTTOM OPENING
 Folded rib band. Join to bottom opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.




| POM | Description | + Tol | - Tol | Grade | XXS | XS | S | M | L | XL | XXL | 3XL | | | |
|---------------|--|-------|-------|-------|--------|---------|---------|--------|---------|---------|---------|---------|--|--|--|
| ! A201 | Front body length from HPS : Top | 1/2 | 1/2 | NA | 26 | 26 1/2 | 27 | 27 1/2 | 28 | 29 | 30 | 31 | | | |
| ! H101 | Neck width :: SEAM TO SEAM | 1/4 | 1/4 | NA | 7 1/4 | 7 1/4 | 7 1/2 | 7 3/4 | 8 | 8 1/4 | 8 1/2 | 8 3/4 | | | |
| ! H201 | Front neck drop from HPS : Crew | 1/8 | 1/8 | NA | 3 3/8 | 3 3/8 | 3 7/16 | 3 1/2 | 3 9/16 | 3 11/16 | 3 13/16 | 3 15/16 | | | |
| H301 | Back neck drop from HPS Crew | 1/8 | 1/8 | NA | 1 5/8 | 1 5/8 | 1 11/16 | 1 3/4 | 1 13/16 | 1 15/16 | 2 1/16 | 2 3/16 | | | |
| H606 | Neckband Height | 1/8 | 1/8 | NA | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 | | | |
| ! D102 | Shoulder slope :: from HPS | 1/8 | 1/8 | NA | 1 7/8 | 1 15/16 | 2 | 2 | 2 | 2 1/16 | 2 1/8 | 2 3/16 | | | |
| D103 | Shoulder displacement to front | 1/8 | 1/8 | NA | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | | | |
| ! D101 | Shoulder width :measured on CB body | 3/8 | 3/8 | NA | 18 3/4 | 19 1/2 | 20 1/4 | 21 | 21 3/4 | 22 3/4 | 23 3/4 | 24 3/4 | | | |
| ! B301 | Across: Chest : at mid. armhole | 1/4 | 1/4 | NA | 16 1/2 | 17 1/4 | 18 | 18 3/4 | 19 1/2 | 20 1/2 | 21 1/2 | 22 1/2 | | | |
| ! B201 | Across Back : at mid. armhole | 1/4 | 1/4 | NA | 16 3/4 | 17 1/2 | 18 1/4 | 19 | 19 3/4 | 20 3/4 | 21 3/4 | 22 3/4 | | | |
| ! B101 | Chest width :1" below armhole | 1/2 | 1/2 | NA | 20 | 21 | 22 | 23 | 24 | 25 1/2 | 27 | 28 1/2 | | | |
| ! C102 | Bottom width : 1" above band seam | 1/2 | 1/2 | NA | 18 | 19 | 20 | 21 | 22 | 23 1/2 | 25 | 26 1/2 | | | |
| ! C101 | Bottom width at band:inside fold edges of band/hem | 1/2 | 1/2 | NA | 14 3/4 | 15 3/4 | 16 3/4 | 17 3/4 | 18 3/4 | 20 1/4 | 21 3/4 | 23 1/4 | | | |
| ! E101 | Armhole Straight :: measured straight | 1/4 | 1/4 | NA | 9 7/8 | 10 1/4 | 10 5/8 | 11 | 11 3/8 | 11 7/8 | 12 3/8 | 12 7/8 | | | |
| ! G101 | Bicep width:1" below armhole | 1/4 | 1/4 | NA | 9 1/4 | 9 1/2 | 9 3/4 | 10 | 10 1/4 | 10 9/16 | 10 7/8 | 11 3/16 | | | |
| ! F101 | L:Sleeve overarm fr. CB neck :: 3 x point measure | 1/2 | 1/2 | NA | 33 1/4 | 34 | 34 3/4 | 35 1/2 | 36 1/4 | 37 1/4 | 38 1/4 | 39 1/4 | | | |
| ! G104 | L/Sleeve opening: inside fold edges of cuff/hem | 1/8 | 1/8 | NA | 3 3/16 | 3 3/8 | 3 9/16 | 3 3/4 | 3 15/16 | 4 3/16 | 4 7/16 | 4 11/16 | | | |
| ! G103 | L/Sleeve :: 1" above cuff seam | 1/8 | 1/8 | NA | 5 7/16 | 5 5/8 | 5 13/16 | 6 | 6 3/16 | 6 7/16 | 6 11/16 | 6 15/16 | | | |
| F701 | Sleeve Cuff Band Height | 1/8 | 1/8 | NA | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | | | |
| A703 | Body Band Height | 1/8 | 1/8 | NA | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | | | |
| Q403 | Back neck taping height | 1/8 | 1/8 | 0 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | | | |
| B505 | Half moon facing width | 1/8 | 1/8 | NA | 6 | 6 | 6 1/8 | 6 1/4 | 6 3/8 | 6 1/2 | 6 5/8 | 6 3/4 | | | |
| B506 | Half moon facing height | 1/8 | 1/8 | NA | 3 3/8 | 3 3/8 | 3 7/16 | 3 1/2 | 3 9/16 | 3 11/16 | 3 13/16 | 3 15/16 | | | |
| ! H404 | Minimum Neck Stretch | 1/2 | 0 | NA | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | | | |

Comments

REFERENCE: UPDATED 2023 Stussy hoodie fit + OVO relaxed fit crew neck msmts 8/17/23 revisions for Q1 and onwards:

- neck finish revise to set in band with back neck tape

- add self half moon facing for the new main label



Version 1

PORT

| POM | Description | + Tol | - Tol | М | Sample | Diff | Revised |
|------|--|-------|-------|--------|--------|------|---------|
| A201 | Front body length from HPS : Top | 1/2 | 1/2 | 27 1/2 | 27 1/2 | 0 | |
| H101 | Neck width :: SEAM TO SEAM | 1/4 | 1/4 | 7 3/4 | 7 1/2 | -1/4 | |
| H201 | Front neck drop from HPS: Crew | 1/8 | 1/8 | 3 1/2 | 3 7/8 | 3/8 | |
| H301 | Back neck drop from HPS Crew | 1/8 | 1/8 | 1 3/4 | 1 1/2 | -1/4 | |
| H606 | Neckband Height | 1/8 | 1/8 | 7/8 | 7/8 | 0 | |
| D102 | Shoulder slope :: from HPS | 1/8 | 1/8 | 2 | 2 | 0 | |
| D103 | Shoulder displacement to front | 1/8 | 1/8 | 3/4 | 7/8 | 1/8 | |
| D101 | Shoulder width :measured on CB body | 3/8 | 3/8 | 21 | 21 | 0 | |
| B301 | Across: Chest : at mid. armhole | 1/4 | 1/4 | 18 3/4 | 18 3/4 | 0 | |
| B201 | Across Back : at mid. armhole | 1/4 | 1/4 | 19 | 19 | 0 | |
| B101 | Chest width :1" below armhole | 1/2 | 1/2 | 23 | 22 1/2 | -1/2 | |
| C102 | Bottom width: 1" above band seam | 1/2 | 1/2 | 21 | 21 | 0 | |
| C101 | Bottom width at band:inside fold edges of band/hem | 1/2 | 1/2 | 18 1/2 | 17 3/4 | -3/4 | 17 3/4 |
| E101 | Armhole Straight :: measured straight | 1/4 | 1/4 | 11 | 10 3/4 | -1/4 | |
| G101 | Bicep width:1" below armhole | 1/4 | 1/4 | 10 | 9 1/2 | -1/2 | |
| F101 | L:Sleeve overarm fr. CB neck :: 3 x point measure | 1/2 | 1/2 | 35 1/2 | 35 1/2 | 0 | |
| G104 | L/Sleeve opening: inside fold edges of cuff/hem | 1/8 | 1/8 | 3 3/4 | 3 1/2 | -1/4 | |
| G103 | L/Sleeve :: 1" above cuff seam | 1/8 | 1/8 | 6 | 5 3/4 | -1/4 | |
| F701 | Sleeve Cuff Band Height | 1/8 | 1/8 | 2 3/4 | 2 5/8 | -1/8 | |
| A703 | Body Band Height | 1/8 | 1/8 | 2 3/4 | 2 3/4 | 0 | |
| Q403 | Back neck taping height | 1/8 | 1/8 | 3/8 | 3/8 | 0 | |
| B505 | Half moon facing width | 1/8 | 1/8 | 6 1/4 | 6 | -1/4 | |
| B506 | Half moon facing height | 1/8 | 1/8 | 3 1/2 | 3 1/4 | -1/4 | |
| (| | | | | | | |

COMMENT

12.6.24

H404

FITTING COMMENTS:

1. Bring back to spec on front neck drop measurement

Minimum Neck Stretch

- 2. Bring back to spec on back neck drop measurement
- 3. Revised bottom width at band measurement
- 4. Bring back to spec on bicep measurement
- 5. bring back to spec on sleeve opening 1" above cuff seam
- 6. Bring back to spec on sleeve opening at hem
- 7. Bring back to spec on back neck facing measurements
- 8. Ensure all measurements are brought back to spec.

1. Đưa thông số hạ cố trước về thông số kỹ thuật

1/2

0

24

24

- 2. Đưa thông số hạ cố sau về thông số kỹ thuật
- 3. Chỉnh thông số rộng lai
- 4. Đưa thông số nách về thông số kỹ thuật
- 5. Đưa thông số lai tay trên bo 1" về thông số kỹ thuật
- 6. Đưa thông số lai tay về thông số kỹ thuật
- 7. Đưa thông đắp đô sau về thông số kỹ thuật
- 8. Đảm bảo tất cả các thông số về thông số kỹ thuật



| | UN-AVAILABLE CO. LTD: PP Approval-1 pp [Sample 1 (M)] | | | | | | | | | | | | |
|---------------|---|-------------|-------------------------------------|----------------------|-------------|----|--|--|--|--|--|--|--|
| Article Code | C-0225-KT-5821 | | | Product Group | TOP | 80 | | | | | | | |
| Article Name | SPORTS ILLUSTRATED GYM CREWNECK | | | Product Sub-Category | SWEAT TOPS | 1 | | | | | | | |
| Created On | 08/01/24 2:57:34 PM | Material | FLEECE 100%COTTON 410GSM (FB-K1003) | Season | 2025 Summer | | | | | | | | |
| Last Modified | 12/06/24 3:28:23 PM | Description | | Life Cycle Stage | Production | 9 | | | | | | | |
| L | | | | | | | | | | | | | |



WORKMANSHIP COMMENTS:

1. There is excessive puckering at the seams, please ensure that this is improved. Please check stitch tension and improve thread quality to improve persistent puckering. Please also press the garment during and after sewing to prevent excessive puckering. See photos below

PP IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PRODUCTION WITH CORRECTIONS

Sample Size:

Status: Approved

Approved By: KoryLui (October's Very Own Merchandising)

Approved On: 12/06/24 3:26:37 PM

1. Có nhiều đường nhăn quá mức ở các đường nối, hãy đảm bảo rằng điều này được cải thiện. Vui lòng kiểm tra độ căng của mũi may và cải thiện chất lượng chỉ để cải thiện tình trạng nhăn nheo dai dẳng. Ngoài ra, vui lòng ủi quần áo trong và sau khi may để tránh bị nhăn quá mức, Xem ảnh bên dưới

PP ĐƯỢC PHÊ DUYỆT, VUI LÒNG TIẾN HÀNH SẢN XUẤT VỚI CÁC ĐIỀU CHỈNH



| UN-AVAILABLE CO. LTD: PP Approval-1 pp - SAMPLE FRONT SIDE AND BACK | | | | | | | | | | | |
|---|---------------------------------|-------------|-------------------------------------|----------------------|-------------|-----|--|--|--|--|--|
| Article Code | C-0225-KT-5821 | | | Product Group | TOP | 1/5 | | | | | |
| Article Name | SPORTS ILLUSTRATED GYM CREWNECK | | | Product Sub-Category | SWEAT TOPS | A | | | | | |
| Created On | 08/01/24 2:57:34 PM | Material | FLEECE 100%COTTON 410GSM (FB-K1003) | Season | 2025 Summer | | | | | | |
| Last Modified | 12/06/24 3:28:23 PM | Description | | Life Cycle Stage | Production | 100 | | | | | |
| | | l l | | | | | | | | | |




Version 1





| | ON-AVAILABLE CO. LTD: PP Approval-1 pp - puckering at seams | | | | | | | | | | | | | |
|---------------|---|-------------|-------------------------------------|----------------------|-------------|------|--|--|--|--|--|--|--|--|
| Article Code | C-0225-KT-5821 | | | Product Group | TOP | 100 | | | | | | | | |
| Article Name | SPORTS ILLUSTRATED GYM CREWNECK | | | Product Sub-Category | SWEAT TOPS | 4 | | | | | | | | |
| Created On | 08/01/24 2:57:34 PM | Material | FLEECE 100%COTTON 410GSM (FB-K1003) | Season | 2025 Summer | - 13 | | | | | | | | |
| Last Modified | 12/06/24 3:28:23 PM | Description | | Life Cycle Stage | Production | 10 | | | | | | | | |





Có nhiều đường nhăn quá mức ở các đường nối, hãy đảm bảo rằng điều này được cải thiện. Vui lòng kiểm tra độ căng của mũi may và cải thiện chất lượng chỉ để cải thiện tình trạng nhăn nheo dai dẳng. Ngoài ra, vui lòng ủi quần áo trong và sau khi may để tránh bị nhăn quá mức, Xem ảnh bên dưới

There is excessive puckering throughout garment. Please check stitch tension and improve thread quality to improve persistent puckering. Please also press garment during and after sewing to prevent puckering



