





		Article Summary				Version 1					
		Article Code		C-0225-KB-5830		Product Group		BOTTOM			
		Article Name		SPORTS ILLUSTRATED MESH SHORTS		Product Sub-Category		SHORT			
		Created On		08/01/24 5:03:17 PM		Season		2025 Summer			
Last Modified		12/19/24 2:28:02 PM		Material Description		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)		Life Cycle Stage		Pre-Production	
Gender Classification		Collaboration		Sub Class D		BASKETBALL SHORT		Fabrication		KNIT BOTTOM	
Supplier		UN-AVAILABLE CO. LTD		Release Date		28 Mar 2025		Ex-Factory		21 Feb 2025	
										COLORS	
										 BLACK (BK) BLACK	
SIZES											
001, 002, 003, 004, 005, 006, 007											






Bill of Material										Version 1	
	Article Code	C-0225-KB-5830					Product Group	BOTTOM			
	Article Name	SPORTS ILLUSTRATED MESH SHORTS					Product Sub-Category	SHORT			
	Created On	08/01/24 5:03:17 PM	Material	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)			Season	2025 Summer			
	Last Modified	12/19/24 2:28:02 PM	Description				Life Cycle Stage	Pre-Production			
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK
Fabric											
BODY	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)		BODY, POCKETS		0	Meter					None
LINING 1	MESH - CLOSED (FB-K774) 100% POLYESTER		BODY LINING		0	Meter					None
Trims											
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				1	Each		Laven Industries Ltd.			None
SEE PLACEMENT FOR DETAILS	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each		Vendor Sourced			None
SEE PLACEMENT FOR DETAILS	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER				1	Each					None
WAISTBAND	ELASTIC - 1 3/4" (EC107) VENDOR SOURCED		WB		1	Each		Vendor Sourced			None
DRAWCORD	LOOP DRAWCORD 1/4" ROUND, FLAT (DR127) 100% POLYESTER, 38MM DRAWSTRING WHITE- D110 T11038DSWHITE		WB		1	Each	TBD	Vendor Sourced			WHITE WT WHITE
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A				0	Each		Reca Mainetti Asia Ltd.	HTOVO141A		None
SEE PLACEMENT FOR DETAILS	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB		SINGLE STITCH- EASILY REMOVABLE		1	Each		Reca Mainetti Asia Ltd.			None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT				1	Each		Vendor Sourced			None





Bill of Material										Version 1	
	Article Code	C-0225-KB-5830	<div>Material Description</div>	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)		Product Group	BOTTOM				
	Article Name	SPORTS ILLUSTRATED MESH SHORTS				Product Sub-Category	SHORT				
	Created On	08/01/24 5:03:17 PM				Season	2025 Summer				
	Last Modified	12/19/24 2:28:02 PM				Life Cycle Stage	Pre-Production				
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK
SEE PLACEMENT FOR DETAILS	CLASSICS PATCH (TR-DE130) OVOP24_016_T. BLACK/GOLD		See OVOSP25_357_P artwork file for placement		0	Each		The Unique Group			None
	OVO 2023 Main Loop Label (TR-LT252)				0	Each		Reca Mainetti Asia Ltd.	LBOVO14 7		WHITE WT WHITE
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175				0	Each		Reca Mainetti Asia Ltd.	LBOVO17 5		WHITE WT WHITE
Graphics											
	TBD - SEE ARTWORK FILE (HT-102)				0	Each					None




Material Image Sheet						Version 1
	Article Code	C-0225-KB-5830	Material Description	Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS		Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM		Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM		Life Cycle Stage	Pre-Production	
						
FB-K692 MESH - 100% POLYESTER, 230GSM-MA-061	FB-K774 MESH - CLOSED	LT110 CC LABEL - APPAREL	PK101 POLY BAG - GENERIC	TR-ST114 UPC STICKER- 1" X 2.5"	EC107 ELASTIC - 1 3/4"	
						
DR127 LOOP DRAWCORD 1/4" ROUND, FLAT	TR-HG142 OVO 2023 Booklet Hangtag	LT138 TEAR-AWAY COO TAB: OVOP21_217_T	TR-TV140 5mm GROSGRAIN RIBBON LOOP	TR-DE130 CLASSICS PATCH	TR-LT252 OVO 2023 Main Loop Label	
						
TR-LT246 OVO 2023 Alpha Sizing Tab						





CARE LABEL PLACEMENT							Version 1
	Article Code	C-0225-KB-5830			Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM		Material	Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM		Description	Life Cycle Stage	Pre-Production	
				MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)			


SMALL POLY BAG







CARE LABEL PLACEMENT							Version 1
	Article Code	C-0225-KB-5830		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM	Material		Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM	Description		Life Cycle Stage	Pre-Production	

LARGE POLY BAG





CARE LABEL PLACEMENT							Version 1
	Article Code	C-0225-KB-5830		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM	Material		Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM	Description		Life Cycle Stage	Pre-Production	

## OFFSHORE KNIT & ACTIVEWEAR BOTTOMS

MAIN LABEL LBOVO147 - COL A - OPT 1


\*INSERT AT CB WAISTBAND SEAM

SIZE TAB OVOW23\_181\_T - 2023

\*INSERT AT WAISTBAND SEAM 0.25" FROM MAIN LABEL


TEAR AWAY COO TAB LT138

\*INSERT AT WAISTBAND SEAM 0.25" FROM SIZE TAB



### HANG TAG PLACEMENT

\*ATTACH TO LOOP AT THE FRONT WAISTBAND SEAM





### CARE LABEL PLACEMENT


\*ATTACH AT LEFT SIDE SEAM 2" BELOW WAISTBAND SEAM





PACKING DETAILS							Version 1
	Article Code	C-0225-KB-5830			Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM		Material Description	Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM			Life Cycle Stage	Pre-Production	
				MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)			



LARGE POLY BAG












Construction details - Knit Bottom							Version 1
	Article Code	C-0225-KB-5830			Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM	Material Description	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM			Life Cycle Stage	Pre-Production	





### Comments

- FULLY LINED  
JOINED AT INTERIOR WAISTBAND EDGE AND INTERIOR LEG HEM
- WAISTBAND:  
SELF TURN ENCASED ELASTIC WAISTBAND, EDGES ARE MOCK SAFETY SERGED  
APPLY ROW OF SN CHAINSTITCH 1/2" BELOW WB EDGE & SN CHAINSTITCH TO STITCH DOWN EDGE ELASTIC (ENSURE TO CATCH ELASTIC IN STITCH LINE), CLEAN FINISHED  
DRAWCORD EXIT: 1 BUTTONHOLE (INTERIOR EXIT) AT CF,
- DREWCORD:  
CORD FORMS A LOOP,SEE PHOTO
- ONSEAM POCKET:  
POCKET LINING SET TO INTERIOR BODY (NOT IN-BETWEEN SELF + LINING LAYERS)  
ON-SEAM POCKETS: 1/4" SN T/S  
SELF POCKET BAG: MOCK SAFETY SERGE, 512  
POCKET BAG SEWN INTO WAISTBAND AND SIDE SEAM  
BARTACK TOP AND BOTTOM POCKET OPENING
- FRONT AND BACK RISE: MOCK SAFETY SERGE, 512
- INSEAM / OUTSEAM: MOCK SAFETY SERGE, 512
- SIDE SLIT:  
SLIT AT SIDE SEAM/LEG OPENING. SIDES DOUBLE TURNED IN, 1/4" S/N T/S, APPLY BARTACK AT TOP OF THE SLIT.
- LEG HEM:  
DOUBLE SELF FOLD: 2 N 1/4" COVERSTITCH
- BACK PATCH POCKET:  
SELF PATCH, LINED WITH SELF, PLACED AT WEARER'S RIGHT SIDE.  
POCKET HEM: SINGLE TURN & S/N T/S  
SIDES ARE SINGLE TURNED AND S/N EDGE T/S, TRIANGULAR REINFORCEMENT T/S AT POCKET OPENING 2 ENDS.



Measurement Sheet - Mesh Shorts												All Measurements are in Inches					Version 1		
	Article Code	C-0225-KB-5830												Product Group	BOTTOM				
	Article Name	SPORTS ILLUSTRATED MESH SHORTS												Product Sub-	SHORT				
	Created On	08/01/24 5:03:17 PM												Season	2025 Summer				
	Last Modified	12/19/24 2:28:02 PM												Life Cycle Stage	Pre-Production				
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL							
! J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	NA	12 3/4	13 3/4	14 3/4	15 3/4	16 3/4	18 1/4	19 3/4	21 1/4							
! J104	WB height: top edge to bottom stitch	1/8	1/8	NA	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2							
! K101	Hip at 1" below WB seam: Waist pattern mmt.	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2							
! K102	Full Hip: 3 xpt. Measure	1/2	1/2	NA	22	23	24	25	26	27 1/2	29	30 1/2							
! M101	Thigh :: 1" below crotch seam	1/4	1/4	NA	12 7/8	13 1/2	14 1/8	14 3/4	15 3/8	16 1/4	17 1/8	18							
C202	Side seam forward position, fr fold	1/8	1/8	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2							
! I101	Outseam length: WB top edge to leg opening	1/4	1/4	TBA	TBA	TBA	TBA	18 1/2	TBA	TBA	TBA	TBA							
! I302	Inseam length :: short	1/4	1/4	NA	6 3/4	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2							
! M402	Leg opening:short :: inside fold edges of opening	1/4	1/4	NA	11 3/8	12	12 5/8	13 1/4	13 7/8	14 3/4	15 5/8	16 1/2							
! L103	Front rise :: INCLUDING WB	1/4	1/4	NA	12 1/4	12 1/2	12 3/4	13	13 1/4	13 1/2	13 3/4	14							
! L203	Back rise :: INCLUDING WB	1/4	1/4	NA	15	15 1/4	15 1/2	15 3/4	16	16 1/4	16 1/2	16 3/4							
! N201	Onseam pocket length	1/4	1/4	NA	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2							
! N202	Onseam pocket stitch width	1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4							
N205	Onseam pocket position from Rib/Band seam	1/8	1/8	NA	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4							
! N211	Onseam Pocket bag height :: at center	1/4	1/4	NA	11	11	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2							
N212	Onseam Pocket bag width:: at widest pt.	1/4	1/4	NA	6 3/4	7	7	7 1/4	7 1/4	7 1/2	7 3/4	7 3/4							
! N601C	Back pocket length at center	1/8	1/8	NA	5 1/2	5 3/4	5 3/4	6	0	6 1/4	6 1/2	6 1/2							
! N701	Back pocket width at center	1/8	1/8	NA	5	5 1/4	5 1/4	5 1/2	0	5 3/4	6	6							
N703	Back pocket from WB seam/stitch	1/8	1/8	NA	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2							
N508	Back pocket position from CB seam	1/8	1/8	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3							
Q201	Side slit length	1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4							
I702	Leg hem depth	1/8	1/8	NA	1	1	1	1	1	1	1	1							
! J501	Drawcord length : waist, total length	1	1	NA	50	50	50	50	56	56	56	56							
Comments																			
REFERENCE: Supreme mesh short size M overall fit - shorten rises by 1" - back pocket revise to patch pocket																			



UN-AVAILABLE CO. LTD: PP Approval-1 pp [Sample 1 (M)]							Version 1
	Article Code	C-0225-KB-5830			Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM	Material	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM	Description		Life Cycle Stage	Pre-Production	

POM	Description	+ Tol	- Tol	M	Sample	Diff	Revised
J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	15 3/4	16	1/4	
J104	WB height: top edge to bottom stitch	1/8	1/8	1 1/2	1 5/8	1/8	
K101	Hip at 1" below WB seam: Waist pattern mmt.	1/2	1/2	23	24	1	
K102	Full Hip: 3 xpt. Measure	1/2	1/2	25	25 3/4	3/4	
M101	Thigh :: 1" below crotch seam	1/4	1/4	14 3/4	15	1/4	
C202	Side seam forward position, fr fold	1/8	1/8	1/2	3/4	1/4	
I101	Outseam length: WB top edge to leg opening	1/4	1/4	18 1/2	18 3/4	1/4	
I302	Inseam length :: short	1/4	1/4	7 1/2	7 1/2	0	
M402	Leg opening:short :: inside fold edges of opening	1/4	1/4	13 1/4	13 1/4	0	
L103	Front rise :: INCLUDING WB	1/4	1/4	13	13	0	
L203	Back rise :: INCLUDING WB	1/4	1/4	15 3/4	15 7/8	1/8	
N201	Onseam pocket length	1/4	1/4	6	6	0	
N202	Onseam pocket stitch width	1/8	1/8	1/4	1/4	0	
N205	Onseam pocket position from Rib/Band seam	1/8	1/8	3/4	3/4	0	
N211	Onseam Pocket bag height :: at center	1/4	1/4	11 1/2	11 1/2	0	
N212	Onseam Pocket bag width:: at widest pt.	1/4	1/4	7 1/4	7 1/4	0	
N601C	Back pocket length at center	1/8	1/8	6	6	0	
N701	Back pocket width at center	1/8	1/8	5 1/2	5 1/2	0	
N703	Back pocket from WB seam/stitch	1/8	1/8	1 1/2	1 3/8	-1/8	
N508	Back pocket position from CB seam	1/8	1/8	2 1/2	2 1/4	-1/4	
Q201	Side slit length	1/8	1/8	1 1/4	1 1/4	0	
I702	Leg hem depth	1/8	1/8	1	1	0	
J501	Drawcord length : waist, total length	1	1	50	50	0	

COMMENT

12.18.24

**FITTING COMMENTS:**

- |  |   |
|--|---|
| 1. Bring back to spec on hip 1" below WB seam measurement  | 1. Đưa thông số hông dưới lưng 1" về thông số kỹ thuật            |
| 2. Bring back to spec on side seam forward position        | 2. Đưa thông số chồm sườn về thông số kỹ thuật                    |
| 3. Bring back to spec on Back pocket position from CB seam | 3. Đưa thông số vị trí túi sau từ giữa trước về thông số kỹ thuật |
| 4. Ensure all measurements are brought back to spec.       | 4. Đảm bảo tất cả thông đưa về thông số kỹ thuật                  |



**5. Adjust front and back rise curve to reduce the excess fabric, SEE PHOTO. Please reduce the excess in the curve, please ensure the front and back rise shaping is a "U" shape, it is too much like a "V" shape right now.**

Điều chỉnh đường cong đáy trước và sau để giảm lượng vải thừa, XEM ẢNH. Vui lòng giảm phần thừa trong đường cong, vui lòng đảm bảo hình dạng nhô lên đáy trước và sau là hình chữ "U", hiện tại nó quá giống hình chữ "V".




**WORKMANSHIP COMMENTS:**

- |  |   |
|--|---|
| 1. Ensure the elastic is evenly gathered in the WB and the leg openings. | 1. Đảm bảo dây thun được tập trung đều ở WB và các khe hở ở chân. |
| 2. Ensure the inseams are the same lengths.                              | 2. Đảm bảo các đường may có cùng độ dài.                          |
| 3. Ensure the front pocket openings are not stretched when sewn.         | 3. Đảm bảo các lỗ túi phía trước không bị giãn khi may.           |
| 4. Ensure the graphic patch is set straight on the garment.              | 4. Đảm bảo con patch được đặt thẳng trên quần áo.                 |





UN-AVAILABLE CO. LTD: PP Approval-1 pp [Sample 1 (M)]							Version 1
	Article Code	C-0225-KB-5830			Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM			Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM			Life Cycle Stage	Pre-Production	
5. Bottom edge of leg opening is picking up, please ensure that spec is followed in order for pants to be balanced on body.							
PP IS APPROVED FOR FIT AND CONSTRUCTION WITH CORRECTIONS, PLEASE PROCEED TO PRODUCTION AFTER SENDING PHOTO OF CORRECTED SAMPLE WITH EMAIL APPROVAL. PLEASE SEND PHOTO ON BODY OR MALE MANNEQUIN							
Sample Size:		M					
Status:		Approved					
Approved By:		KoryLui (October's Very Own Merchandising)					
Approved On:		12/19/24 2:27:55 PM					




UN-AVAILABLE CO. LTD: PP Approval-1 pp - SAMPLE - FRONT, SIDE AND BACK							Version 1
	Article Code	C-0225-KB-5830		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM			Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM			Life Cycle Stage	Pre-Production	
			Description				





UN-AVAILABLE CO. LTD: PP Approval-1 pp - CORRECTION							Version 1
	Article Code	C-0225-KB-5830		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM			Season	2025 Summer	
	Last Modified	12/19/24 2:28:02 PM			Life Cycle Stage	Pre-Production	



Lấy vải thừa tại phần mông trên ừ đường công đáy trước và đáy sau, đưa về thông số kỹ thuật, xem hình

Lấy vải thừa tại phần mông dưới từ đường công đáy trước và đáy sau, đưa về thông số kỹ thuật, xem hình

Hình dạng nhô lên đáy trước và sau quá nhọn, nó cần trông giống hình chữ U hơn