

Article Summary

Version 1



Article Code	C-0225-KB-5830	Product Group	BOTTOM
Article Name	SPORTS ILLUSTRATED MESH SHORTS	Product Sub-Category	SHORT
Created On	08/01/24 5:03:17 PM	Season	2025 Summer
Last Modified	10/23/24 3:33:03 PM	Life Cycle Stage	Pre-Production
Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)		

Gender Classification	Collaboration	Sub Class D	BASKETBALL SHORT	Fabrication	KNIT BOTTOM
Supplier	UN-AVAILABLE CO. LTD	Release Date	28 Mar 2025	Ex-Factory	21 Feb 2025

COLORS

	BLACK (BK) BLACK
--	---------------------



SIZES

001, 002, 003, 004, 005, 006, 007

Bill of Material

Version 1

	Article Code	C-0225-KB-5830	Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)	Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS		Product Sub-Category	SHORT		
	Created On	08/01/24 5:03:17 PM		Season	2025 Summer		
	Last Modified	10/23/24 3:33:03 PM		Life Cycle Stage	Pre-Production		

Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK
------	----------	-----------	------	------	----------	----------	---------------	-------------

Fabric

BODY	MESH - 100% POLYESTER, 200GSM (FB-K692)	BODY, POCKETS	0	Meter				None
LINING 1	MESH - CLOSED (FB-K774) 100% POLYESTER	BODY LINING	0	Meter				None

Trims

SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.		1	Each		Laven Industries Ltd.		None
SEE PLACEMENT FOR DETAILS	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.		1	Each		Vendor Sourced		None
SEE PLACEMENT FOR DETAILS	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER		1	Each				None
WAISTBAND	ELASTIC - 1 3/4" (EC107) VENDOR SOURCED	WB	1	Each		Vendor Sourced		None
DRAWCORD	LOOP DRAWCORD 1/4" ROUND, FLAT (DR127) 100% POLYESTER, 38MM DRAWSTRING WHITE- D110 T11038DSWHITE	WB	1	Each	TBD	Vendor Sourced		WHITE WT WHITE
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A		0	Each		Reca Mainetti Asia Ltd.	HTOVO14 1A	None
SEE PLACEMENT FOR DETAILS	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB	SINGLE STITCH- EASILY REMOVABLE	1	Each		Reca Mainetti Asia Ltd.		None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		1	Each		Vendor Sourced		None

Bill of Material

Version 1




	Article Code	C-0225-KB-5830	Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)	Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS		Product Sub-Category	SHORT		
	Created On	08/01/24 5:03:17 PM		Season	2025 Summer		
	Last Modified	10/23/24 3:33:03 PM		Life Cycle Stage	Pre-Production		

Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK
SEE PLACEMENT FOR DETAILS	CLASSICS PATCH (TR-DE130) OVOP24_016_T. BLACK/GOLD	See OVOSP25_357_P artwork file for placement	0	Each		The Unique Group			None
	OVO 2023 Main Loop Label (TR-LT252)		0	Each		Reca Mainetti Asia Ltd.	LBOVO14 7		WHITE WT WHITE
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175		0	Each		Reca Mainetti Asia Ltd.	LBOVO17 5		WHITE WT WHITE
Graphics									
	TBD - SEE ARTWORK FILE (HT-102)		0	Each					None

Material Image Sheet

Version 1

	Article Code	C-0225-KB-5830	Material Description MESH - 100% POLYESTER, 200GSM (FB-K692)	Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS		Product Sub-Category	SHORT	
	Created On	08/01/24 5:03:17 PM		Season	2025 Summer	
	Last Modified	10/23/24 3:33:03 PM		Life Cycle Stage	Pre-Production	

 <p>FB-K692 MESH - 100% POLYESTER, 200GSM</p>	 <p>Closed mesh lining FB-K774 MESH - CLOSED</p>	 <p>LT110 CC LABEL - APPAREL</p>	 <p>PK101 POLY BAG - GENERIC</p>	 <p>TR-ST114 UPC STICKER- 1" X 2.5"</p>	 <p>EC107 ELASTIC - 1 3/4"</p>
 <p>DR127 LOOP DRAWCORD 1/4" ROUND, FLAT</p>	 <p>TR-HG142 OVO 2023 Booklet Hangtag</p>	 <p>LT138 TEAR-AWAY COO TAB: OVOP21_217_T</p>	 <p>TR-TV140 5mm GROSGRAIN RIBBON LOOP</p>	 <p>BLACK/GOLD OVOP24_016_T TR-DE130 CLASSICS PATCH</p>	 <p>TR-LT252 OVO 2023 Main Loop Label</p>
 <p>TR-LT246 OVO 2023 Alpha Sizing Tab</p>					

CARE LABEL PLACEMENT

Version 1




Article Code	C-0225-KB-5830
Article Name	SPORTS ILLUSTRATED MESH SHORTS
Created On	08/01/24 5:03:17 PM
Last Modified	10/23/24 3:33:03 PM

Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)
----------------------	---

Product Group	BOTTOM
Product Sub-Category	SHORT
Season	2025 Summer
Life Cycle Stage	Pre-Production

SMALL POLY BAG



CARE LABEL PLACEMENT

Version 1



Article Code	C-0225-KB-5830
Article Name	SPORTS ILLUSTRATED MESH SHORTS
Created On	08/01/24 5:03:17 PM
Last Modified	10/23/24 3:33:03 PM

Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)
----------------------	---

Product Group	BOTTOM
Product Sub-Category	SHORT
Season	2025 Summer
Life Cycle Stage	Pre-Production

LARGE POLY BAG



CARE LABEL PLACEMENT

Version 1



Article Code	C-0225-KB-5830
Article Name	SPORTS ILLUSTRATED MESH SHORTS
Created On	08/01/24 5:03:17 PM
Last Modified	10/23/24 3:33:03 PM

Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)
----------------------	---

Product Group	BOTTOM
Product Sub-Category	SHORT
Season	2025 Summer
Life Cycle Stage	Pre-Production


OFFSHORE KNIT & ACTIVEWEAR BOTTOMS

MAIN LABEL LBOVO147 - COL A - OPT 1
 *INSERT AT CB WAISTBAND SEAM


SIZE TAB OVOW23_181_T - 2023
 *INSERT AT WAISTBAND SEAM 0.25" FROM MAIN LABEL

TEAR AWAY COO TAB LT138
 *INSERT AT WAISTBAND SEAM 0.25" FROM SIZE TAB

HANG TAG PLACEMENT
 *ATTACH TO LOOP AT THE FRONT WAISTBAND SEAM



CARE LABEL PLACEMENT
 *ATTACH AT LEFT SIDE SEAM 2" BELOW WAISTBAND SEAM



BACK OF GARMENT

PACKING DETAILS

Version 1



Article Code	C-0225-KB-5830
Article Name	SPORTS ILLUSTRATED MESH SHORTS
Created On	08/01/24 5:03:17 PM
Last Modified	10/23/24 3:33:03 PM

Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)
----------------------	---

Product Group	BOTTOM
Product Sub-Category	SHORT
Season	2025 Summer
Life Cycle Stage	Pre-Production

LARGE POLY BAG

FRONT

BACK

15.5"

15.5"

19.6"



DO NOT COVER AIR HOLES WITH UPC STICKER

WARNING
 TO AVOID DAMAGE TO YOUR PRODUCT, KEEP THIS BAG AWAY FROM BURNERS AND CIGARETTES, DO NOT USE IN OPEN FLAME AND AVOID CONTACT WITH FLAME. THIS BAG IS NOT A TOY.
AVERTISSEMENT
 ÉVITE DE DÉGRADER VOTRE MARCHANDISE EN GARANTISSANT LA SÉCURITÉ DE VOS PRODUITS EN LES ÉLOIGNANT DES BRÛLURES, DES CIGARETTES, DES FLAMMES OU DES FLAMMES EN COURSE. CE SAC N'EST PAS UN JOUET.

1.5" FROM SIDE

1.5" FROM BOTTOM

PACKING DETAILS

Version 1



Article Code	C-0225-KB-5830
Article Name	SPORTS ILLUSTRATED MESH SHORTS
Created On	08/01/24 5:03:17 PM
Last Modified	10/23/24 3:33:03 PM

Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)
----------------------	---

Product Group	BOTTOM
Product Sub-Category	SHORT
Season	2025 Summer
Life Cycle Stage	Pre-Production

UPC STICKER PLACEMENT FRONT


FRONT

8.89 cm



3.175 cm

BACK



CENTER STICKER IN BETWEEN SIDE EDGES

CENTER UPC PLACEMENT STICKER
IN BETWEEN THE HANG TAG HOLE AND
BOTTOM EDGE

Construction details - Knit Bottom


Version 1



Article Code	C-0225-KB-5830
Article Name	SPORTS ILLUSTRATED MESH SHORTS
Created On	08/01/24 5:03:17 PM
Last Modified	10/23/24 3:33:03 PM

Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)
----------------------	---

Product Group	BOTTOM
Product Sub-Category	SHORT
Season	2025 Summer
Life Cycle Stage	Pre-Production



Comments

- 1 FULLY LINED
JOINED AT INTERIOR WAISTBAND EDGE AND INTERIOR LEG HEM
- 2 WAISTBAND:
SELF TURN ENCASED ELASTIC WAISTBAND, EDGES ARE MOCK SAFETY SERGED
APPLY ROW OF SN CHAINSTITCH 1/2" BELOW WB EDGE & SN CHAINSTITCH TO STITCH DOWN EDGE ELASTIC (ENSURE TO CATCH ELASTIC IN STITCH LINE), CLEAN FINISHED
DRAWCORD EXIT: 1 BUTTONHOLE (INTERIOR EXIT) AT CF,
- 3 DREWCORD:
CORD FORMS A LOOP,SEE PHOTO
- 4 ONSEAM POCKET:
POCKET LINING SET TO INTERIOR BODY (NOT IN-BETWEEN SELF + LINING LAYERS)
ON-SEAM POCKETS: 1/4" SN T/S
SELF POCKET BAG: MOCK SAFETY SERGE, 512
POCKET BAG SEWN INTO WAISTBAND AND SIDE SEAM
BARTACK TOP AND BOTTOM POCKET OPENING
- 5 FRONT AND BACK RISE: MOCK SAFETY SERGE, 512
- 6 INSEAM / OUTSEAM: MOCK SAFETY SERGE, 512
- 7 SIDE SLIT:
SLIT AT SIDE SEAM/LEG OPENING. SIDES DOUBLE TURNED IN, 1/4" S/N T/S, APPLY BARTACK AT TOP OF THE SLIT.
- 8 LEG HEM:
DOUBLE SELF FOLD: 2 N 1/4" COVERSTITCH
- 9 BACK PATCH POCKET:
SELF PATCH, LINED WITH SELF, PLACED AT WEARER'S RIGHT SIDE.
POCKET HEM: SINGLE TURN & S/N T/S
SIDES ARE SINGLE TURNED AND S/N EDGE T/S,
TRIANGULAR REINFORCEMENT T/S AT POCKET OPENING 2 ENDS.

Measurement Sheet - Mesh Shorts

All Measurements are in Inches

Version 1



Article Code	C-0225-KB-5830
Article Name	SPORTS ILLUSTRATED MESH SHORTS
Created On	08/01/24 5:03:17 PM
Last Modified	10/23/24 3:33:03 PM

Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)
----------------------	---

Product Group	BOTTOM
Product Sub-	SHORT
Season	2025 Summer
Life Cycle Stage	Pre-Production



POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL						
J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	NA	12 3/4	13 3/4	14 3/4	15 3/4	16 3/4	18 1/4	19 3/4	21 1/4						
J104	WB height: top edge to bottom stitch	1/8	1/8	NA	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2						
K101	Hip at 1" below WB seam: Waist pattern mmt.	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2						
K102	Full Hip: 3 xpt. Measure	1/2	1/2	NA	22	23	24	25	26	27 1/2	29	30 1/2						
M101	Thigh :: 1" below crotch seam	1/4	1/4	NA	12 7/8	13 1/2	14 1/8	14 3/4	15 3/8	16 1/4	17 1/8	18						
C202	Side seam forward position, fr fold	1/8	1/8	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2						
I101	Outseam length: WB top edge to leg opening	1/4	1/4	TBA	TBA	TBA	TBA	18 1/2	TBA	TBA	TBA	TBA						
I302	Inseam length :: short	1/4	1/4	NA	6 3/4	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2						
M402	Leg opening:short :: inside fold edges of opening	1/4	1/4	NA	11 3/8	12	12 5/8	13 1/4	13 7/8	14 3/4	15 5/8	16 1/2						
L103	Front rise :: INCLUDING WB	1/4	1/4	NA	12 1/4	12 1/2	12 3/4	13	13 1/4	13 1/2	13 3/4	14						
L203	Back rise :: INCLUDING WB	1/4	1/4	NA	15	15 1/4	15 1/2	15 3/4	16	16 1/4	16 1/2	16 3/4						
N201	Onseam pocket length	1/4	1/4	NA	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2						
N202	Onseam pocket stitch width	1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4						
N205	Onseam pocket position from Rib/Band seam	1/8	1/8	NA	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4						
N211	Onseam Pocket bag height :: at center	1/4	1/4	NA	11	11	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2						
N212	Onseam Pocket bag width:: at widest pt.	1/4	1/4	NA	6 3/4	7	7	7 1/4	7 1/4	7 1/2	7 3/4	7 3/4						
N601C	Back pocket length at center	1/8	1/8	NA	5 1/2	5 3/4	5 3/4	6	0	6 1/4	6 1/2	6 1/2						
N701	Back pocket width at center	1/8	1/8	NA	5	5 1/4	5 1/4	5 1/2	0	5 3/4	6	6						
N703	Back pocket from WB seam/stitch	1/8	1/8	NA	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2						
N508	Back pocket position from CB seam	1/8	1/8	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3						
Q201	Side slit length	1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4						
I702	Leg hem depth	1/8	1/8	NA	1	1	1	1	1	1	1	1						
J501	Drawcord length : waist, total length	1	1	NA	50	50	50	50	56	56	56	56						

Comments

REFERENCE: Supreme mesh short size M overall fit
 - shorten rises by 1"
 - back pocket revise to patch pocket

UN-AVAILABLE CO. LTD: Fit Approval-1 proto [Sample 1 (M)]

Version 1

	Article Code	C-0225-KB-5830	Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)	Product Group	BOTTOM	
	Article Name	SPORTS ILLUSTRATED MESH SHORTS		Product Sub-Category	SHORT		
	Created On	08/01/24 5:03:17 PM		Season	2025 Summer		
	Last Modified	10/23/24 3:33:03 PM		Life Cycle Stage	Pre-Production		

POM	Description	+ Tol	- Tol	M	Sample	Diff	Revised
J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	15 3/4	16	1/4	
J104	WB height: top edge to bottom stitch	1/8	1/8	1 1/2	1 3/4	1/4	
K101	Hip at 1" below WB seam: Waist pattern mmt.	1/2	1/2	23	22 1/2	-1/2	
K102	Full Hip: 3 xpt. Measure	1/2	1/2	25	25 3/4	3/4	
M101	Thigh :: 1" below crotch seam	1/4	1/4	14 3/4	15	1/4	
C202	Side seam forward position, fr fold	1/8	1/8	1/2	5/8	1/8	
I101	Outseam length: WB top edge to leg opening	1/4	1/4	18 1/2	19	1/2	
I302	Inseam length :: short	1/4	1/4	7 1/2	7 3/4	1/4	
M402	Leg opening:short :: inside fold edges of opening	1/4	1/4	13 1/4	13 1/2	1/4	
L103	Front rise :: INCLUDING WB	1/4	1/4	13	13 1/4	1/4	
L203	Back rise :: INCLUDING WB	1/4	1/4	15 3/4	16	1/4	
N201	Onseam pocket length	1/4	1/4	6	6	0	
N202	Onseam pocket stitch width	1/8	1/8	1/4	1/4	0	
N205	Onseam pocket position from Rib/Band seam	1/8	1/8	3/4	3/4	0	
N211	Onseam Pocket bag height :: at center	1/4	1/4	11 1/2	11	-1/2	
N212	Onseam Pocket bag width:: at widest pt.	1/4	1/4	7 1/4	7 1/2	1/4	
N601C	Back pocket length at center	1/8	1/8	6	6	0	
N701	Back pocket width at center	1/8	1/8	5 1/2	5 1/2	0	
N703	Back pocket from WB seam/stitch	1/8	1/8	1 1/2	1 1/2	0	
N508	Back pocket position from CB seam	1/8	1/8	2 1/2	2 3/8	-1/8	
Q201	Side slit length	1/8	1/8	1 1/4	1 1/8	-1/8	
I702	Leg hem depth	1/8	1/8	1	1	0	
J501	Drawcord length : waist, total length	1	1	50	46	-4	

COMMENT

10.23.24

FITTING COMMENTS:

1. Bring back to spec on WB height measurement Đưa thông số to bảng lưng về thông số kỹ thuật
2. Bring back to spec on full hip measurement Đưa thông số rộng hông về thông số kỹ thuật
3. Bring back to spec on outseam length measurement Đưa thông số dài sườn ngoài về thông số kỹ thuật
4. Bring back to spec on outseam pocket bag height measurement Đưa thông số rộng bao túi sườn ngoài về thông số kỹ thuật
5. Bring back to spec on drawcord length measurement Đưa thông số dài dây lượn về thông số kỹ thuật
6. Ensure all measurements are brought back to spec. Đảm bảo tất cả thông số về thông số kỹ thuật

WORKMANSHIP COMMENTS:

1. Please ensure there is no excessive puckering on seams. Đảm bảo tất cả đường may không bị nhăn, ùn
2. Ensure the inseams are the same lengths. Đảm bảo tất cả đường sườn trong bằng nhau
3. Ensure the front pocket openings are not stretched when sewn. Đảm bảo miệng túi trước không bị giãn khi may

UN-AVAILABLE CO. LTD: Fit Approval-1 proto [Sample 1 (M)]						Version 1
	Article Code	C-0225-KB-5830			Product Group	BOTTOM
	Article Name	SPORTS ILLUSTRATED MESH SHORTS			Product Sub-Category	SHORT
	Created On	08/01/24 5:03:17 PM	Material	MESH - 100% POLYESTER, 200GSM (FB-K692)	Season	2025 Summer
	Last Modified	10/23/24 3:33:03 PM	Description		Life Cycle Stage	Pre-Production



4. Ensure the graphic patch is set straight on the garment.

PROTO SAMPLE IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PP WITH CORRECTIONS

DUYỆT FIT/CẤU TRÚC MẪU PROTO, TIẾN HÀNH MẪU PP

Sample Size: M
Status: Approved
Approved By: KoryLui (October's Very Own Merchandising)
Approved On: 10/23/24 3:32:22 PM

UN-AVAILABLE CO. LTD: Fit Approval-1 proto - SAMPLE - FRONT, SIDE AND BACK

Version 1



Article Code	C-0225-KB-5830
Article Name	SPORTS ILLUSTRATED MESH SHORTS
Created On	08/01/24 5:03:17 PM
Last Modified	10/23/24 3:33:03 PM

Material Description	MESH - 100% POLYESTER, 200GSM (FB-K692)
----------------------	---

Product Group	BOTTOM
Product Sub-Category	SHORT
Season	2025 Summer
Life Cycle Stage	Pre-Production

