

Article Summary							Version 1	
	Article Code	M-0125-KT-5685			Product Group	TOP		
	Article Name	MINI OG HOODIE			Product Sub-Category	SWEAT TOPS		
	Created On	06/30/24 5:16:16 PM			Season	2025 Spring		
	Last Modified	07/02/24 12:04:19 PM			Life Cycle Stage	Pre-Production		
		Material Description	FLEECE 100%COTTON 410GSM (FB-K1003)					
Gender Classification		Mens	Sub Class D	PULL OVER HOODIE	Fabrication	KNIT TOP		
Supplier		UN-AVAILABLE CO. LTD	Release Date	01 Feb 2025	Ex-Factory	16 Oct 2024		
							COLORS	
							 BLACK (BK)  Pearl Grey (PG) MCB1603  ARCTIC WOLF (ARC) 12-0602 TCX (.)  FEATHER GREY (FE) 15-1305 TCX  SEA SPRAY (SSP) 17-6212 TCX	
SIZES								
001, 002, 003, 004, 005, 006, 007								

Bill of Material													Version 1	
	Article Code	M-0125-KT-5685				FLEECE 100%COTTON 410GSM (FB-K1003)					Product Group	TOP		
	Article Name	MINI OG HOODIE									Product Sub-Category	SWEAT TOPS		
	Created On	06/30/24 5:16:16 PM			Material Description						Season	2025 Spring		
	Last Modified	07/02/24 12:04:19 PM									Life Cycle Stage	Pre-Production		

Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK		PG Pearl Grey		ARC ARCTIC WOLF		FE FEATHER GREY		SSP SEA SPRAY
------	----------	-----------	------	------	----------	----------	---------------	--	-------------	--	------------------	--	--------------------	--	--------------------	--	------------------


Fabric																	
	FLEECE 100%COTTON 410GSM (FB-K1003)		0	Meter			VTK5946-1B		None		None		None		None		None
	1x1 RIB COTTON/ LYCRA (FB-K151) WEIGHT TBD	CUFF AND BODY BAND	0	Yards	DTM BODY				None		None		None		None		None
	100% COMBED COTTON JERSEY, 190GSM (FB-K614) REF# OVOTRIP-TS01 SINGLE JERSEY	BACK NECK TAPE	0	Meter	DTM BODY, HEATHER FOR HEATHER BODY		REF# OVOTRIP-TS01		None		None		None		None		None

Trims																	
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.		1	Each		Vendor Sourced			None		None		None		None		None
	UPC BARCODE STICKER (ST101) PLS ADVISE IF YOU HAVE THE CAPABILITY OF PRINTING UPC STICKERS		2	Each		Vendor Sourced			None		None		None		None		None
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.		1	Each		Vendor Sourced			None		None		None		None		None


Bill of Material										Version 1	
	Article Code	M-0125-KT-5685				FLEECE 100%COTTON 410GSM (FB-K1003)	Product Group	TOP			
	Article Name	MINI OG HOODIE					Product Sub-Category	SWEAT TOPS			
	Created On	06/30/24 5:16:16 PM			Material Description		Season	2025 Spring			
	Last Modified	07/02/24 12:04:19 PM					Life Cycle Stage	Pre-Production			



Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK		PG Pearl Grey		ARC ARCTIC WOLF		FE FEATHER GREY		SSP SEA SPRAY
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB		1	Each		Reca Mainetti Asia Ltd.	OVOF21_217_T		None		None		None		None		None
	BUTTON HOLE HIGH STITCH COUNT (BB105)		2	Each	DTM BODY				None		None		None		None		None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175		1	Each		Reca Mainetti Asia Ltd.	OVOW23_181_T		None		None		None		None		None
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172		1	Each		Reca Mainetti Asia Ltd.	LBOVO172		None		None		None		None		None
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO14 1A		1	Each		Reca Mainetti Asia Ltd.	HTOVO141A		None		None		None		None		None
	DRAWCORD FLAT 3/8" BARTACK (TR-DR190)		0	Each					None		None		None		None		None
Graphics																	
	TBD - SEE ARTWORK FILE (HT-102)		0	Each					None		None		None		None		None

Material Image Sheet							Version 1
	Article Code	M-0125-KT-5685		Product Group	TOP		
	Article Name	MINI OG HOODIE			Product Sub-Category		SWEAT TOPS
	Created On	06/30/24 5:16:16 PM			Season		2025 Spring
	Last Modified	07/02/24 12:04:19 PM			Life Cycle Stage		Pre-Production
		Material Description	FLEECE 100%COTTON 410GSM (FB-K1003)				
							
PK101 POLY BAG - GENERIC	ST101 UPC BARCODE STICKER	LT110 CC LABEL - APPAREL	LT138 TEAR-AWAY COO TAB: OVOF21_217_T	TR-LT246 OVO 2023 Alpha Sizing Tab	TR-LT247 OVO 2023 One Side Main Label		
							
TR-HG142 OVO 2023 Booklet Hangtag	TR-DR190 DRAWCORD FLAT 3/8" BARTACK						


Construction details - OG Hoodie - RF w/cord					Version 1
Article Code	M-0125-KT-5685	Material Description	FLEECE 100%COTTON 410GSM (FB-K1003)	Product Group	TOP
Article Name	MINI OG HOODIE			Product Sub-Category	SWEAT TOPS
Created On	06/30/24 5:16:16 PM			Season	2025 Spring
Last Modified	07/02/24 12:04:19 PM			Life Cycle Stage	Pre-Production



Comments

- 1 HOOD
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. CF of hood overlapping at the neck 3/4", left over right.
SN topstitch at front edge to make channel for drawcord.
Gromment or button hole exits for drawcord at exterior of hood CF casing.
Drawcord ends: knotted. Cord tacked at the inside top of the hood so cord cannot be pulled out.
Self and lining chain tacked at the top of the head at CB dart seams.
- 2 HALF MOON BACK NECK FACING
Self half moon facing, edge is folded in, clean finished with S/N edge T/S.
- 3 NECK SEAM
Hood join to body with #512 mock safety stitch.
Inside back neck cleanfinished with self taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck and front neck.
- 4 SHOULDER SEAM
Set forward on body. Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 5 ARMHOLE SEAM
Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 6 SLEEVE INSEAM
Join with #512 mock safety stitch.
- 7 SIDE SEAM
Set forward on body. Join with #512 mock safety stitch. SN edge topstitch on side panel, holding seam allowance.
- 8 ON-SEAM POCKET
Self fold back facing from front panel. Join to pocket bags with #512 mock safety stitch. SN topstitch at opening, 1/4" in.
Bartacks at top and bottom of opening.
Top pocket bag in jersey, bottom pocket bag in self. Bottom of bag finished into the bottom band seam.
- 9 CUFF AND BOTTOM OPENING
Folded rib band. Join to sleeve or bottom openings with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- 10 BODY BAND

Construction details - OG Hoodie - RF w/cord					Version 1
Article Code	M-0125-KT-5685	Material Description	FLEECE 100%COTTON 410GSM (FB-K1003)	Product Group	TOP
Article Name	MINI OG HOODIE			Product Sub-Category	SWEAT TOPS
Created On	06/30/24 5:16:16 PM			Season	2025 Spring
Last Modified	07/02/24 12:04:19 PM			Life Cycle Stage	Pre-Production



Folded rib band. Join to bottom opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing. ENSURE THE TWO RIB SEAMS ALIGN WITH SIDE SEAM Set forward on body

Measurement Sheet- OG Hoodie - RF												All Measurements are in Inches					Version 1	
	Article Code	M-0125-KT-5685				FLEECE 100%COTTON 410GSM (FB-K1003)						Product Group		TOP				
	Article Name	MINI OG HOODIE										Product Sub-Category		SWEAT TOPS				
	Created On	06/30/24 5:16:16 PM			Material Description	Season		2025 Spring										
	Last Modified	07/02/24 12:04:19 PM				Life Cycle Stage		Pre-Production										
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL						
! A201	Front body length from HPS : Top	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31						
! H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2						
! H201	Front neck drop from HPS : Crew	1/8	1/8	NA	3 1/8	3 1/8	3 3/16	3 1/4	3 5/16	3 7/16	3 9/16	3 11/16						
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16						
! D102	Shoulder slope :: from HPS	1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16						
D103	Shoulder displacement to front	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4						
! D101	Shoulder width :measured on CB body	3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4						
! B301	Across: Chest : at mid. armhole	1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2						
! B201	Across Back : at mid. armhole	1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4						
! B101	Chest width :1" below armhole	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2						
! C102	Bottom width : 1" above band seam	1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2						
! C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24						
! E101	Armhole Straight :: measured straight	1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8						
! G101	Bicep width:1" below armhole	1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16						
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4						
! G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16						
! G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16						
F701	Sleeve Cuff Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4						
A703	Body Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4						
H708	Hood casing width :: at CF	1/8	1/8	NA	1	1	1	1	1	1	1	1						
! H703	Hood width :: at 5" Below Top Edge	1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12						
! H701	Hood height at CF	1/4	1/4	NA	14 3/4	15	15	15 1/2	15 1/2	16	16	16						
H702	Hood height at HPS	1/4	1/4	NA	13 1/4	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2						
! H709	drawcord length : Hood	1/2	1/2	NA	41	41	41	42	42	43	43	43						
H710	Hood drawcord exit pos. fr neck	1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4						
B401	Side seam forward position from fold	1/8	1/8	NA	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2 1/8	2 3/8	2 1/2						
! N201	On seam pocket opening length	1/4	1/4	NA	5 3/4	6	6	6 1/4	6 1/4	6 1/2	6 1/2	6 3/4						
N202	On seam opening topstitch width	1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4						
N206	On seam pocket position up from band seam	1/4	1/4	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 7/8	3 1/8	3 1/4						
N212	On seam pocket bag width at bottom	1/4	1/4	NA	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4	9	9 1/4						
H606	Neck binding width	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8						
B505	Half moon facing width	1/8	1/8	NA	6	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4						
B506	Half moon facing height: from CB neck	1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16						
! H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24						
Comments																		

Measurement Sheet- OG Hoodie - RF					All Measurements are in Inches		Version 1
	Article Code	M-0125-KT-5685		FLEECE 100%COTTON 410GSM (FB-K1003)	Product Group	TOP	
	Article Name	MINI OG HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	06/30/24 5:16:16 PM	Material		Season	2025 Spring	
	Last Modified	07/02/24 12:04:19 PM	Description		Life Cycle Stage	Pre-Production	
REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) + OG pkts *added DC 2024 onwards: 1. add a locker loop at CB neck 2. add a half moon facing at back neck for the new main label							

CM Measurement Sheet- OG Hoodie - RF												All Measurements are in CMs						Version 1	
	Article Code	M-0125-KT-5685				FLEECE 100%COTTON 410GSM (FB-K1003)						Product Group		TOP					
	Article Name	MINI OG HOODIE										Product Sub-Category		SWEAT TOPS					
	Created On	06/30/24 5:16:16 PM			Material Description	Season		2025 Spring											
	Last Modified	07/02/24 12:04:19 PM				Life Cycle Stage		Pre-Production											
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL							
! A201	Front body length from HPS : Top	1.27	1.27	0	66.04	67.31	68.58	69.85	71.12	73.66	76.20	78.74							
! H101	Neck width :: SEAM TO SEAM	0.635	0.635	0	22.86	22.86	23.495	24.13	24.765	25.40	26.035	26.67							
! H201	Front neck drop from HPS : Crew	0.3175	0.3175	0	7.9375	7.9375	8.0962	8.255	8.4138	8.7313	9.0487	9.3663							
H301	Back neck drop from HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513							
! D102	Shoulder slope :: from HPS	0.3175	0.3175	0	4.7625	4.9212	5.08	5.08	5.2388	5.3975	5.5563								
D103	Shoulder displacement to front	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905							
! D101	Shoulder width :measured on CB body	0.9525	0.9525	0	47.625	49.53	51.435	53.34	55.245	57.785	60.325	62.865							
! B301	Across: Chest : at mid. armhole	0.635	0.635	0	41.910	43.815	45.720	47.625	49.530	52.070	54.610	57.150							
! B201	Across Back : at mid. armhole	0.635	0.635	0	42.545	44.45	46.355	48.26	50.165	52.705	55.245	57.785							
! B101	Chest width :1" below armhole	1.27	1.27	0	50.80	53.34	55.88	58.42	60.96	64.77	68.58	72.39							
! C102	Bottom width : 1" above band seam	1.27	1.27	0	45.72	48.26	50.80	53.34	55.88	59.69	63.50	67.31							
! C101	Bottom width at band:inside fold edges of band/hem	1.27	1.27	0	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96							
! E101	Armhole Straight :: measured straight	0.635	0.635	0	25.0825	26.035	26.9875	27.94	28.8925	30.1625	31.4325	32.7025							
! G101	Bicep width:1" below armhole	0.635	0.635	0	23.495	24.13	24.765	25.4	26.035	26.8287	27.6225	28.4163							
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1.27	1.27	0	84.455	86.36	88.265	90.17	92.075	94.615	97.155	99.695							
! G104	L/Sleeve opening: inside fold edges of cuff/hem	0.3175	0.3175	0	8.0963	8.5725	9.0487	9.525	10.0013	10.6363	11.2713	11.9063							
! G103	L/Sleeve :: 1" above cuff seam	0.3175	0.3175	0	13.8113	14.2875	14.7637	15.24	15.7163	16.3513	16.9863	17.6213							
F701	Sleeve Cuff Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985							
A703	Body Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985							
H708	Hood casing width :: at CF	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54							
! H703	Hood width :: at 5" Below Top Edge	0.635	0.635	0	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48							
! H701	Hood height at CF	0.635	0.635	0	37.465	38.10	38.10	39.37	39.37	40.64	40.64	40.64							
H702	Hood height at HPS	0.635	0.635	0	33.655	34.29	34.29	35.56	35.56	36.83	36.83	36.83							
! H709	drawcord length : Hood	1.27	1.27	0	104.14	104.14	104.14	106.68	106.68	109.22	109.22	109.22							
H710	Hood drawcord exit pos. fr neck	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175							
B401	Side seam forward position from fold	0.3175	0.3175	0	3.4925	3.810	4.1275	4.445	4.7625	5.3975	6.0325	6.350							
! N201	On seam pocket opening length	0.635	0.635	0	14.605	15.240	15.240	15.875	15.875	16.510	16.510	17.145							
N202	On seam opening topstitch width	0.3175	0.3175	0	0.635	0.635	0.635	0.635	0.635	0.635	0.635	0.635							
N206	On seam pocket position up from band seam	0.635	0.635	0	5.3975	5.715	6.0325	6.35	6.6675	7.3025	7.9375	8.255							
N212	On seam pocket bag width at bottom	0.635	0.635	0	19.050	19.685	20.320	20.955	21.590	22.225	22.860	23.495							
H606	Neck binding width	0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525							
B505	Half moon facing width	0.3175	0.3175	0	15.240	15.240	15.5575	15.875	16.1925	16.510	16.8275	17.145							
B506	Half moon facing height: from CB neck	0.3175	0.3175	0	8.5725	8.5725	8.7312	8.89	9.0488	9.3663	9.6837	10.0013							
! H404	Minimum Neck Stretch	1.27	0	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96							
Comments																			

CM Measurement Sheet- OG Hoodie - RF					All Measurements are in CMs		Version 1
	Article Code	M-0125-KT-5685		FLEECE 100%COTTON 410GSM (FB-K1003)	Product Group	TOP	
	Article Name	MINI OG HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	06/30/24 5:16:16 PM	Material Description		Season	2025 Spring	
	Last Modified	07/02/24 12:04:19 PM			Life Cycle Stage	Pre-Production	
REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) + OG pkts *added DC 2024 onwards: 1. add a half moon facing at back neck for the new main label							