

Article Summary												
Article Code M-0425-KT-6066 Article Name MUSKOKA RALGAN SLV HOODIE Created On 06-24-2025 10:44:00 AM Last Modified 06-24-2025 10:50:00 AM	Material Description 100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group TOP Product Sub-Category PULLOVER HOODIE Season 2025 Winter Life Cycle Stage Production										
Gender Classification	Mens	Sub Class D	Solid	Fabrication	KNIT TOP							
Supplier	UN-AVAILABLE CO. LTD	Release Date		Ex-Factory								
					COLORS							
												
<table border="1"> <tr> <td>FEATHER GREY (FE) 15-1305 TCX</td> </tr> <tr> <td>SANDSTONE</td> </tr> <tr> <td>GARMENT DYED BLACK (YB) GARMENT DYED BLACK</td> </tr> <tr> <td>KAMBABA (KAM) 19-0404 TCX</td> </tr> <tr> <td>DEEP OLIVE (.)</td> </tr> <tr> <td>CAMEO ROSE (CMR) 14-1310 TCX</td> </tr> <tr> <td>CLAY PINK</td> </tr> </table>						FEATHER GREY (FE) 15-1305 TCX	SANDSTONE	GARMENT DYED BLACK (YB) GARMENT DYED BLACK	KAMBABA (KAM) 19-0404 TCX	DEEP OLIVE (.)	CAMEO ROSE (CMR) 14-1310 TCX	CLAY PINK
FEATHER GREY (FE) 15-1305 TCX												
SANDSTONE												
GARMENT DYED BLACK (YB) GARMENT DYED BLACK												
KAMBABA (KAM) 19-0404 TCX												
DEEP OLIVE (.)												
CAMEO ROSE (CMR) 14-1310 TCX												
CLAY PINK												
SIZES 000, 001, 002, 003, 004, 005, 006, 007												

Bill of Materials - #1

Version 2

	Article Code	M-0425-KT-6066		Material Description					Product Group	TOP				
	Article Name	MUSKOKA RALGAN SLV HOODIE							Product Sub-Category	PULLOVER HOODIE				
	Created On	06-24-2025 10:44:00 AM			100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash				Season	2025 Winter				
	Last Modified	06-24-2025 10:50:00 AM							Life Cycle Stage	Production				
Part	Material	Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	FE	YB	KAM	CMR			
Fabric														
	100% COTTON 350 GSM FLEECE (FB-K949) - Ver.#1 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	BODY, SLV, HOOD	0	Meter				FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	CMR CAMEO ROSE			
Trims														
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) - Ver.#1 White Satin ground, Black text COO, Content, and Care Instructions may vary by style.	2" ABOVE HEM LEFT SIDE SEAM	1	Each	NATURAL COLOUR ON ALL COLOURWAYS**tbd	Vendor Sourced		None	None	None	None			
	UPC STICKER- 1" X 2.5" (TR-ST114) - Ver.#1 PLEASE PRINT WITH THERMAL PRINTER		2	Each				None	None	None	None			
	POLY BAG - GENERIC (PK101) - Ver.#1 Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.		1	Each		Vendor Sourced		None	None	None	None			
	BUTTON HOLE HIGH STITCH COUNT (BB105) - Ver.#1	D/C EXITS	2	Each	DTM	Vendor Sourced		None	None	None	None			
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) - Ver.#1 Article code: HTOVO141A	SAFETY PINNED TO UNDERSIDE OF MAIN LABEL	1	Each		Reca Mainetti Asia Ltd	HTOVO141A	None	None	None	None			
	OVO 2023 One Side Main Label (TR-LT247) - Ver.#1 RECA REF: LBOVO172	see placement guide	1	Each		Reca Mainetti Asia Ltd	LBOVO172	None	None	None	None			
	OVO 2023 Alpha Sizing Tab (TR-LT246) - Ver.#1 ARTICLE: OVOW23_181_T / LBOVO175	see placement guide	1	Each		Reca Mainetti Asia Ltd	OVOW23_181_T	None	None	None	None			
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) - Ver.#1 COUNTRY OF ORIGIN TAB		1	Each		Reca Mainetti Asia Ltd		None	None	None	None			

Bill of Materials - #1

Version 2

	Article Code	M-0425-KT-6066							Product Group	TOP				
	Article Name	MUSKOKA RALGAN SLV HOODIE							Product Sub-Category	PULLOVER HOODIE				
	Created On	06-24-2025 10:44:00 AM			Material Description				Season	2025 Winter				
	Last Modified	06-24-2025 10:50:00 AM							Life Cycle Stage	Production				
Part	Material	Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	FE	YB	KAM	CMR			
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) - Ver.#1 FOR HANGTAG ATTACHMENT		0	Each		Vendor Sourced		FEATHER GREY	GARMENT DYED BLACK	KAMBABA	CAMEO ROSE			
	GD DISCLAIMER HANG TAG (TR-HG143) - Ver.#1 REF# OVOF22_060_T	THROUGH THE 1/8" RIBBON LOOP ALONG WITH OVO HANGTAG	0	Each		Vendor Sourced		None	None	None	None			
	HERRINGBONE TAPE (TV126) - Ver.#1 100% COTTON	BACK NECK TAPE	1	Meter		Vendor Sourced		None	None	None	None			
DRAWCORD	ROUND DRAWCORD WITH KNOTTED ENDS (TR-DR174) - Ver.#1		1	Each	DTM BODY			None	None	None	None			
Graphics														
	TBD - SEE ARTWORK FILE (HT-102) - Ver.#1		0	Each				None	None	None	None			

Bill of Materials - #1 Material Image Sheet

Version 2


Article Code M-0425-KT-6066 Article Name MUSKOKA RALGAN SLV HOODIE Created On 06-24-2025 10:44:00 AM Last Modified 06-24-2025 10:50:00 AM	Material Description 100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group TOP Product Sub-Category PULLOVER HOODIE	Season 2025 Winter Life Cycle Stage Production		
 LT110 CC LABEL - APPAREL	 TR-ST114 UPC STICKER- 1" X 2.5"	 PK101 POLY BAG - GENERIC	 TR-HG142 OVO 2023 Booklet Hangtag	 TR-LT247 OVO 2023 One Side Main Label	 TR-LT246 OVO 2023 Alpha Sizing Tab
 LT138 TEAR-AWAY COO TAB: OVOF21_217_T	 TR-TV140 5mm GROSGRAIN RIBBON LOOP	 TR-HG143 GD DISCLAIMER HANG TAG	 TR-DR174 ROUND DRAWCORD WITH KNOTTED ENDS		

PHOTO EXAMPLES

Version 2

Article Code	M-0425-KT-6066		Material Description 100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	



PHOTO EXAMPLES

Version 2

Article Code	M-0425-KT-6066	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	



PHOTO EXAMPLES

Version 2

Article Code	M-0425-KT-6066	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP	
Article Name	MUSKOCA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	



PHOTO EXAMPLES - How to measure guide


Version 2

Article Code	M-0425-KT-6066	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	

OCTOBER'S VERY OWN

POM MEASUREMENT DETAILS
RAGLAN HOODIE


- A201 Front body length from HPS
- H101 Neck width: at back, seam to seam
- H201 Front neck drop from HPS
- H301 Back neck drop from HPS
- B301 Across Chest : at mid. armpit
- B201 Across Back : at mid. armpit
- B101 Chest width :1" below armpit
- C102 Bottom width: 1" above band seam
- C101 Bottom width: inside fold edges of band
- A703 Body band height
- E201 Armpit Depth: from HPS squared down
- G101 Bicep width:1" below armpit
- F101 Long Sleeve overarm fr. CB neck: 3 x point measure
- G103 Long Sleeve opening: 1" above cuff seam
- G104 Long Sleeve opening: inside fold edges of cuff
- F701 Sleeve Cuff Height
- H703 Hood width: at 5" below top edge
- H701 Hood height at CF
- H702 Hood height at HPS
- N101 Kanga pocket height at center
- N102 Kanga pocket width at top edge
- N103 Kanga pocket width at widest point
- N104 Kanga pocket width at band seam



Opt 1. Raglan SLV - Construction details - Hoodie

Version 2

Article Code	M-0425-KT-6066	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
Article Name	MUSKOCA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	



Comments

- 1 **HOOD**
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged separately. CF of hood overlapping at the neck 3/4", left over right.
3NDL coverstitch at front edge to make channel for drawcord. Buttonhole exits for drawcord.
Drawcord ends double fold and tacked with bartack. Drawcord tacked at CF of hood as per photo reference
Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.
- 2 **NECK SEAM**
Hood join to body with #512 mock safety stitch.
Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck and front neck.
- 3 **ARMHOLE SEAM**
Join with #512 mock safety stitch. 3N coverstitch straddling seam, 1/4" spacing.
- 4 **SLEEVE INSEAM**
#512 mock safety stitch.
- 5 **SIDE RIB PANEL, DOUBLE LAYER, NO SIDE SEAM**
FRONT AND BACK PANEL SEAM: MOCK SAFETY SERGE, 512 / 3NDL C/S, 605, STRADDLE SEAM
- 6 **SLEEVE OPENING**
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam
- 7 **KANGA POCKET**
Self pocket bag. Opening edges finished with rib binding, 3N C/S.
Set to body with 3NDL C/S top and side edges with C/S extension. Bottom of bag finished into the band seam.
Bartacks at top and bottom of pkt openings.
- 8 **BOTTOM OPENING**
Folded rib band. Join to bottom opening with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam. ENSURE THE TWO RIB SEAMS ALIGN WITH RIB PANEL SEAM Set back on body

MEASURING RAGLAN SLEEVE AH DEPTH					
Article Code	M-0425-KT-6066			Product Group	TOP
Article Name	MUSKOCA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE
Created On	06-24-2025 10:44:00 AM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Season	2025 Winter
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production

HOW TO MEASURE POM "E201 :Armhole Depth :: from HPS Squared Down (Raglan)"



MEASURING ACROSS CHEST RAGLAN SLEEVE

Version 2

Article Code	M-0425-KT-6066	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
Article Name	MUSKOKE RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	

HOW TO MEASURE POM "B301 : Across: Chest :
at mid. armhole"




MEASURING ACROSS BACK RAGLAN SLEEVE

Version 2

Article Code	M-0425-KT-6066	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
Article Name	MUSKOCA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	

**HOW TO MEASURE POM "B201 : Across Back :
at mid. armhole**



MEASURING RAGLAN SLEEVE OVERARM

Version 2

Article Code	M-0425-KT-6066	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
Article Name	MUSKOCA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	

HOW TO MEASURE POM " L:Sleeve overarm fr.
CB neck :: 3 x point measure



Raglan SLV - Measurement - Hoodie F/W 2025

All measurements are in Inch

Version 2

	Article Code	M-0425-KT-6066		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
	Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	



POM Code	POM Name	-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
A201	Front body length from HPS : Top	1/2	1	Mixed	25 1/2	26	26 1/2	27	27 1/2	28 1/2	29 1/2	30 1/2
H101	Neck width :: SEAM TO SEAM	1/4	1/2	Mixed	8 1/2	8 1/2	8 3/4	9	9 1/4	9 1/2	9 3/4	10
H201	Front neck drop from HPS : Crew	1/8	1/4	Mixed	3 5/8	3 5/8	3 11/16	3 3/4	3 13/16	3 15/16	4 1/16	4 3/16
H301	Back neck drop from HPS Crew	1/8	1/4	Mixed	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16
B301	Across: Chest : at mid. armhole	1/4	1/2	Mixed	11 1/4	12	12 3/4	13 1/2	14 1/4	15 1/4	16 1/4	17 1/4
B201	Across Back : at mid. armhole	1/4	1/2	Mixed	12 1/8	12 7/8	13 5/8	14 3/8	15 1/8	16 1/8	17 1/8	18 1/8
B101	Chest width :1" below armhole	1/2	1	Mixed	20	21	22	23	24	25 1/2	27	28 1/2
C102	Bottom width : 1" above band seam	1/2	1	Mixed	18	19	20	21	22	23 1/2	25	26 1/2
C101	Bottom width at band:inside fold edges of band/he	1/2	1	Mixed	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24
E201	Armhole Depth :: from HPS Squared Down (Raglan)	1/4	1/2	1/4	10 3/4	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 1/2
G101	Bicep width:1" below armhole	1/4	1/2	Mixed	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1	Mixed	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4
G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/4	Mixed	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16
G103	L/Sleeve :: 1" above cuff seam	1/8	1/4	Mixed	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16
F701	Sleeve Cuff Band Height	1/8	1/8	0	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
A703	Body Band Height	1/8	1/8	0	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
H703	Hood width :: at 5" Below Top Edge	1/4	1/2	1/4	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12
H701	Hood height at CF	1/4	1/2	Mixed	15	15 1/2	15 1/2	16	16	16 1/2	16 1/2	16 1/2
H702	Hood height at HPS	1/4	1/2	Mixed	13 1/2	14	14	14 1/2	14 1/2	15	15	15
N101	Kanga pocket height at center	1/4	1/2	Mixed	8 1/4	8 1/2	8 1/2	8 3/4	8 3/4	9 1/4	9 1/4	9 1/4
N102	Kanga pocket width at top edge	1/4	1/2	Mixed	9	9 1/4	9 1/4	9 1/2	9 1/2	10	10	10
N103	Kanga pocket width at widest point	1/4	1/2	Mixed	13	13 1/4	13 1/4	13 1/2	13 1/2	14	14	14
N104	Kanga pocket width at band seam	1/4	1/2	Mixed	10	10 1/4	10 1/4	10 1/2	10 1/2	11	11	11
N201	Pocket opening trim height	1/8	1/8	0	1	1	1	1	1	1	1	1
H709	drawcord length : Hood	1/2	1	Mixed	40	41	41	42	42	43	43	43
H710	Hood drawcord exit pos. fr neck	1/8	1/4	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
B401	Side Panel total width (front & back) below UAP	1/8	1/4	Mixed	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4
C201	Side Panel total width (front & back) at hem edge	1/8	1/4	Mixed	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4
H606	Neck binding width	1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
N221	Dorito width: edge to edge	1/8	1/4	1/8	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3	3 1/8	3 1/4
N222	Dorito height: CF NK seam to edge	1/8	1/4	1/8	1 5/8	1 3/4	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2

Raglan SLV - Measurement - Hoodie F/W 2025								All measurements are in Inch						Version 2	
	Article Code	M-0425-KT-6066											Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE											Product Sub-Category	PULLOVER HOODIE	
	Created On	06-24-2025 10:44:00 AM	Material Description		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash								Season	2025 Winter	
	Last Modified	06-24-2025 10:50:00 AM											Life Cycle Stage	Production	

	POM Code	POM Name		-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	H404	Minimum Neck Stretch		0	1	0	24	24	24	24	24	24	24	24

NOTES

** RAGLAN SLEEVE **

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width)

8/17/23 revisions for Q1 and onwards:

- add self half moon facing for the new main label
- add rib side panel
- add rib dorito overlay

2.12.2025 update: Remove rib trim from hoodie

12.06.2025

+TOL updated



	Article Code	M-0425-KT-6066		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP				
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE				
	Created On	06-24-2025 10:44:00 AM			Season	2025 Winter				
	Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production				
Group	POM	Description			+ Tol	- Tol	M	Sample	Diff	Revised
	A201	Front body length from HPS : Top			1	1/2	27	27	0	
	H101	Neck width :: SEAM TO SEAM			1/2	1/4	9	9 1/2	1/2	
	H201	Front neck drop from HPS : Crew			1/4	1/8	3 3/4	3 1/2	-1/4	
	H301	Back neck drop from HPS Crew			1/4	1/8	1	1	0	
	B301	Across: Chest : at mid. armhole			1/2	1/4	13 1/2	13 1/2	0	
	B201	Across Back : at mid. armhole			1/2	1/4	14 3/8	14 3/8	0	
	B101	Chest width :1" below armhole			1	1/2	22	22 1/2	1/2	23
	C102	Bottom width : 1" above band seam			1	1/2	20	20 1/2	1/2	21
	C101	Bottom width at band:inside fold edges of band/he			1	1/2	18 1/2	18 1/2	0	18 1/2
	E201	Armhole Depth :: from HPS Squared Down (Raglan)			1/2	1/4	11 1/2	11 1/2	0	
	G101	Bicep width:1" below armhole			1/2	1/4	9 1/2	9 1/2	0	10
	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1	1/2	35 1/2	36	1/2	
	G104	L/Sleeve opening: inside fold edges of cuff/hem			1/4	1/8	3 3/4	3 7/8	1/8	
	G103	L/Sleeve :: 1" above cuff seam			1/4	1/8	5 1/2	5 1/2	0	6
	F701	Sleeve Cuff Band Height			1/8	1/8	2 3/4	2 3/4	0	
	A703	Body Band Height			1/8	1/8	2 3/4	2 3/4	0	
	H703	Hood width :: at 5" Below Top Edge			1/2	1/4	11	10 3/4	-1/4	
	H701	Hood height at CF			1/2	1/4	16	16	0	
	H702	Hood height at HPS			1/2	1/4	14 1/2	14 1/4	-1/4	
	N101	Kanga pocket height at center			1/2	1/4	8 3/4	9	1/4	
	N102	Kanga pocket width at top edge			1/2	1/4	9 1/2	9 1/4	-1/4	
	N103	Kanga pocket width at widest point			1/2	1/4	13 1/2	13 1/4	-1/4	
	N104	Kanga pocket width at band seam			1/2	1/4	10 1/2	9 5/8	-7/8	
	N201	Pocket opening trim height			1/8	1/8	1	7/8	-1/8	
	H709	drawcord length : Hood			1	1/2	42	46	4	

	Article Code	M-0425-KT-6066		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP			
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE			
	Created On	06-24-2025 10:44:00 AM			Season	2025 Winter			
	Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production			
Group	POM	Description		+ Tol	- Tol	M	Sample	Diff	Revised
	H710	Hood drawcord exit pos. fr neck		1/4	1/8	1 1/4	1 1/4	0	
	B401	Side Panel total width (front & back) below UAP		1/4	1/8	5 1/2	5 3/4	1/4	
	C201	Side Panel total width (front & back) at hem edge		1/4	1/8	5 1/2	5 1/2	0	
	H606	Neck binding width		1/8	1/8	3/8	3/8	0	
	N221	Dorito width: edge to edge		1/4	1/8	2 3/4	3	1/4	
	N222	Dorito height: CF NK seam to edge		1/4	1/8	2	2 1/4	1/4	
	H404	Minimum Neck Stretch		1	0	24	24	0	

COMMENT

9.18.25

FITTING COMMENTS:

1. Bring back to spec on front neck drop measurement
2. Revised chest width measurement
3. Revised bottom width 1" above band hem seam measurement
4. Revised bottom width at band measurement
5. Revised bicep width measurement
6. Bring back to spec on sleeve opening measurement
7. Revised sleeve 1" above cuff seam measurement
8. Bring back to spec on kanga pocket measurements
9. Bring back to spec on drawcord length measurements
10. Ensure all measurements are brought back to spec.

1. Đưa số đo hạ cổ trước về đúng theo tiêu chuẩn.
2. Chính sửa số đo ngang ngực.
3. Chính sửa số đo ngang lai cách đường may bo lai 1 inch.
4. Chính sửa số đo ngang bo lai.
5. Chính sửa số đo ngang bắp tay.
6. Đưa số đo vòng cửa tay về đúng theo tiêu chuẩn.
7. Chính sửa số đo ngang tay cách đường may bo tay 1 inch.
8. Đưa số đo túi kanga (túi bụng) về đúng theo tiêu chuẩn.
9. Đưa số đo chiều dài dây rút về đúng theo tiêu chuẩn.
10. Đảm bảo tất cả các số đo đều được đưa về đúng theo tiêu chuẩn.

WORKMANSHIP COMMENTS:

1. Please ensure there is no excessive puckering on seams.
2. Ensure the hem edges are level at the CF.

1. Vui lòng đảm bảo các đường may không bị nhăn nhúm quá mức.
2. Đảm bảo hai mép lai bằng nhau ở giữa thân trước.

PP IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PRODUCTION WITH CORRECTIONS. PLEASE ENSURE THE CHANGES ARE MADE MẪU PP ĐÃ ĐƯỢC DUYỆT VỀ FORM VÀ CÁCH DỤNG, VUI LÒNG TIẾN HÀNH SẢN XUẤT VÀ ĐẢM BẢO CÁC

Sample Size: M THAY ĐỔI ĐÃ ĐƯỢC THỰC HIỆN.
 Status: Approved
 Approved By: KoryLui (October's Very Own Merchandising)
 Approved On: 09-18-2025 9:56:00 AM

Article Code	M-0425-KT-6066	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
Last Modified	06-24-2025 10:50:00 AM			Life Cycle Stage	Production	

