




HEATHER GREY (HG)


BLACK (BK)


SIZES

 $000,\ 001,\ 002,\ 003,\ 004,\ 005,\ 006,\ 007$ 

								Bill of Material						Version 1
(@\@)		Article Code	M-0324-KT-4939							Produc	ct Group	TOP		
1 V		Article Name	WAFFLE LINED TRACK JACKET	Т						Produc	ct Sub-Category	SWEAT TOPS		
		Created On	12/03/23 5:09:54 PM		Material	FLEECE AS	PER SAMP	E (FB-K949)		Seasor	n	2024 Fall		
<u>}</u>	Last Modified		02/21/24 5:01:00 PM		Description					Life Cy	/cle Stage	Sample Evaluation		
Part			Material		Placement	Q	ly. UO	II. Comments	Supplier	Supplier Ref.		HG HEATHER GREY		BK BLACK
Fabric														
		CE AS PER (949)	SAMPLE	hood/ body	y/ slv	0	Met	PF			Nor	ne	Non	е
	(FB-K	RIB COTTON (151) GHT TBD	I/ LYCRA	cuff, body	band, neck	0	Yard	S			Nor	ne	Non	9
		FLE AS PER (948)	SAMPLE	LINING BO	ODY + SLV	0	Met	PET NATURAL COLOUR ON ALL COLOURWAYS			Nor	ne	Non	е
		6 Cotton Jer (139)	sey, 180gsm	BACK NE	CK TAPE	0	Yard				Nor	ne	Non	е
Trims						I	ı				I	L		
	(LT11 White COO,	Satin groun	AREL d, Black text d Care Instructions may			0	Eac		Vendor Sourced		Nor	ne	Non	е
	OVO:		ide Main Label /0172			0	Eac	1		LBOVO1 72	Nor	ne	Non	е
	(TR-L	2023 Alpha _T246) CLE: OVOW	Sizing Tab 23_181_T/ LBOVO175			0	Eac	1		OVOW23 _181_T	Nor	ne	Non	е
	(LT13		O TAB: OVOF21_217_T RIGIN TAB			0	Eac	١	Reca Mainetti Asia Ltd.	OVOF21 _217_T	Nor	ne	Non	е
	(TR-T	ΓV140)	N RIBBON LOOP ATTACHMENT			0	Eac	1	Vendor Sourced		Nor	ne	Non	е
	(TR-F	2023 Bookle HG142) Ie code: HT				0	Eac	1		HTOVO1 41A	Nor	ne	Non	е
	Zippe (TRZI	er P10)		CF		0	Eac	METAL SILVER GS - 5GG- DA8HL PULLER	3		Nor	ne	Non	е









#### Comments

- 1 FULLY LINED SEE NEXT PAGE
  Garment is fully lined, quality refer to bom, all seams to be clean finished
- 2 COLLAR/NECK
  Rib knit folded collar, finished into the neck seam, join with #512
  mock safety stitch. SN topstitch, 1/4" in at the neck seam.
  Inside neck seam cleanfinished with lining.
- 3 SHOULDER SEAM forward seam, join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 4 ARMHOLE SEAM #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 5 SLEEVE/ SIDE SEAM
  Join in one operation. #512 mock safety stitch.
- SLEEVE OPENING
  Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 7 KANGA POCKET
  Self pocket bag. Opening edges turned in, 1/4" 2N C/S to form hem. Side and top edges serged and turned in. SN T/S to self body only. Bottom finished into the band seam. Bartacks at top and bottom of pkt openings.
- 8 BOTTOM OPENING
  Folded rib band + self insert at CF. Join to bottom opening with
  #512 mock safety stitch. 1/4" 2N C/S straddling seam.
  Self insert: 1/4" S/N T/S
- 9 CF CLOSURE
  2-way zipper, conceal zipper with self extension at CF. 1/4" SN
  T/S on each side. Inside seam allowances and zipper tape
  cleanfinished with self facing.





# Comments

\*\*INTERIOR VIEW\*\*
Fully lined with WAFFLE lining (BODY AND SLEEVES),
cleanfinished.
All interior seams join with mock safety serged

2 SELF FACING:
Self facing on front opening only, attached to lining with mock safety serged, S/N T/S on facing to stitch down seam allowance.

	Article Code M-0324-KT-4939 Article Name WAFFLE LINED TRACK JACKET									Product 9		TOP SWEAT TO 2024 Fall	PS .	
<u>A</u>	Created On 12/03/23 5:09:54 PM Last Modified 02/21/24 5:01:00 PM		Material Description		FLEECE AS PER SAMPLE (FB-K949)				Season Life Cycl	Season Life Cycle Stage		valuation		
РОМ	Description	+ Tol	- Tol	Grade	xxs	XS	S	M	L	XL	XXL	3XL		
A201	Front body length from HPS : Top	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31		
H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	6 1/4	6 1/4	6 1/2	6 3/4	7	7 1/4	7 1/2	7 3/4		
H201	Front neck drop from HPS : Crew	1/8	1/8	NA	4 1/8	4 1/8	4 3/16	4 1/4	4 5/16	4 7/16	4 9/16	4 11/16		
H301	Back neck drop from HPS Crew	1/8	1/8	NA	5/8	5/8	11/16	3/4	13/16	15/16	1 1/16	1 3/16		
H604	Collar height at CB	1/8	1/8	0	2	2	2	2	2	2	2	2		
D102	Shoulder slope :: from HPS	1/8	1/8	NA	2 3/8	2 7/16	2 1/2	2 1/2	2 1/2	2 9/16	2 5/8	2 11/16		
D103	Shoulder displacement to front	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4		
D101	Shoulder width :measured on CB body	3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4		
B301	Across: Chest : at mid. armhole	1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2		
B201	Across Back : at mid. armhole	1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4		
B101	Chest width :1" below armhole	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2		
C102	Bottom width : 1" above band seam	1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2		
C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24		
E101	Armhole Straight :: measured straight	1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8		
G101	Bicep width:1" below armhole	1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16		
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4		
G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16		
G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16		
701	Sleeve Cuff Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4		
A703	Body Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4		
2403	CF Self Insert Width (each side)	1/8	1/8	0	3	3	3	3	3	3	3	3		
N101	Kanga pocket height at center	1/4	1/4	NA	8 3/4	9	9	9 1/4	9 1/4	9 3/4	9 3/4	9 3/4		
N102	Kanga pocket width at top edge	1/4	1/4	NA	9 1/2	9 3/4	9 3/4	10	10	10 1/2	10 1/2	10 1/2		
N103	Kanga pocket width at widest point	1/4	1/4	NA	13 1/2	13 3/4	13 3/4	14	14	14 1/2	14 1/2	14 1/2		
N104	Kanga pocket width at band seam	1/4	1/4	NA	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 1/2		
N201	Pocket opening hem height	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4		

Measurement - Track JKT - 2023 Relaxed fit

Comments

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) - neck and collar reference; M-0124-KT-4156 Fleece Varsity JKT

Version 1

All Measurements are in Inches

Fit Approval-1 -proto [Sample 1 (M)]									
	Article Code	M-0324-KT-4939			Product Group	TOP			
	Article Name	WAFFLE LINED TRACK JACKET			Product Sub-Category	SWEAT TOPS			
///	Created On	12/03/23 5:09:54 PM	Material	FLEECE AS PER SAMPLE (FB-K949)	Season	2024 Fall			
104 <u>2</u>	Last Modified	02/21/24 5:01:00 PM	Description		Life Cycle Stage	Sample Evaluation			

POM	Description	+ Tol	- Tol	М	Sample	Diff	Revised
A201	Front body length from HPS : Top	1/2	1/2	27 1/2	27 3/4	1/4	
H101	Neck width :: SEAM TO SEAM	1/4	1/4	6 3/4	7 1/2	3/4	
H201	Front neck drop from HPS : Crew	1/8	1/8	4 1/2	4 3/4	1/4	4 1/4
H301	Back neck drop from HPS Crew	1/8	1/8	3/4	7/8	1/8	
H604	Collar height at CB	1/8	1/8	2	1 7/8	-1/8	
D102	Shoulder slope :: from HPS	1/8	1/8	2 1/2	2 5/8	1/8	
D103	Shoulder displacement to front	1/8	1/8	3/4	3/4	0	
D101	Shoulder width :measured on CB body	3/8	3/8	21	21 3/4	3/4	
B301	Across: Chest : at mid. armhole	1/4	1/4	18 3/4	19 1/4	1/2	
B201	Across Back : at mid. armhole	1/4	1/4	19	19	0	
B101	Chest width :1" below armhole	1/2	1/2	23	22 3/4	-1/4	
C102	Bottom width: 1" above band seam	1/2	1/2	21	21	0	
C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	18 1/2	18 1/2	0	
E101	Armhole Straight :: measured straight	1/4	1/4	11	11	0	
G101	Bicep width:1" below armhole	1/4	1/4	10	9 3/4	-1/4	
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	35 1/2	36 3/4	1 1/4	
G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	3 3/4	3 1/2	-1/4	
G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	6	6	0	
F701	Sleeve Cuff Band Height	1/8	1/8	2 3/4	3	1/4	
A703	Body Band Height	1/8	1/8	2 3/4	3	1/4	
Q403	CF Self Insert Width (each side)*	1/8	1/8	3	1 3/4	-1 1/4	
N101	Kanga pocket height at center	1/4	1/4	9 1/4	9 1/4	0	
N102	Kanga pocket width at top edge	1/4	1/4	10	10 1/8	1/8	
N103	Kanga pocket width at widest point	1/4	1/4	14	14 1/4	1/4	
N104	Kanga pocket width at band seam	1/4	1/4	11	11	0	
N201	Pocket opening hem height	1/8	1/8	3/4	3/4	0	

#### **Renamed Points of Measurement**

\*Q403 - CF Self Insert Width Revised to Q403 - CF Self Insert Width (each side)

#### COMMENT

### SALESMAN SAMPLE IS USED AS PROTO SAMPLE

## **STYLING COMMENTS:**

1. Kanga pocket to be waffle lined.

# FITTING COMMENTS:

- 1. Please adjust neck width as per spec.
- 2. Raise front neck drop as per spec.
- 3. Correct shoulder width, across chest and sleeve legth to meet specs.
- 4. Adjust cuff and bottom band height as per specs.
- 5. CF band self insert width should be 3" each side total should be 6".
- 6. Reshape kanga pocket opening straighten. See photo.

			Fit App	roval-1 -proto [Sample 1 (M)]			Version 1
( <u>a</u> )	Article Code	M-0324-KT-4939			Product Group	TOP	
164	Article Name	WAFFLE LINED TRACK JACKET			Product Sub-Category	SWEAT TOPS	
///	Created On	12/03/23 5:09:54 PM	Material	FLEECE AS PER SAMPLE (FB-K949)	Season	2024 Fall	
15 J	Last Modified	02/21/24 5:01:00 PM	Description		Life Cycle Stage	Sample Evaluation	

7. Bring all other measurements back to meet specs.

# **WORKMANSHIP COMMENTS:**


- 1. Overall stitch tension is too tight. Please ensure to adjust proper tension for the fabrication.
- 2. Current sample topstitch per inch is 12-13. Please reduce to 9-10.
- 3. Please ensure kanga pocket top and bottom edges are aligned after zipper application.

### IMPROVE ABOVE AND RESUBMIT A 2ND FIT SAMPLE FOR APPROVAL

Sample Size: M
Status: Rejected

Rejected By: SandyHuang (October's Very Own Merchandising)

**Rejected On:** 02/21/24 5:00:54 PM











			Fit Approval-1 -proto - Corrections 1			Version 1
Article Code	M-0324-KT-4939			Product Group	ТОР	
Article Name	WAFFLE LINED TRACK JACKET			Product Sub-Category	SWEAT TOPS	
Created On	12/03/23 5:09:54 PM	Material	FLEECE AS PER SAMPLE (FB-K949)	Season	2024 Fall	
Last Modified	02/21/24 5:01:00 PM	Description		Life Cycle Stage	Sample Evaluation	
						i I



