




	Article Summary				Version 1		
	Article Code	C-0424-KT-5541			Product Group	TOP	
	Article Name	OVO X SIMPSONS AOP HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	05/09/24 8:57:55 PM			Season	2024 Winter	
	Last Modified	05/14/24 2:20:34 PM			Life Cycle Stage	DeveTvelopment	
Gender Classification		Collaboration	Sub Class D	PULL OVER HOODIE	Fabrication	KNIT TOP	
Supplier			Release Date		Ex-Factory	06 Sep 2024	
							COLORS
SIZES							
000, 001, 002, 003, 004, 005, 006, 007							

Bill of Material										Version 1	
	Article Code	C-0424-KT-5541	Material Description	FLEECE 100%COTTON 410GSM (FB-K1003)	Product Group		TOP				
	Article Name	OVO X SIMPSONS AOP HOODIE			Product Sub-Category		SWEAT TOPS				
	Created On	05/09/24 8:57:55 PM			Season		2024 Winter				
	Last Modified	05/14/24 2:20:34 PM			Life Cycle Stage		Development				
"Part"		Material			Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.
Fabric											
	FLEECE 100%COTTON 410GSM (FB-K1003)			BODY/SLEEVES/HOOD/ SELF LINED HOOD/ HALF MOON/ POCKET BAG PALM SIDE		0	Meter	AOP			VTK5946-1B
	1x1 RIB COTTON/ LYCRA (FB-K151) WEIGHT TBD			BODY BAND/ CUFFS		0	Yards	AOP			
	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s			BACK NECK TAPE, POCKET BAGS- KNUCKLE SIDE		0	Meter	AOP			
Trims											
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.					1.00	Each		Vendor Sourced		
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.					1.00	Each		Vendor Sourced		
SEE PLACEMENT FOR DETAILS	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB			single stitch -should be easily removed		1.00	Each		Reca Mainetti Asia Ltd.		
DRAWCORD	DRAWCORD CTN 3/8" FLAT, FOLDBACK BARTACKED ENDS (DR128)			AT HOOD		1.00	Each	COLOUR TBD	Vendor Sourced		
HOOD	BUTTON HOLE HIGH STITCH COUNT (BB105)					2.00	Each	DTM BODY	Vendor Sourced		
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT					1.00	Each		Vendor Sourced		
	SIMPSONS HANG TAG (TR-HG138) OVOW23_102_T					1.00	Each				OVOW23_102_T
	SIMPSONS MAIN LABEL (TR-LT239) OVOW23_104_T					1.00	Each				OVOW23_104_T
	SIMPSONS SIZE TAB (TR-LT240) OVOW23_106_T					1.00	Each				
	OVO X SIMPSONS LEGAL LINE LABEL (TR-LT244)					1.00	Each				OVOW23_144_T

Bill of Material										Version 1
	Article Code	C-0424-KT-5541		FLEECE 100%COTTON 410GSM (FB-K1003)	Product Group		TOP			
	Article Name	OVO X SIMPSONS AOP HOODIE			Product Sub-Category		SWEAT TOPS			
	Created On	05/09/24 8:57:55 PM	Material Description		Season		2024 Winter			
	Last Modified	05/14/24 2:20:34 PM			Life Cycle Stage		Development			
"Part"	Material			Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.
	UPC STICKER (TR-ST111) 1.8" x 1.8" PLS ADVISE IF YOU HAVE THE CAPABILITY OF PRINTING UPC STICKERS					2.00	Each	ALL VENDORS MUST USE A THERMAL PRINTER. DO NOT USE INK JET PRINTER		
Graphics										
	TBD - SEE ARTWORK FILE (HT-102)					0	Each			

Material Image Sheet				Version 1							
	Article Code	C-0424-KT-5541	Material Description	Product Group	TOP						
	Article Name	OVO X SIMPSONS AOP HOODIE		Product Sub-Category	SWEAT TOPS						
	Created On	05/09/24 8:57:55 PM		Season	2024 Winter						
	Last Modified	05/14/24 2:20:34 PM		Life Cycle Stage	DeveLopment						
											
FB-K508 UA - 100% COTTON JERSEY, 190GSM		PK101 POLY BAG - GENERIC		LT110 CC LABEL - APPAREL		LT138 TEAR-AWAY COO TAB: OVOF21_217_T		TR-TV140 5mm GROSGRAIN RIBBON LOOP		TR-HG138 SIMPSONS HANG TAG	
											
TR-LT239 SIMPSONS MAIN LABEL		TR-LT240 SIMPSONS SIZE TAB		TR-LT244 OVO X SIMPSONS LEGAL LINE LABEL		TR-ST111 UPC STICKER					

Construction details - OG Hoodie - RF w/cord							Version 1
	Article Code	C-0424-KT-5541	Material Description	FLEECE 100%COTTON 410GSM (FB-K1003)	Product Group	TOP	
	Article Name	OVO X SIMPSONS AOP HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	05/09/24 8:57:55 PM			Season	2024 Winter	
	Last Modified	05/14/24 2:20:34 PM			Life Cycle Stage	Development	



Comments

- HOOD**
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. CF of hood overlapping at the neck 3/4", left over right.
SN topstitch at front edge to make channel for drawcord.
Gromment or button hole exits for drawcord at exterior of hood CF casing.
Drawcord ends: knotted. Cord tacked at the inside top of the hood so cord cannot be pulled out.
Self and lining chain tacked at the top of the head at CB dart seams.
- HALF MOON BACK NECK FACING**
Self half moon facing, edge is folded in, clean finished with S/N edge T/S.
- NECK SEAM**
Hood join to body with #512 mock safety stitch.
Inside back neck cleanfinished with self taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck.
- SHOULDER SEAM**
Set forward on body. Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- ARMHOLE SEAM**
Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- SLEEVE INSEAM**
Join with #512 mock safety stitch.
- SIDE SEAM**
Set forward on body. Join with #512 mock safety stitch. SN edge topstitch on side panel, holding seam allowance.
- ON-SEAM POCKET**
Self fold back facing from front panel. Join to pocket bags with #512 mock safety stitch. SN topstitch at opening, 1/4" in.
Bartacks at top and bottom of opening.
Top pocket bag in jersey, bottom pocket bag in self. Bottom of bag finished into the bottom band seam.
- CUFF AND BOTTOM OPENING**
Folded rib band. Join to sleeve or bottom openings with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.

Measurement Sheet- OG Hoodie - RF												All Measurements are in Inches						Version 1	
	Article Code	C-0424-KT-5541											Product Group		TOP				
	Article Name	OVO X SIMPSONS AOP HOODIE											Product Sub-		SWEAT TOPS				
	Created On	05/09/24 8:57:55 PM											Season		2024 Winter				
	Last Modified	05/14/24 2:20:34 PM											Life Cycle Stage		Development				
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL							
! A201	Front body length from HPS : Top	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31							
! H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2							
! H201	Front neck drop from HPS : Crew	1/8	1/8	NA	3 1/8	3 1/8	3 3/16	3 1/4	3 5/16	3 7/16	3 9/16	3 11/16							
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16							
! D102	Shoulder slope :: from HPS	1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16							
D103	Shoulder displacement to front	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4							
! D101	Shoulder width :measured on CB body	3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4							
! B301	Across: Chest : at mid. armhole	1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2							
! B201	Across Back : at mid. armhole	1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4							
! B101	Chest width :1" below armhole	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2							
! C102	Bottom width : 1" above band seam	1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2							
! C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24							
! E101	Armhole Straight :: measured straight	1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8							
! G101	Bicep width:1" below armhole	1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16							
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4							
! G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16							
! G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16							
F701	Sleeve Cuff Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4							
A703	Body Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4							
H708	Hood casing width :: at CF	1/8	1/8	NA	1	1	1	1	1	1	1	1							
! H703	Hood width :: at 5" Below Top Edge	1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12							
! H701	Hood height at CF	1/4	1/4	NA	14 3/4	15	15	15 1/2	15 1/2	16	16	16							
H702	Hood height at HPS	1/4	1/4	NA	13 1/4	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2							
! H709	drawcord length : Hood	1/2	1/2	NA	41	41	41	42	42	43	43	43							
H710	Hood drawcord exit pos. fr neck	1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4							
B401	Side seam forward position from fold	1/8	1/8	NA	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2 1/8	2 3/8	2 1/2							
! N201	On seam pocket opening length	1/4	1/4	NA	5 3/4	6	6	6 1/4	6 1/4	6 1/2	6 1/2	6 3/4							
N202	On seam opening topstitch width	1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4							
N206	On seam pocket position up from band seam	1/4	1/4	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 7/8	3 1/8	3 1/4							
N212	On seam pocket bag width at bottom	1/4	1/4	NA	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4	9	9 1/4							
H606	Neck binding width	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8							
B505	Half moon facing width	1/8	1/8	NA	6	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4							
B506	Half moon facing height: from CB neck	1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16							
! H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24							
Comments																			

Measurement Sheet- OG Hoodie - RF					All Measurements are in Inches		Version 1
	Article Code	C-0424-KT-5541			Product Group	TOP	
	Article Name	OVO X SIMPSONS AOP HOODIE			Product Sub-	SWEAT TOPS	
	Created On	05/09/24 8:57:55 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2024 Winter	
	Last Modified	05/14/24 2:20:34 PM	Description		Life Cycle Stage	Development	
REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) + OG pkts *added DC 2024 onwards: 1. add a half moon facing at back neck for the new main label							

CM Measurement Sheet- OG Hoodie - RF												All Measurements are in CMs							Version 1	
	Article Code	C-0424-KT-5541						FLEECE 100%COTTON 410GSM (FB-K1003)	Product Group		TOP									
	Article Name	OVO X SIMPSONS AOP HOODIE							Product Sub-		SWEAT TOPS									
	Created On	05/09/24 8:57:55 PM							Season		2024 Winter									
	Last Modified	05/14/24 2:20:34 PM							Life Cycle Stage		Development									
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL								
! A201	Front body length from HPS : Top	1.27	1.27	0	66.04	67.31	68.58	69.85	71.12	73.66	76.20	78.74								
! H101	Neck width :: SEAM TO SEAM	0.635	0.635	0	22.86	22.86	23.495	24.13	24.765	25.40	26.035	26.67								
! H201	Front neck drop from HPS : Crew	0.3175	0.3175	0	7.9375	7.9375	8.0962	8.255	8.4138	8.7313	9.0487	9.3663								
H301	Back neck drop from HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513								
! D102	Shoulder slope :: from HPS	0.3175	0.3175	0	4.7625	4.9212	5.08	5.08	5.2388	5.3975	5.5563									
D103	Shoulder displacement to front	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905								
! D101	Shoulder width :measured on CB body	0.9525	0.9525	0	47.625	49.53	51.435	53.34	55.245	57.785	60.325	62.865								
! B301	Across: Chest : at mid. armhole	0.635	0.635	0	41.910	43.815	45.720	47.625	49.530	52.070	54.610	57.150								
! B201	Across Back : at mid. armhole	0.635	0.635	0	42.545	44.45	46.355	48.26	50.165	52.705	55.245	57.785								
! B101	Chest width :1" below armhole	1.27	1.27	0	50.80	53.34	55.88	58.42	60.96	64.77	68.58	72.39								
! C102	Bottom width : 1" above band seam	1.27	1.27	0	45.72	48.26	50.80	53.34	55.88	59.69	63.50	67.31								
! C101	Bottom width at band:inside fold edges of band/hem	1.27	1.27	0	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96								
! E101	Armhole Straight :: measured straight	0.635	0.635	0	25.0825	26.035	26.9875	27.94	28.8925	30.1625	31.4325	32.7025								
! G101	Bicep width:1" below armhole	0.635	0.635	0	23.495	24.13	24.765	25.4	26.035	26.8287	27.6225	28.4163								
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1.27	1.27	0	84.455	86.36	88.265	90.17	92.075	94.615	97.155	99.695								
! G104	L/Sleeve opening: inside fold edges of cuff/hem	0.3175	0.3175	0	8.0963	8.5725	9.0487	9.525	10.0013	10.6363	11.2713	11.9063								
! G103	L/Sleeve :: 1" above cuff seam	0.3175	0.3175	0	13.8113	14.2875	14.7637	15.24	15.7163	16.3513	16.9863	17.6213								
F701	Sleeve Cuff Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985								
A703	Body Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985								
H708	Hood casing width :: at CF	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54								
! H703	Hood width :: at 5" Below Top Edge	0.635	0.635	0	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48								
! H701	Hood height at CF	0.635	0.635	0	37.465	38.10	38.10	39.37	39.37	40.64	40.64	40.64								
H702	Hood height at HPS	0.635	0.635	0	33.655	34.29	34.29	35.56	35.56	36.83	36.83	36.83								
! H709	drawcord length : Hood	1.27	1.27	0	104.14	104.14	104.14	106.68	106.68	109.22	109.22	109.22								
H710	Hood drawcord exit pos. fr neck	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175								
B401	Side seam forward position from fold	0.3175	0.3175	0	3.4925	3.810	4.1275	4.445	4.7625	5.3975	6.0325	6.350								
! N201	On seam pocket opening length	0.635	0.635	0	14.605	15.240	15.240	15.875	15.875	16.510	16.510	17.145								
N202	On seam opening topstitch width	0.3175	0.3175	0	0.635	0.635	0.635	0.635	0.635	0.635	0.635	0.635								
N206	On seam pocket position up from band seam	0.635	0.635	0	5.3975	5.715	6.0325	6.35	6.6675	7.3025	7.9375	8.255								
N212	On seam pocket bag width at bottom	0.635	0.635	0	19.050	19.685	20.320	20.955	21.590	22.225	22.860	23.495								
H606	Neck binding width	0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525								
B505	Half moon facing width	0.3175	0.3175	0	15.240	15.240	15.5575	15.875	16.1925	16.510	16.8275	17.145								
B506	Half moon facing height: from CB neck	0.3175	0.3175	0	8.5725	8.5725	8.7312	8.89	9.0488	9.3663	9.6837	10.0013								
! H404	Minimum Neck Stretch	1.27	0	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96								
Comments																				

CM Measurement Sheet- OG Hoodie - RF					All Measurements are in CMs		Version 1
	Article Code	C-0424-KT-5541			Product Group	TOP	
	Article Name	OVO X SIMPSONS AOP HOODIE			Product Sub-	SWEAT TOPS	
	Created On	05/09/24 8:57:55 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2024 Winter	
	Last Modified	05/14/24 2:20:34 PM	Description		Life Cycle Stage	development	
REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) + OG pkts *added DC 2024 onwards: 1. add a half moon facing at back neck for the new main label							