



	Article Summary				Version 1		
	Article Code	C-0424-KT-5542			Product Group	TOP	
	Article Name	OVO X SIMPSONS AOP TSHIRT			Product Sub-Category	T-SHIRT	
	Created On	05/09/24 9:00:18 PM			Season	2024 Winter	
	Last Modified	05/14/24 2:41:27 PM			Life Cycle Stage	DeveLopment	
Gender Classification		Collaboration	Sub Class D	SS T-SHIRT	Fabrication	KNIT TOP	
Supplier			Release Date		Ex-Factory		
						COLORS	
SIZES							
000, 001, 002, 003, 004, 005, 006, 007							

Bill of Material										Version 1	
	Article Code	C-0424-KT-5542	Material Description	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s		Product Group		TOP			
	Article Name	OVO X SIMPSONS AOP TSHIRT				Product Sub-Category		T-SHIRT			
	Created On	05/09/24 9:00:18 PM				Season		2024 Winter			
	Last Modified	05/14/24 2:41:27 PM				Life Cycle Stage		DeveLopment			
"Part"		Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	
Fabric											
	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s			BODY/SLV/BNT		0	Meter	AOP			
	1x1 RIB COTTON/ LYCRA (FB-K151) WEIGHT TBD			NECK		0	Yards	AOP			
Trims											
CENTRE BACK	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB			SINGLE STITCH- NEEDS TO TEAR OFF EASILY		1.00	Each		Reca Mainetti Asia Ltd.		
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.					1.00	Each		Vendor Sourced		
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.					1.00	Each		Vendor Sourced		
	UPC STICKER (TR-ST111) 1.8" x 1.8" PLS ADVISE IF YOU HAVE THE CAPABILITY OF PRINTING UPC STICKERS					2.00	Each				
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT					1.00	Each	DTM BODY	Vendor Sourced		
	SIMPSONS HANG TAG (TR-HG138) OVOW23_102_T					0	Each	TBD		OVOW23_102_T	
	OVO X SIMPSONS TSHIRT MAIN LABEL (TR-LT238) OVOW23_103_T					0	Each	TBD			
	OVO X SIMPSONS LEGAL LINE LABEL (TR-LT244)					0	Each	TBD		OVOW23_144_T	
Graphics											
	TBD - SEE ARTWORK FILE (HT-102)					0	Each				

Material Image Sheet							Version 1
	Article Code	C-0424-KT-5542			Product Group	TOP	
	Article Name	OVO X SIMPSONS AOP TSHIRT			Product Sub-Category	T-SHIRT	
	Created On	05/09/24 9:00:18 PM			Season	2024 Winter	
	Last Modified	05/14/24 2:41:27 PM			Life Cycle Stage	DeveLopment	
			Material Description	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s			
							
FB-K508 UA - 100% COTTON JERSEY, 190GSM	LT138 TEAR-AWAY COO TAB: OVOF21_217_T		LT110 CC LABEL - APPAREL	PK101 POLY BAG - GENERIC	TR-ST111 UPC STICKER	TR-TV140 5mm GROSGRAIN RIBBON LOOP	
							
TR-HG138 SIMPSONS HANG TAG	TR-LT238 OVO X SIMPSONS TSHIRT MAIN LABEL		TR-LT244 OVO X SIMPSONS LEGAL LINE LABEL				

Construction Details - Crewneck					Version 1	
	Article Code	C-0424-KT-5542			Product Group	TOP
	Article Name	OVO X SIMPSONS AOP TSHIRT			Product Sub-Category	T-SHIRT
	Created On	05/09/24 9:00:18 PM			Season	2024 Winter
	Last Modified	05/14/24 2:41:27 PM			Life Cycle Stage	DeveTlopment
			Material Description	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s		



Comments

- 1 NECKBAND:
RIB COLLAR, DOUBLE FOLD, MOCK SAFETY SERGE, 512 TO NECK SEAM, S/N EDGE T/S TO FRONT NECK SEAM
- 2 NECK/SHOULDER TAPE:
JERSEY BINDING ALONG BACK NECK FROM SHOULDER TO SHOULDER, 2 NDL CHAINSTITCH (LOOPER SIDE EXPOSED ON EXERIOR)
- 3 SHOULDER SEAM
MOCK SAFETY SERGED, 512
- 4 ARMHOLE SEAM
MOCK SAFETY SERGED, 512
- 5 SLEEVE HEM:
SELF TURNED WITH 2 NDL COVERSTITCH, 1/4" GAUGE
- 6 SLEEVE/ SIDE SEAM
MOCK SAFETY SERGED, 512
- 7 BODY HEM:
SELF TURNED WITH 2 NDL COVERSTITCH, 1/4" GAUGE

Measurement Sheet - SS Relax Fit - OVO Fit

All Measurements are in Inches

Version 1



Article Code C-0424-KT-5542

Article Name OVO X SIMPSONS AOP TSHIRT

Created On 05/09/24 9:00:18 PM

Last Modified 05/14/24 2:41:27 PM

Material
Description

UA - 100% COTTON JERSEY, 190GSM (FB-K508)
REF# BDSS22P0921018T00D
SINGLE JERSEY 20s

Product Group

TOP

Product Sub-

T-SHIRT

Season

2024 Winter

Life Cycle Stage

Development



POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL						
A101	Back body length from HPS : Top	1/2	1/2	NA	27 1/2	28	28 1/2	29	29 1/2	30 1/2	31 1/2	32 1/2						
H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	6 1/2	6 1/2	6 3/4	7	7 1/4	7 1/2	7 3/4	8						
H201	Front neck drop from HPS : Crew	1/8	1/8	NA	4 1/8	4 1/8	4 3/16	4 1/4	4 5/16	4 7/16	4 9/16	4 11/16						
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16						
H605	Neckband width	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4						
D102	Shoulder slope :: from HPS	1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16						
D103	Shoulder displacement to front	1/8	1/8	NA	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2						
D101	Shoulder width :measured on CB body	3/8	3/8	NA	17	17 3/4	18 1/2	19 1/4	20	21	22	23						
B301	Across: Chest : at mid. armhole	1/4	1/4	NA	15 1/4	16	16 3/4	17 1/2	18 1/4	19 1/4	20 1/4	21 1/4						
B201	Across Back : at mid. armhole	1/4	1/4	NA	15 3/4	16 1/2	17 1/4	18	18 3/4	19 3/4	20 3/4	21 3/4						
B101	Chest width :1" below armhole	1/2	1/2	NA	19 1/2	20 1/2	21 1/2	22 1/2	23 1/2	25	26 1/2	28						
C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	18 3/4	19 3/4	20 3/4	21 3/4	22 3/4	24 1/4	25 3/4	27 1/4						
E101	Armhole Straight :: measured straight	1/4	1/4	NA	8 1/2	8 7/8	9 1/4	9 5/8	10	10 1/2	11	11 1/2						
F303	S:Sleeve overarm fr. CB neck :: 3 x point measure	1/4	1/4	NA	17	17 1/2	18	18 1/2	19	19 3/4	20 1/2	21 1/4						
G301	S/Sleeve opening:inside fold edges of cuff or hem	1/8	1/8	NA	6 7/8	7 1/8	7 3/8	7 5/8	7 7/8	8 3/16	8 1/2	8 13/16						
H606	Neck binding width	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8						
A701	Body hem depth	1/8	1/8	NA	1	1	1	1	1	1	1	1						
F702	Sleeve Hem Height	1/8	1/8	NA	1	1	1	1	1	1	1	1						
H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24						

Comments

REFERENCE: Q1 2021 UPDATED GRAPHIC TEE L=M
- body length shorten to 29" 10/18/21
- increase neck width, front & back neck drops 11/17/21

CM Measurement Sheet - SS Relax Fit - OVO Fit

All Measurements are in CMs

Version 1



Article Code C-0424-KT-5542

Article Name OVO X SIMPSONS AOP TSHIRT

Created On 05/09/24 9:00:18 PM

Last Modified 05/14/24 2:41:27 PM

Material
Description

UA - 100% COTTON JERSEY, 190GSM (FB-K508)
REF# BDSS22P0921018T00D
SINGLE JERSEY 20s

Product Group

TOP

Product Sub-

T-SHIRT

Season

2024 Winter

Life Cycle Stage

Development



POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL						
A101	Back body length from HPS : Top	1.27	1.27	0	69.85	71.12	72.39	73.66	74.93	77.47	80.01	82.55						
H101	Neck width :: SEAM TO SEAM	0.635	0.635	0	16.51	16.51	17.145	17.78	18.415	19.05	19.685	20.32						
H201	Front neck drop from HPS : Crew	0.3175	0.3175	0	10.4775	10.4775	10.6362	10.795	10.9538	11.2713	11.5887	11.9063						
H301	Back neck drop from HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513						
H605	Neckband width	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905						
D102	Shoulder slope :: from HPS	0.3175	0.3175	0	4.7625	4.9212	5.08	5.08	5.08	5.2388	5.3975	5.5563						
D103	Shoulder displacement to front	0.3175	0.3175	0	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27						
D101	Shoulder width :measured on CB body	0.9525	0.9525	0	43.180	45.085	46.990	48.895	50.800	53.340	55.880	58.420						
B301	Across: Chest : at mid. armhole	0.635	0.635	0	38.735	40.64	42.545	44.45	46.355	48.895	51.435	53.975						
B201	Across Back : at mid. armhole	0.635	0.635	0	40.005	41.91	43.815	45.72	47.625	50.165	52.705	55.245						
B101	Chest width :1" below armhole	1.27	1.27	0	49.53	52.07	54.61	57.15	59.69	63.50	67.31	71.12						
C101	Bottom width at band:inside fold edges of band/hem	1.27	1.27	0	47.625	50.165	52.705	55.245	57.785	61.595	65.405	69.215						
E101	Armhole Straight :: measured straight	0.635	0.635	0	21.5900	22.5425	23.4950	24.4475	25.4000	26.6700	27.9400	29.2100						
F303	S:Sleeve overarm fr. CB neck :: 3 x point measure	0.635	0.635	0	43.18	44.45	45.72	46.99	48.26	50.165	52.07	53.975						
G301	S/Sleeve opening:inside fold edges of cuff or hem	0.3175	0.3175	0	17.4625	18.0975	18.7325	19.3675	20.0025	20.7962	21.5900	22.3838						
H606	Neck binding width	0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525						
A701	Body hem depth	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54						
F702	Sleeve Hem Height	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54						
H404	Minimum Neck Stretch	1.27	0	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96						

Comments

REFERENCE: Q1 2021 UPDATED GRAPHIC TEE L=M
- body length shorten to 29" 10/18/21
- increase neck width, front & back neck drops 11/17/21