

BILL OF MATERIALS

Developer : JCHU62	Style Name : EAFC LS POLO 2	Season : HO24
Engineer :	MSC (1GEL) : MENS SPORTSWEAR GEO EXPRESS LAN	Style # : IB7573
P. Dev Reg : USA	MSC Level 1 : MENS	Exp. # : 1263634
Design Reg : USA	MSC Level 2 : SPORTSWEAR	Factory/L.O : UAC / 00
Fin. Good : Y	MSC Level 3 : GEO EXPRESS LANE	Status : P

					Prmry: 1100 Scndy: Trtry: Logo: GCW#: Addendum:			
					Prod ID: 5048186 Prod Ofrg ID: 9706791 Plug CW Cd: PMX			
#	IS	N	VENDOR/DESCRIPTION	USE	QTY	UOM	900	
1	A		FAR EASTERN - TW *** A0670850 PM#564243 ""[MELBOURNE] REFERENCE SOURCE OPTION"" SINGLE KNIT__ PLAIN JERSEY__ 100.0% COTTON (10.0% ORGANIC)__ FACE + BACK: SPUN 100.0% COTTON (10.0% ORGANIC) 20/1 X2 COTTON COUNT, RING SPUN, COMBED__ REACTIVE DYED PIECE DYED__ TECHNICAL FACE=FACE__ 14GG__ W:157.000000000000 CENTIMETER__ MINIMUM CUTTABLE__ WT:300G/M2__ GO GDC UNDER FET8 FOR FEC8/IM#604203 SINCE FA18:MCO-CHINASAME AS NIG IM#564245__	MAIN BODY + PIPING	*	LINEAR METER		
2	A		FAR EASTERN - TW *** A0660472 PM#464676__ 1X1 DOUBLE KNIT__ RIB__ 100.0% COTTON (10.0% ORGANIC)__ FACE: SPUN 100.0% COTTON (10.0% ORGANIC) 24/1 COTTON COUNT, RING SPUN, COMBED__ REACTIVE DYED PIECE DYED__ TECHNICAL FACE=FACE__ 18GG__ W:137.000000000000 CENTIMETER__ MINIMUM CUTTABLE__ WT:250G/M2__ GO GDC UNDER FET8 FOR FEC8/IM#597905 SINCE FA18:MCO-CHINASAME AS NIG8 IM#474563__	RIB	*	LINEAR METER		
3	A		CONT - CONTRACTOR (APAC) *** A0001323 PM#001323 ""SEWING""__ THREAD__ SPUN POLYESTER OR POLYESTER CORE/COTTON WRAP; 27-40 TEX; DO NOT USE MONOFILAMENT THREAD__	THREAD	*			

N - Nike provided
* - Primary salesman sample
+ - Secondary salesman sample
\$ -SMU only
-Promo only
@ -Carryover colorway

BILL OF MATERIALS

Developer : JCHU62	Style Name : EAFC LS POLO 2	Season : HO24
Engineer :	MSC (1GEL) : MENS SPORTSWEAR GEO EXPRESS LAN	Style # : IB7573
P. Dev Reg : USA	MSC Level 1 : MENS	Exp. # : 1263634
Design Reg : USA	MSC Level 2 : SPORTSWEAR	Factory/L.O : UAC / 00
Fin. Good : Y	MSC Level 3 : GEO EXPRESS LANE	Status : P

					Prmry: 1100 Scndy: Trtry: Logo: GCW#: Addendum:			
					Prod ID: 5048186 Prod Ofrg ID: 9706791 Plug CW Cd: PMX			
#	IS	N	VENDOR/DESCRIPTION	USE	QTY	UOM	900	
4	A		CONT - CONTRACTOR (APAC) *** A0002000 STATEMENT; COMMENTS	MAIN LABEL	*	EACH		
5	A		CONT - CONTRACTOR (APAC) *** A1004858 CARE INSTRUCTIONS; BASE SM: 0; APPROVED; OTHER; MACHINE WASH COLD (30C); GENTLE CYCLE, WASH IN NET, WASH WITH LIKE COLORS, DO NOT USE SOFTENERS, DO NOT WRING, REMOVE IMMEDIATELY, DO NOT ALLOW TO LAY ON ITSELF WHEN WET; DO NOT BLEACH; LAY FLAT TO DRY; DO NOT TUMBLE DRY; DO NOT IRON; DO NOT DRY CLEAN; PROFESSIONAL WET CLEAN, GENTLE ACTION	CARE LABEL	*	EACH		
6	A		CONT - CONTRACTOR (APAC) *** A0025679 CONTENT INFORMATION; BASE SM: 0; APPROVED; OTHER; PRIMARY SM: YES; BODY: 100% COTTON; OVERLAY: 100% POLYESTER; EXCLUSIVE OF DECORATION	CONTENT LABEL	*	EACH		

N - Nike provided
* - Primary salesman sample
+ - Secondary salesman sample
\$ -SMU only
-Promo only
@ -Carryover colorway

BILL OF MATERIALS

Developer : JCHU62	Style Name : EAFC LS POLO 2	Season : HO24
Engineer :	MSC (1GEL) : MENS SPORTSWEAR GEO EXPRESS LAN	Style # : IB7573
P. Dev Reg : USA	MSC Level 1 : MENS	Exp. # : 1263634
Design Reg : USA	MSC Level 2 : SPORTSWEAR	Factory/L.O : UAC / 00
Fin. Good : Y	MSC Level 3 : GEO EXPRESS LANE	Status : P

						Prmry: Scndy: Trtry: Logo: GCW#: Addendum: Prod ID: Prod Ofrg ID: Plug CW Cd:	1100 5048186 9706791 PMX			
#	IS	N	VENDOR/DESCRIPTION	USE	QTY	UOM	900			
7	A		NIKE-APPROVED VENDOR JCM8 - MAXIM SMART MATUFACTURI - T *** A368545 PM#368544 ""NIKE I.D. LABEL WITH UPC CODE"" CORPORATE LABEL 100.0% POLYESTER 3/8"" (1.0CM) TOP SEW SPACE SEW-ON 1-COLOR PRINTED WITHOUT COUNTRY OF ORIGIN WITHOUT REGISTRATION MARK H:25.5MM W:17.5MM COATED POLYESTER TAPE. INCLUDES SEASON/YEAR/FACTORY CODES, SIZE, STYLE/CWY NUMBER, UPC NUMBER. REQUIRED FOR ALL STYLES EXCEPT WHERE NOTED IN GARMENT LABELING PROCEDURES. THE ADD'L CODE SS IS TO BE ADDED AFTER SIZE FOR SALES SAMPLE GARMENTS.	CORPORATE ID LABEL SEE PRODUCT ID GUIDE	*	EACH				
8	A		CONT - CONTRACTOR (APAC) *** A0002000 STATEMENT; COMMENTS	HANGTAG SEE PI GUIDELINES FOR PLACEMENT	*	EACH				
9	A		AVERY DENNISON HK BV LO-V - TW *** A0606804 YARN-MIX; BASE SM: 0; APPROVED; HEADWEAR USE ONLY; VENDOR #: 9SU001-NV-BK000; PRIMARY SM: YES; 100% NYLON; SIZE: 1; DECITEX; FILAMENT COUNT: 1; PLY COUNT: 0; OTHER; SEMI COMBED; UNDYED	HANGTAG STRING	*	EACH				

N - Nike provided
* - Primary salesman sample
+ - Secondary salesman sample
\$ -SMU only
-Promo only
@ -Carryover colorway

BILL OF MATERIALS

Developer : JCHU62	Style Name : EAFC LS POLO 2	Season : HO24
Engineer :	MSC (1GEL) : MENS SPORTSWEAR GEO EXPRESS LAN	Style # : IB7573
P. Dev Reg : USA	MSC Level 1 : MENS	Exp. # : 1263634
Design Reg : USA	MSC Level 2 : SPORTSWEAR	Factory/L.O : UAC / 00
Fin. Good : Y	MSC Level 3 : GEO EXPRESS LANE	Status : P

						Prmry: Scndy: Trtry: Logo: GCW#: Addendum:	1100			
						Prod ID: Prod Ofrg ID: Plug CW Cd:	5048186 9706791 PMX			
#	IS	N	VENDOR/DESCRIPTION	USE	QTY	UOM	900			
10	A		NIKE-APPROVED VENDOR JCM8 - MAXIM SMART MATUFACTURI - TV *** A681308 USA MSRP UPC LABEL COMBO (SET OF 2 STICKERS); STICKER; UPC; NAV: YES; OTHER; H (MM): 39.35; W (MM): 47.00; UPC COMBO INCLUDES 2 UPC STICKERS (ONE WITH RFID FOR PRODUCT PACKAGING IM# 681250 AND ONE WITHOUT RFID FOR POLYBAG IM# 681951); FOR PRODUCT SHIPPED TO THE USA ONLY	UPC STICKER	*	EACH				
11	A		CONT - CONTRACTOR (APAC) *** A0048531 BLEACHED WHITE TISSUE PAPER FOR GENERAL USE; TISSUE; BASE SM: 0; APPROVED; OTHER; PRIMARY SM: YES; 100% PAPER; L (MM): 0.00; H (MM): 0.00; W (MM): 0.00; FACTORY TO SELECT APPROPRIATE WEIGHT/THICKNESS/SIZE OF TISSUE BY PRODUCT/MATERIAL TYPE AND PERFORM ALL NECESSARY STORAGE TESTING PRIOR TO USE.	TISSUE PAPER	*	EACH				

N - Nike provided
* - Primary salesman sample
+ - Secondary salesman sample
\$ -SMU only
-Promo only
@ -Carryover colorway

BILL OF MATERIALS

Developer : JCHU62	Style Name : EAFC LS POLO 2	Season : HO24
Engineer :	MSC (1GEL) : MENS SPORTSWEAR GEO EXPRESS LAN	Style # : IB7573
P. Dev Reg : USA	MSC Level 1 : MENS	Exp. # : 1263634
Design Reg : USA	MSC Level 2 : SPORTSWEAR	Factory/L.O : UAC / 00
Fin. Good : Y	MSC Level 3 : GEO EXPRESS LANE	Status : P

					Prmry: 1100 Scndy: Trtry: Logo: GCW#: Addendum:			
					Prod ID: 5048186 Prod Ofrg ID: 9706791 Plug CW Cd: PMX			
#	IS	N	VENDOR/DESCRIPTION	USE	QTY	UOM	900	
12	A		CONT - CONTRACTOR (APAC) *** A0135830 PM#135830 "GLOBAL (MULTI-LANGUAGE) POLYBAG" CORPORATE POLYBAG LOW DENSITY POLYETHYLENE H:0.0000MM THICKNESS:1MIL W:0.0000MM MUST USE AN APPROVED METHOD OF CLOSURE PER POLYBAG MANUAL. MUST INCLUDE MOST CURRENT MULTI LANGUAGE SUFFOCATION WARNING INFORMATION (MOST CURRENT REQUIRED LANGUAGE TRANSLATIONS ALWAYS AVAILABLE IN POLYBAG GUIDELINE MANUAL FOUND THROUGH NIKECONNECT), VENTILATION HOLES, TYPE OF PLASTIC AND RECYCLE SYMBOLS; FOR SHIPMENT TO ALL COUNTRIES EXCEPT JAPAN.	POLYBAG	*	EACH		

N - Nike provided
* - Primary salesman sample
+ - Secondary salesman sample
\$ -SMU only
-Promo only
@ -Carryover colorway