


















Article Summary							Version 1
	Article Code	M-0325-KT-6105			Product Group	TOP	
	Article Name	VARSITY HOODIE			Product Sub-Category	HOODIE	
	Created On	09/10/24 4:49:33 PM			Season	2025 Fall	
	Last Modified	12/27/24 5:27:46 PM			Life Cycle Stage	development	
Gender Classification		Mens	Sub Class D	FULL ZIP	Fabrication	KNIT TOP	
Supplier		UN-AVAILABLE CO. LTD	Release Date	05 Sep 2025	Ex-Factory	13 Jun 2025	
							COLORS
							<div><div></div>BLACK (BK) BLACK</div> <div><div></div>BIG DIPPER (DIP) 19-4117 TCX STARLING</div>
SIZES							
000, 001, 002, 003, 004, 005, 006, 007, XXS, XS, SM, MD, LG, XL, 2X, 3X, 4XL, 008							

Bill of Material													Version 1	
	Article Code	M-0325-KT-6105						Product Group	TOP					
	Article Name	VARSITY HOODIE						Product Sub-Category	HOODIE					
	Created On	09/10/24 4:49:33 PM	Material	100% cotton heavy fleece 460gsm (FB-K507)				Season	2025 Fall					
	Last Modified	12/27/24 5:27:46 PM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D				Life Cycle Stage	Development					
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK June Ex-factory2		DIP BIG DIPPER June Ex-factory2	
Fabric														
	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D		BODY/ HOOD		0	Yards					 BLACK BK BLACK	 BLACK BK BLACK		
	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D		SLEEVES		0	Yards					 BLACK BK BLACK	 BLACK BK BLACK		
	2X2 RIB -COTTON/ SPANDEX (FB-K639)		CUFF/ BODY BAND		0	Meter	YD STRIPE					DYED TO MATCH BODY DTMB		HEATHER GREY HG HEATHER GREY
Trims														
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172				0	Each		Reca Mainetti Asia Ltd.	LBOVO172			None		None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175				0	Each		Reca Mainetti Asia Ltd.	LBOVO175			None		None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB				0	Each		Reca Mainetti Asia Ltd.	OVOF21_217_T			None		None
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT				0	Each		Vendor Sourced				None		None
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A				0	Each		Reca Mainetti Asia Ltd.	HTOVO141A			None		None
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				0	Each		Vendor Sourced				None		None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER				2	Each						None		None
	SNAP- HIDDEN- 20L (HD111) HIDDEN SNAP 20L QUALITY METAL				2	Each	ANTIQUE SILVER	Vendor Sourced				None		None

Bill of Material													Version 1
	Article Code	M-0325-KT-6105							Product Group	TOP			
	Article Name	VARSITY HOODIE							Product Sub-Category	HOODIE			
	Created On	09/10/24 4:49:33 PM	Material	100% cotton heavy fleece 460gsm (FB-K507)					Season	2025 Fall			
	Last Modified	12/27/24 5:27:46 PM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D					Life Cycle Stage	development			
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		BK BLACK June Ex-factory2		DIP BIG DIPPER June Ex-factory2
	METAL ZIPPER- 5GG (ZP199)		CF		1	Each	1WAY - METAL 5GG ANTIQUE SIVLER, TALON	Vendor Sourced			None		None
	DRAWCORD 1/4" ROUND, BRAIDED, COTTON (DR129)		at hood		2	Each	WITH METAL TIP - ANTIQUE SILVER FINISH	Vendor Sourced			None		None
	GROMMETS (TR-HD186)		AT DRWCORD EXIT AT HOOD		0	Each	20L METAL, ANTIQUE SILVER	Vendor Sourced			None		None

Material Image Sheet								Version 1	
	Article Code	M-0325-KT-6105		100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Product Group	TOP			
	Article Name	VARSITY HOODIE			Product Sub-Category	HOODIE			
	Created On	09/10/24 4:49:33 PM			Season	2025 Fall			
	Last Modified	12/27/24 5:27:46 PM			Life Cycle Stage	Development			
									
FB-K507 100% cotton heavy fleece 460gsm		TR-LT247 OVO 2023 One Side Main Label		LT138 TEAR-AWAY COO TAB: OVOF21_217_T		TR-TV140 5mm GROSGRAIN RIBBON LOOP		TR-HG142 OVO 2023 Booklet Hangtag	
									
LT110 CC LABEL - APPAREL		TR-ST114 UPC STICKER- 1" X 2.5"		DR129 DRAWCORD 1/4" ROUND, BRAIDED, COTTON		TR-HD186 GROMMETS			

UPDATED UPC LAYOUT -SEPT 2024						Version 1
Article Code	M-0325-KT-6105			Product Group	TOP	
Article Name	VARSITY HOODIE			Product Sub-Category	HOODIE	
Created On	09/10/24 4:49:33 PM			Season	2025 Fall	
Last Modified	12/27/24 5:27:46 PM			Life Cycle Stage	Development	
		Material Description	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D			




OCTOBER'S VERY OWN

UPC INFORMATION

STYLE # : M-0421-KT-1117
SIZE : MD (03)
COLOUR : BLACK (BK)
PRODUCT CODE : KNIT TOP
DIVISION : MENS
SKU : M-0421-KT-1117-BK-03

COLOUR AND SIZE CODE ARE INCLUDED IN THE UPC CODE AND BARCODE.



STICKER PLACEMENT
(2 PER GARMENT)


DIMENSIONS


UPC STICKER#1
PLACE ON BOTTOM RIGHT
CORNER OF POLY BAG.

UPC STICKER #2
PLACE INSIDE HANGTAG BOOKLET




ROUNDED CORNERS


Construction details - FZ Hoodie						Version 1
Article Code	M-0325-KT-6105		100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Product Group	TOP	
Article Name	VARSITY HOODIE			Product Sub-Category	HOODIE	
Created On	09/10/24 4:49:33 PM			Season	2025 Fall	
Last Modified	12/27/24 5:27:46 PM			Life Cycle Stage	Development	



Comments

- 1 HOOD
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged separately.
Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.
Drawcord casing at front edge of hood, 2N topstitch, 1/4" spacing. Grommet drawcord exits set 1 1/4" up from neck seam. Ensure Drawcord is tacked at top of hood.
- 2 NECK SEAM
Hood join to body with #512 mock safety stitch.
Inside whole neck cleanfinished with jerey taping. SN T/S at edges of tape. SN topstitch visible on body, 1/4" in.
- 3 CF CLOSURE
Exposed zipper closure at CF. 1/4" SN T/S on each side. Inside seam allowances cleanfinished with self facings. Facing edges double turned to cleanfinish, SN topstitch.
- 4 SHOULDER SEAM
Set forward on body. Join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 5 ARMHOLE SEAM
#512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 6 SLEEVE INSEAM AND SIDE SEAM:
#512 mock safety stitch.
- 7 SLEEVE OPENING
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 8 POCKET
Self welt pocket, fused. SN edge topstitch around pocket opening. Self pocket bag set to inside of body. Edges serged. SN topstitch on bag through to body.
- 9 BOTTOM OPENING
Folded rib band. Join to bottom opening with #512 mock safety stitch. SN TOPSTITCH ON BODY SIDE, do not topstitch rib band. Self panels at CF to join to zipper. Join with #512 mock safety stitch. SN topstitch, 1/4" in. Inside of self panel cleanfinished with CF facing.

Measurement- Hoodie - Hoodie										All Measurements are in Inches					Version 1		
	Article Code	M-0325-KT-6105		100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D						Product Group		TOP					
	Article Name	VARSITY HOODIE								Product Sub-Category		HOODIE					
	Created On	09/10/24 4:49:33 PM								Season		2025 Fall					
	Last Modified	12/27/24 5:27:46 PM								Life Cycle Stage		DeveTopment					
POM	Description		+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
⚠ A201	Front body length from HPS : Top		1/2	1/2	NA	25 3/4	26 1/4	26 3/4	27 1/4	27 3/4	28 3/4	29 3/4	30 3/4				
⚠ H101	Neck width :: SEAM TO SEAM		1/4	1/4	NA	8 1/4	8 1/4	8 1/2	8 3/4	9	9 1/4	9 1/2	9 3/4				
⚠ H201	Front neck drop from HPS : Crew		1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16				
H301	Back neck drop from HPS Crew		1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16				
⚠ D102	Shoulder slope :: from HPS		1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16				
D103	Shoulder displacement to front		1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
⚠ D101	Shoulder width :measured on CB body		3/8	3/8	NA	19 1/4	20	20 3/4	21 1/2	22 1/4	23 1/4	24 1/4	25 1/4				
⚠ B301	Across: Chest : at mid. armhole		1/4	1/4	NA	16 1/4	17	17 3/4	18 1/2	19 1/4	20 1/4	21 1/4	22 1/4				
B201	Across Back : at mid. armhole		1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2				
⚠ B101	Chest width :1" below armhole		1/2	1/2	NA	21	22	23	24	25	26 1/2	28	29 1/2				
C102	Bottom width : 1" above band seam		1/2	1/2	NA	19	20	21	22	23	24 1/2	26	27 1/2				
⚠ C101	Bottom width at band:inside fold edges of band/hem		1/2	1/2	NA	15 3/4	16 3/4	17 3/4	18 3/4	19 3/4	21 1/4	22 3/4	24 1/4				
⚠ E101	Armhole Straight :: measured straight		1/4	1/4	NA	9 3/8	9 3/4	10 1/8	10 1/2	10 7/8	11 3/8	11 7/8	12 3/8				
⚠ G101	Bicep width:1" below armhole		1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16				
⚠ F101	L:Sleeve overarm fr. CB neck :: 3 x point measure		1/2	1/2	NA	34 1/4	35	35 3/4	36 1/2	37 1/4	38 1/4	39 1/4	40 1/4				
G103	L/Sleeve :: 1" above cuff seam		1/8	1/8	NA	4 11/16	4 7/8	5 1/16	5 1/4	5 7/16	5 11/16	5 15/16	6 3/16				
⚠ G104	L/Sleeve opening: inside fold edges of cuff/hem		1/8	1/8	NA	3 7/16	3 5/8	3 13/16	4	4 3/16	4 7/16	4 11/16	4 15/16				
F701	Sleeve Cuff Band Height		1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
A703	Body Band Height		1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
⚠ H703	Hood width :: at 5" Below Top Edge		1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12				
⚠ H701	Hood height at CF		1/4	1/4	NA	14 3/4	15 1/4	15 1/4	15 3/4	15 3/4	16 1/4	16 1/4	16 1/4				
H702	Hood height at HPS		1/4	1/4	NA	13 1/4	13 3/4	13 3/4	14 1/4	14 1/4	14 3/4	14 3/4	14 3/4				
⚠ H709	drawcord length : Hood		1/2	1/2	NA	40	41	41	42	42	43	43	43				
H710	Hood drawcord exit pos. fr neck		1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4				
⚠ N202	Welt pocket width		1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
⚠ N201	Welt pocket length		1/4	1/4	1/8	5 1/4	5 3/8	5 1/2	5 5/8	5 3/4	5 7/8	6	6 1/8				
N203	Welt pocket position from CF edge :: Top corner		1/4	1/4	1/8	5 3/8	5 1/2	5 5/8	5 3/4	5 7/8	6	6 1/8	6 1/4				
N204	Welt pocket position from CF edge :: Bottom corner		1/4	1/4	1/8	7 3/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8 1/8	8 1/4				
N205	Welt pocket position from Rib/Band seam		1/4	1/4	1/8	2 5/8	2 3/4	2 7/8	3	3 1/8	3 1/4	3 3/8	3 1/2				
N211	Welt pocket bag height: along side at longest pt		1/4	1/4	NA	7	7	7 1/2	7 1/2	7 1/2	8	8	8				
N212	Welt pocket bag width at deepest pt		1/4	1/4	NA	6	6	6 1/2	6 1/2	6 1/2	7	7	7				
B501	Front bottom hem self panel width		1/8	1/8	0	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8				
H606	Neck binding width		1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8				
Comments																	
REFERENCE: F/W 2025 Collegiate fit																	

UN-AVAILABLE CO. LTD: Fit Approval-1 proto [Sample 1 (M)]							Version 1
	Article Code	M-0325-KT-6105			Product Group	TOP	
	Article Name	Varsity Hoodie			Product Sub-Category	HOODIE	
	Created On	09/10/24 4:49:33 PM			Season	2025 Fall	
	Last Modified	12/27/24 5:27:46 PM			Life Cycle Stage	Development	
			Material	100% cotton heavy fleece 460gsm (FB-K507)			
			Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D			

POM	Description	+ Tol	- Tol	M	Sample	Diff	Revised
A201	Front body length from HPS : Top	1/2	1/2	27 1/2	27 1/4	-1/4	27 1/4
H101	Neck width :: SEAM TO SEAM	1/4	1/4	9 1/2	9 1/2	0	8 3/4
H201	Front neck drop from HPS : Crew	1/8	1/8	3 1/2	3 1/2	0	
H301	Back neck drop from HPS Crew	1/8	1/8	1	1	0	
D102	Shoulder slope :: from HPS	1/8	1/8	2	2	0	
D103	Shoulder displacement to front	1/8	1/8	3/4	3/4	0	
D101	Shoulder width :measured on CB body	3/8	3/8	20 1/2	20 1/4	-1/4	21 1/2
B301	Across: Chest : at mid. armhole	1/4	1/4	18 1/2	18 1/2	0	
B201	Across Back : at mid. armhole	1/4	1/4	18 3/4	19	1/4	
B101	Chest width :1" below armhole	1/2	1/2	23	22 3/4	-1/4	24
C102	Bottom width : 1" above band seam	1/2	1/2	21 1/2	21	-1/2	22
C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	18 1/2	18	-1/2	18 3/4
E101	Armhole Straight :: measured straight	1/4	1/4	10	10	0	10 1/2
G101	Bicep width:1" below armhole	1/4	1/4	9 1/2	9 1/2	0	10
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	36 1/2	37 1/2	1	
G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	5 1/4	5 1/8	-1/8	
G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	3 1/4	3 1/2	1/4	4
F701	Sleeve Cuff Band Height	1/8	1/8	3 1/4	3 3/8	1/8	2 3/4
A703	Body Band Height	1/8	1/8	3 1/4	3 3/8	1/8	2 3/4
H703	Hood width :: at 5" Below Top Edge	1/4	1/4	11	11 1/2	1/2	
H701	Hood height at CF	1/4	1/4	15 1/2	15 1/4	-1/4	15 3/4
H702	Hood height at HPS	1/4	1/4	14	13 3/4	-1/4	14 1/4
H709	drawcord length : Hood	1/2	1/2	42	41	-1	
H710	Hood drawcord exit pos. fr neck	1/8	1/8	1 1/4	1 1/4	0	
N202	Welt pocket width	1/8	1/8	3/4	3/4	0	
N201	Welt pocket length	1/4	1/4	5 5/8	5 5/8	0	
N203	Welt pocket position from CF edge :: Top corner	1/4	1/4	5 3/4	5 3/4	0	
N204	Welt pocket position from CF edge :: Bottom corner	1/4	1/4	7 3/4	7 1/2	-1/4	
N205	Welt pocket position from Rib/Band seam	1/4	1/4	3	2 3/4	-1/4	
N211	Welt pocket bag height: along side at longest pt	1/4	1/4	7 1/2	7 1/2	0	
N212	Welt pocket bag width at deepest pt	1/4	1/4	6 1/2	6 1/2	0	
B501	Front bottom hem self panel width	1/8	1/8	1 5/8	1 7/8	1/4	
H606	Neck binding width	1/8	1/8	3/8	3/8	0	

Newly Added Points of Measurement

N201 - Welt pocket length

COMMENT

12.27.24


STYLING COMMENTS:


1. Remove 2ndl topstitch at body band, replace with SN topstitch on body side only, see photo and construction page

Bỏ điều 2 kim tại rib, thay thế bằng đường điều 1 kim phía trên thân. vui lòng xem phần ảnh tham khảo

FITTING COMMENTS:

1. Keep front body length measurement

UN-AVAILABLE CO. LTD: Fit Approval-1 proto [Sample 1 (M)]							Version 1
	Article Code	M-0325-KT-6105			Product Group	TOP	
	Article Name	Varsity Hoodie			Product Sub-Category	HOODIE	
	Created On	09/10/24 4:49:33 PM			Season	2025 Fall	
	Last Modified	12/27/24 5:27:46 PM			Life Cycle Stage	Development	
2. Revised neck width measurement							
3. Revised shoulder width measurement							
4. Revised chest width measurement							
5. Revised bottom width 1" above band measurement							
6. Revised bottom width at band measurement							
7. Revised armhole straight measurement							
8. Revised bicep width measurement							
9. Revised sleeve opening measurement							
10. Revised cuff and body band height measurement							
11. Revised hood height measurements							
12. Bring back to spec on front bottom hem self panel width							
13. Ensure all measurements are brought back to spec.							
WORKMANSHIP COMMENTS:							
1. Workmanship needs to be improved, CF zipper is puckering, topstitching at pocket is puckering, please ensure to check the tension and thread quality							
cách may cần được cải thiện, dây kéo thân trước và đường diều túi bị nhăn rút. vui lòng đảm bảo kiểm tra độ căng và chất lượng chỉ							
PROTO IS REJECTED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO 2ND WITH CORRECTIONS							
Sample Size:		M					
Status:		Rejected					
Rejected By:		KoryLui (October's Very Own Merchandising)					
Rejected On:		12/27/24 5:26:20 PM					

UN-AVAILABLE CO. LTD: Fit Approval-1 proto - SAMPLE FRONT SIDE AND BACK							Version 1
	Article Code	M-0325-KT-6105			Product Group	TOP	
	Article Name	VARSITY HOODIE			Product Sub-Category	HOODIE	
	Created On	09/10/24 4:49:33 PM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2025 Fall	
	Last Modified	12/27/24 5:27:46 PM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Development	





Article Code	M-0325-KT-6105			Product Group	TOP
Article Name	VARSITY HOODIE			Product Sub-Category	HOODIE
Created On	09/10/24 4:49:33 PM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2025 Fall
Last Modified	12/27/24 5:27:46 PM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Development



Workmanship needs to be improved, CF zipper is puckering, topstitching at pocket is puckering, please ensure to check the tension and thread quality

Cách may cần được cải thiện, dây kéo thân trước bị nhăn rút, đường diều tại túi bị nhăn rút. Vui lòng đảm bảo kiểm tra độ căng chỉ và chất lượng chỉ khi may.



UN-AVAILABLE CO. LTD: Fit Approval-1 proto - body band topstitching						Version 1
Article Code	M-0325-KT-6105			Product Group	TOP	
Article Name	VARSITY HOODIE			Product Sub-Category	HOODIE	
Created On	09/10/24 4:49:33 PM			Season	2025 Fall	
Last Modified	12/27/24 5:27:46 PM			Life Cycle Stage	Development	
		Material Description	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D			



giữ đường chỉ điều tại
phía thân áo

KEEP SN
TOPSTITCHING AT
BODY SIDE



REMOVE BOTTOM
TOPSTITCHING

bỏ đường chỉ
điều bo

Bỏ điều 2 kim tại lại, điều chỉnh thành
điều 1 kim phía trên phần thân áo

Remove 2ndl topstitch at body
band, replace with SN topstitch on
body side only, see photo and
construction page