



	 ,					Bi	ll of Materials						Version 1
	Article Code	M-0425-KT-6049							P	roduct Group	TOP		
	Article Name	MINI OG 1/4 ZIP MOCK NI	ECK	1					P	roduct Sub-Category	SWEAT TOP - I	_S	
	Created On	09-07-2024 6:44:46 PM		Material F	LEECE 100	%COTTON	410GSM (FB-K1003)		s	eason	2025 Winter		
	Last Modified	02-12-2025 5:27:38 PM		Description					L	ife Cycle Stage	Development		
Part		Material		Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK	PG Pearl Grey	FLS FLINT STONE / FLINT STONE	34 PEACOAT
Fabric							1						1
	FLEECE 100%C (FB-K1003)	OTTON 410GSM	BODY/SLEE\	/ES/HOOD	0	Meter			VTK5946	- None	None	None	None
	1x1 RIB COTTO (FB-K151) WEIGHT TBD	N/ LYCRA	BODY BAND	/CUFFS	0	Yards	DTM BODY			None	None	None	None
	100% COMBED 200GSM (FB-K564) BARATA	COTTON JERSEY,	BACK NECK (KNUCKLE S	TAPE/ POCKET BAG IDE)	G 0	Meter	DTM BODY			None	None	None	None
Trims													
	OVO 2023 Book (TR-HG142) Article code: HT				1	Each		Reca Mainetti Asia Ltd.	HTOVO14	1 None	None	None	None
		ith suffocation warning ticker placement on			1	Each		Vendor Sourced		None	None	None	None
	UPC STICKER- (TR-ST114)				2	Each				None	None	None	None
	OVO 2023 Alpha (TR-LT246)				1	Each		Reca Mainetti Asia Ltd.	OVOW23 _181_T	None	None	None	None
	OVO 2023 One (TR-LT247) RECA REF: LBC				1	Each		Reca Mainetti Asia Ltd.	LBOVO1	7 None	None	None	None
	CC LABEL - APF (LT110) White Satin grou COO, Content, a may vary by sty	und, Black text and Care Instructions			1	Each		Vendor Sourced		None	None	None	None
	TEAR-AWAY CO OVOF21_217_T (LT138) COUNTRY OF C	DO TAB: -	single stitch removed	-should be easily	0	Each		Reca Mainetti Asia Ltd.		None	None	None	None

						Bi	ll of Materials						Version 1
	Article Code	M-0425-KT-6049							ı	Product Group	ТОР		
	Article Name	MINI OG 1/4 ZIP MOCK N	ECK						Ī	Product Sub-Category	SWEAT TOP - L	.S	
	Created On	09-07-2024 6:44:46 PM		Material	FLEECE 1009	COTTON	410GSM (FB-K1003)		;	Season	2025 Winter Development		
	Last Modified	02-12-2025 5:27:38 PM		Description					Ī	₋ife Cycle Stage			
Part		Material		Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK	PG Pearl Grey	FLS FLINT STONE / FLINT STONE	34 PEACOAT
	Zipper (TRZP10)		CF		0	Each	5GG, METAL- SEMI AUTO DA8LH GD SILVER FINISH FOR ALL COLOURWAYS	YKK Canada Inc.		None	None	None	None
	5mm GROSGRA (TR-TV140) FOR HANGTAG	AIN RIBBON LOOP ATTACHMENT			0	Each		Vendor Sourced		None	None	None	None
Graphics													
	TBD - SEE ART\ (HT-102)	WORK FILE			0	Each				None	None	None	None



			Construction - mini og 1/4 Zip - F/W 2025			Version 1
7 ii ii olo oodo	M-0425-KT-6049			Product Group	ТОР	
Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS	
Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter	
Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development	



THAM KHẢO QUY CÁCH MAY MÃ C0008-CRW030 PROTO 2

5. Tay và cạnh sườn vắt xổ, không chờm sườn, bỏ túi sườn

1+3. Cổ và dây kéo tham khảo quy cách may của mock up mã C0008-CRW030-MK

Comments


- COLLAR/NECK:
 - 2 piece self collar. Join with #512 mock safety stitch. SN topstitch, 1/4" in at top edge.
 - Jersey taping at inside neck to cleanfinish. SN edgestitch at top and bottom of taping. Ends of tape folded in to cleanfinish.
- 2 SHOULDER SEAM: Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 3 CF ZIPPER:
 Exposed zipper closure at CF. Self folded garage at bottom of zipper, 1/2" height. SN edge topstitch around zipper.
 Top of zipper tape and seam allowances cleanfinished into collar. Inside lower zipper tape edges and seam allowance cleanfinished with jersey binding. SN edge topstitch at binding. Ends folded in and tacked. SEE NEXT PAGE FOR OPTION B
- 4 ARMHOLE:
 Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 5 SLEEVE INSEAM and SIDE SEAM: Join with #512 mock safety stitch.

CLEAN FINISHING

- 6 SLEEVE OPENING CUFF Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- 7 BODY BAND
 Folded rib band. Join to bottom opening with #512 mock safety
 stitch. 2N coverstitch, straddling seam, 1/4" spacing. ENSURE
 THE TWO RIB SEAMS ALIGN WITH SIDE SEAM

Article Code M-0425-KT-6049 Product Group TOP	
Article Name MINI OG 1/4 ZIP MOCK NECK Product Sub-Category SWEAT TOP - LS	
Created On 09-07-2024 6:44:46 PM Material FLEECE 100%COTTON 410GSM (FB-K1003) Season 2025 Winter	
Last Modified 02-12-2025 5:27:38 PM Description Life Cycle Stage Development	

3RD FIT COLLAR FINISHING **OPTION B** CONSTRUCTION



INTERIOR FRONT FACING MEASUREMENTS



Comments



COLLAR/NECK:

2 piece self collar. Join with #512 mock safety stitch. SN topstitch, 1/4" in at top edge.

Jersey taping at inside neck to cleanfinish. SN edgestitch at top and bottom of taping. Ends of tape folded in to cleanfinish.

2 CF ZIPPER:

Exposed zipper closure at CF. Self folded garage at bottom of zipper, 1/2" height. SN edge topstitch around zipper. Top of zipper tape and seam allowances cleanfinished into collar. Front neck and lower portion of zipper is cleanfinished with interior facing. Facing edge is serged to clean finish. Facing serged into the shoulder. Back of collar folded inwards and SN Topstitch to clean finish.

THAM KHẢO QUY CÁCH MAY Ở CỔ VÀ DÂY KÉO THEO MOCK UP C0008-CRW030

			Measur	ement S	heet - 1/	4 Zip Mo	ock				•	All Measu	rements	are in Incl	nes	,	Version 1
	Article Code	м-0425-кт-6049									Product G	roup	TOP			A T	Challe
	Article Name	MINI OG 1/4 ZIP MOCK NECK									Product S	ub-Category	SWEAT TO	P - LS			
	Created On	09-07-2024 6:44:46 PM	Materi	al	FLEECE 1	L00%COTTON	410GSM (F	-B-K1003)			Season		2025 Wint	ter			
	Last Modified	02-12-2025 5:27:38 PM	Descr	iption							Life Cycle	Stage	Developn	nent			
POM		Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! A201	Front body length from	m HPS : Top	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31				
! H101	Neck width :: SEAM TO	O SEAM	1/4	1/4	NA	7	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2				
! H201	Front neck drop from	HPS : Crew	1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16				
H301	Back neck drop from	HPS Crew	1/8	1/8	NA	5/8	5/8	11/16	3/4	13/16	15/16	1 1/16	1 3/16				
! H601	Collar height at CF		1/8	1/8	NA	3	3	3	3	3	3	3	3				
! H604	Collar height at CB		1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
! H403	Collar measurement	at outer edge	1/4	1/4	NA	16 1/2	16 1/2	17	17 1/2	18	18 5/8	19 1/4	19 7/8				
! O102	Zipper length : 1/2" G	ROUP GRADE	1/4	1/4	NA	6 3/4	6 3/4	0	7 1/4	0	7 3/4	7 3/4	7 3/4				
! D102	Shoulder slope :: from	n HPS	1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16				
D103	Shoulder displaceme	ent to front	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
! D101	Shoulder width :mea	sured on CB body	3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4				
! B301	Acrss: Chest : at mid.	armhole	1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2				
! B201	Across Back : at mid.	armhole	1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4				
! B101	Chest width :1" below	v armhole	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2				
! C102	Bottom width : 1" abo	ove band seam	1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2				
! C101	Bottom width at band	l:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24				
! E101	Armhole Straight :: m	easured straight	1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8				
! G101	Bicep width:1" below	armhole	1/8	1/8	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16				
! F101	L:Sleeve overarm fr.	CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4				
! G104	L/Sleeve opening: in	side fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16				
! G103	L/Sleeve :: 1" above	cuff seam	1/4	1/4	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16				
F701	Sleeve Cuff Band He	eight	1/8	1/8	NA	3	3	3	3	3	3	3	3				
A703	Body Band Height		1/8	1/8	NA	3	3	3	3	3	3	3	3				
! H404	Minimum Neck Stretc	h	1/2	0	NA	24	24	24	24	24	24	24	24				

Comments

2.12.2025 update:
Removing side seam pockets
Removing side seam forward, sleeve and side seam can be sewn in single operation
Adjust collar to be taller by 1/4", front neck raise 1/4" higher

	Article Code M-0425-KT-6049						ТОР			The date
	Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-	Category	SWEAT TOP - I	_S		
	Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season		2025 Winter			
	Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Sta					
РОМ		<u> </u>	Desci	ription	+ Tol	- Tol	М	Sample	Diff	Revised
A201	Front bo	dy length from HPS : Top			1/2	2 1/	2 27 1/2	27	-1/2	
H101	Neck wi	dth :: SEAM TO SEAM			1/-	1/	4 7 1/2	7	-1/2	
H201	Front ne	ck drop from HPS : Crew			1/3	3 1/	8 4	3 3/4	-1/4	3 3/4
H301	Back ned	ck drop from HPS Crew			1/3	3 1/	8 3/4	1/2	-1/4	
H601	Collar he	eight at CF			1/3	3 1/	8 2 3/4	2 3/4	0	
H604	Collar he	eight at CB			1/3	3 1/	8 2 3/4	2 3/4	0	
H403	Collar m	easurement at outer edge			1/-	1/	4 17 1/2	18	1/2	
0102	Zipper le	ength: 1/2" GROUP GRADE			1/-	1/	4 7 1/4	7 1/4	0	
D102	Shoulder	slope :: from HPS			1/8	3 1/	8 2	2	0	
D103	Shoulder	displacement to front			1/8	3 1/	8 3/4	7/8	1/8	
D101	Shoulder	width :measured on CB body			3/8	3/	8 21	21	0	
B301	Acrss: CI	hest : at mid. armhole			1/-	1 1/	4 18 3/4	18 1/2	-1/4	
B201	Across B	ack : at mid. armhole			1/-	1 1/	4 19	19	0	
B101	Chest wi	dth :1" below armhole			1/:	2 1/			-1/4	
C102	Bottom v	width: 1" above band seam			1/:	2 1/	2 21	21	0	
C101	Bottom v	width at band:inside fold edges of band	l/hem		1/:	2 1/	2 18 1/2	18	-1/2	
E101	Armhole	Straight :: measured straight			1/-	1 1/	4 11	10 3/4	-1/4	
G101	Bicep wi	dth:1" below armhole			1/8	3 1/	8 10	9 3/4	-1/4	
F101	L:Sleeve	overarm fr. CB neck :: 3 x point meas	sure		1/:	2 1/	2 35 1/2	35	-1/2	
G104	L/Sleeve	opening: inside fold edges of cuff/hem	1		1/8	3 1/	8 3 3/4	3 1/2	-1/4	
G103	L/Sleeve	:: 1" above cuff seam			1/-	1 1/	4 6	6	0	
F701	Sleeve C	Cuff Band Height			1/8	3 1/	8 3	3	0	
A703	Body Ba	nd Height			1/3			-	0	
C201	Side Pan	el width: s/fold to seam, mid panel			1/3	3 1/	8 2 1/2	2 3/8	-1/8	
N202	Welt poo	ket width			1/8	3 1/	8 3/4	3/8	-3/8	
N201	Welt poo	ket length			1/-	1/	4 6 3/4	6 3/4	0	
N205	Welt poo	ket position from Rib/Band seam			1/-	1/	4 2	2	0	
H404	Minimum	n Neck Stretch			1/:	2	0 24	24	0	

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) [Sample 1 (M)]

12.5.24

CONSTRUCTION COMMENTS:

1. Construction is incorrect, pocket should be a Cut & sew single welt pocket, it is currently an onseam pocket, please correct this.

FITTING COMMENTS:

- 1. Keep neck width as per sample
- 2. Keep front neck drop as per sample
- 3. bring back to spec on back neck drop measurement
- 4. Bring back to spec on collar measurement at outer edge measurement
- 5. Bring back to spec on bicep measurement

Version 1

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) [Sample 1 (M)]											
	M-0425-KT-6049			Product Group	ТОР	T. Committee					
Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS						
Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter						
Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development						

- 6. bring back to spec on sleeve opening measurements
- 7. bring back to spec on welt width measurement
- 8. Ensure all measurements are brought back to spec.

WORKMANSHIP COMMENTS:

- 1. Please add tricot fusing to collar, the weight of the fusing should be light and compatible to fabric. Please add in if this is workable
- 2. Please make mock up of collar facing, the CF neck is too bulky and is affecting the overall appearance of the garment and we want to check other alternatives to ensure we can improve this
- 3. Rib seam is very bulky, is there anyway we can improve this? Can the rib seam be pressed open and tacked before joining on to garment?
- 4. There is still alot of puckering at the collar and seams, please ensure that this is improved. Please check stitch tension and improve thread quality to improve persistent puckering. See photos below.

PROTO SAMPLE IS REJECTED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO 2ND FIT WITH CORRECTIONS

Sample Size: M
Status: Rejected

Rejected By: KoryLui (October's Very Own Merchandising)

Rejected On: 12-06-2024 3:08:18 PM

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - SAMPLE - FRONT, SIDE AND BACK										
Article Code	M-0425-KT-6049			Product Group	ТОР					
Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS					
Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter					
Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development					




UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - MISSING BINDING AT BOTTOM OF ZIPPER											
Article Code	M-0425-KT-6049			Product Group	ТОР	TOTAL					
Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS						
Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter						
Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development						
1		l				[





ZIPPER IS NOT CLEAN FINISHED AT BOTTOM, PLEASE ENSURE TO CLEAN FINISH ZIPPER WITH BINDING TAPE, PLEASE SEE EXAMPLE. PLEASE ALSO NOTE THAT THE ZIPPER CLEANFINISHING WORKMANSHIP NEEDS IMPROVEMENT, PLEASE ENSURE THAT THE BINDING IS EVEN AND THE SEWING IS NEAT AS PER EXAMPLE

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - MOCKUP FOR NECK											
Til tiolo oodo	M-0425-KT-6049			Product Group	TOP	T. Comment					
Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS						
Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter						
Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development						



THE CURRENT SAMPLE HAS TOO MUCH BULK IN THE NECK AREA, PLEASE INCLUDE A MOCK UP TO HELP US COMPARE FINISHING METHODS

FOR NEXT FIT, PLEASE INCLUDE A MOCKUP:

Please see construction page for mockup construction details.

The facing will be serge into the shoulder seam

Please ensure that the bottom is curved

Please ensure to serge the edge of facing

Please ensure to clean finish back neck by flipping in the seam and stitching in the ditch


			UN-AVAILAE	BLE CO. LTD: Fit Approval-1(Rev.1) - rib seam is to	o bulky		Version 1
1	Aitioic oodc	M-0425-KT-6049			Product Group	TOP	The state of the s
1	Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS	
0	Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter	
L	Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development	













UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - Puckering at collar											
Article Code	M-0425-KT-6049			Product Group	TOP						
Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS						
Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter						
Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development						



BACK NECK TOPSTITCHING IS PUCKERING A LOT, CAN THIS BE IMPROVED, PLEASE PROCIDE SUGGESTIONS

CF TOPSTITCH
IS WAVY AND
PUCKERING,
PLEASE ENSURE
THE GARMENT
IS PROPERLY
PRESSED AND
WORKMANSHIP/
HANDLING IS
IMPROVED

CF ZIPPER IS SEWN UNEVENLY AND IS CROOKED IN SOME AREAS, PLEASE ENSURE THE WORKMANSHIP IS IMPROVED




Article Code	M-0425-KT-6049			Product Group	TOP	
Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS	
Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter	
Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development	

Printed by Curtis Niel on 02-13-2025 2:20:55 PM Powered by WFX. All rights reserved.

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - puckering at pocket						Version 1	
	Article Code	M-0425-KT-6049			Product Group	TOP	
	Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS	
	Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter	
	Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development	



A LOT OF PUCKERING AT POCKET, PLEASE SUGGEST IMPROVEMENT. TOP STITCHING IS MAKING GARMENT LOOK MESSY




PUCKERING AT ARMHOLE TOP STITCHING, GARMENT LOOKS MESSY, PLEASE IMPROVE

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - pocket construction is incorrect						Version 1
Article Code	M-0425-KT-6049			Product Group	TOP	
Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS	
Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter	
Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development	



CURRENT SAMPLE:
CONSTRUCTION IS
INCORRECT, SAMPLE
CURRENTLY HAS AN
ONSEAM POCKET. PLEASE
CORRECT POCKET TO A CUT
AND SEW SINGLE WELT
POCKET, SEE EXAMPLE



CORRECT CUT AND SEW SINGLE
WELT POCKET, PLEASE ALSO TAKE
NOTE THAT IT DOES NOT EXHBIT
EXCESSIVE AMOUNT OF PUCKERING

	UN-AVAILABLE CO. LTD: Fit Approval-2 [Sample 1 (M)]										Version 1	
	Article Co	Article Code M-0425-KT-6049				Product G	roup	TOP		4	TO THE REAL PROPERTY.	
	Article Na	Article Name MINI OG 1/4 ZIP MOCK NECK		MINI OG 1/4 ZIP MOCK NECK		Product Sub-Category		SWEAT TOP -	- LS	-		
	Created O	Created On 09-07-2024 6:44:46 PM Last Modified 02-12-2025 5:27:38 PM		Material	Material FLEECE 100%COTTON 410GSM (FB-K1003)		Season		2025 Winter			
	Last Modif			Description		Life Cycle Stage		Development				
POI	м	I		Desc	ription	+ Tol	- Tol	M	Sample	Diff	Revised	
A201	Fron	t body	length from HPS : Top		DÀI THẦN TRƯỚC TỪ ĐỈNH VAI	1/2	1/2	27 1/2	27 1/8	-3/8		
H101	Nec	k width	:: SEAM TO SEAM		NGANG CŐ: CẠNH ĐẾN CẠNH	1/4	1/4	7	7	0	7 1/2	
H201	Fron	t neck	drop from HPS : Crew		HẠ CỐ TRƯỚC TỪ ĐỈNH VAI	1/8	1/8	3 3/4	3 5/8	-1/8	3 1/2	
H301	Back	c neck o	frop from HPS Crew		HẠ CỐ SAU TỪ ĐỈNH VAI	1/8	1/8	3/4	5/8	-1/8		
H601	Colla	r heigh	t at CF		TO BẢN CỐ TẠI GIỮA TRƯỚC	1/8	1/8	2 3/4	2 3/4	0	3	
H604	Colla	r heigh	t at CB		TO BẢN CỐ TẠI GIỮA SAU	1/8	1/8	2 3/4	2 1/2	-1/4		
H403	Colla	r meas	urement at outer edge		DÀI LÁ CỐ CẠNH NGOÀI	1/4	1/4	17 1/2	16 1/2	-1		
0102	Zipp	er leng	th : 1/2" GROUP GRADE		DÀI DÂY KÉO	1/4	1/4	7 1/4	7 1/4	0		
D102	Shor	ulder sk	ppe :: from HPS		XUÔI VAI TỪ ĐỈNH VAI	1/8	1/8	2	2	0		
D103	Shor	ulder di	splacement to front		CHÔM VAI	1/8	1/8	3/4	3/4	0		
D101	Shor	ulder w	idth :measured on CB body		NGANG VAI: SỐ ĐO GIỮA THÂN SAU	3/8	3/8	21	20 3/4	-1/4		
B301	Acrs	s: Ches	t : at mid. armhole		NGANG NGỰC: TẠI GIỮA NÁCH	1/4	1/4	18 3/4	18 5/8	-1/8		
B201	Acro	ss Back	: at mid. armhole		NGANG THÂN SAU: TẠI GIỮA NÁCH	1/4	1/4	19	19	0		
B101	Ches	st width	:1" below armhole		NGANG NGỰC: 1" DƯỚI NÁCH	1/2	1/2	23	22 3/4	-1/4		
C102	Bott	tom wid	th : 1" above band seam		NGANG LAI TẠI ĐIỂM TRÊN ĐƯỜNG MAY BO 1"	1/2	1/2	21	21 1/4	1/4		
C101	Bott	om wid	th at band:inside fold edges of band/h	iem	NGANG LAI TẠI BO BÊN TRONG CẠNH GẮP CỦA BO	1/2	1/2	18 1/2	18 3/4	1/4		
E101	Arm	hole St	raight :: measured straight		NÁCH ĐO THẦNG	1/4	1/4	11	11	0		
G101	Bice	p width	:1" below armhole		NGANG BẮP TAY DƯỚI NÁCH 1"	1/8	1/8	10	9 3/4	-1/4		
F101	L:Sle	eeve ov	erarm fr. CB neck :: 3 x point measure		TAY ĐO 3 ĐIỂM TỪ GIỮA CỐ SAU	1/2	1/2	35 1/2	35 1/4	-1/4		
G104	L/Sle	eeve op	ening: inside fold edges of cuff/hem		CỬA TAY BÊN TRONG MÉP GẬP	1/8	1/8	3 3/4	3 1/2	-1/4		
G103	L/Sle	eeve ::	1" above cuff seam		CỬA TAY TRÊN ĐƯỜNG MAY BO 1"	1/4	1/4	6	6	0		
F701	Slee	ve Cuff	Band Height		TO BẢN BO TAY	1/8	1/8	3	3	0		
A703	Body	y Band	Height		TO BẢN BO LAI ÁO	1/8	1/8	3	3 1/8	1/8		
C201	Side	Panel	width: s/fold to seam, mid panel		TO BÁN PHẦN THÂN Ở SƯỜN	1/8	1/8	2 1/2	2 3/8	-1/8		
N202	Welf	t pocke	t width		RỘNG TÚI SƯỜN	1/8	1/8	3/4	3/4	0		
N201	Welt	t pocke	t length		DÀI TÚI SƯỜN	1/4	1/4	6 3/4	6 3/4	0		
N205	Wel	t pocke	t position from Rib/Band seam		VỊ TRÍ TÙI SƯỚN	1/4	1/4	2	2	0		
H404			eck Stretch		CŐ KÉO CĂNG TŐI THIẾU	1/2	0	24	24	0		

COMMENT

2.12.25

STYLING COMMENTS:

- 1. Removing side seam pockets
- 2. Removing side seam forward, sleeve and side seam can be sewn in single operation
- 3. Keep exposed CF zipper construction
- 4. We want to see two options both in <u>FULL GARMENT sample</u> (NOT mockup) with correct fabric:

Option A: binded exposed CF 1/4 zipper with garage, SEE CONSTRUCTION PAGE

Option B: Facing around CF 1/4 zipper with garage as per mockup sent, SEE CONSTRUCTION PAGE

- 1. Bỏ túi sườn
- 2. Bỏ chờm sườn, tay và sườn may trong 1 lần
- 3. Giữ nguyên may dây kéo lộ ra ngoài
- 4. May mẫu 2 option

Option A: Viền dây kéo với garage

Option B: Đô dây kéo với garage như Mock up đã gửi

UN-AVAILABLE CO. LTD: Fit Approval-2 [Sample 1 (M)]							Version 1
	Article Code	M-0425-KT-6049			Product Group	TOP	The state of the s
	Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS	
	Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter	
	Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development	

FITTING COMMENTS:

- 1. Revised neck width measurement
- 2. revised front neck drop measurement
- 3. Revised collar height at CF measurement (Raise 1/4" in CF collar, blend to 0" at CB collar)
- 4. Bring back to spec on collar height at CB measurement
- 5. Bring back to spec on collar measurement at outer edge measurement
- 6. Bring back to spec on bicep width measurement
- 7. Bring back to spec on sleeve opening measurement
- 8. Removing side panel width from fold to seam measurement
- 9. Removing welt pocket measurements
- 10. Ensure all measurements are brought back to spec.

- 1. Điều chỉnh thông số rộng cổ
- 2. Điều chỉnh thông số hạ cổ trước
- 3. Điều chỉnh thông số lá cổ giữa trước (Tăng 1/4" lá cổ giữa trước, giảm dần 0" về cổ sau)
- 4. Đảm bảo thông số cao lá cổ sau
- 5. Đảm bảo thông số mép lá cổ
- 6. Đảm bảo thông số rộng bắp tay
- 7. Đảm bảo thông số lai tay
- 8. Chưa rõ mục này, nhờ pkt advise giúp em nhé
- 9. Bỏ thông số túi
- 10. Đảm bảo các thông số còn lại

WORKMANSHIP COMMENTS:

- 1. Please ensure there is no excessive puckering on seams.
- 2. Please ensure sample is within tolerance before sending it to us.

- 1. Vui lòng đảm bảo không nhiều đường gãy thừa ở đường may
- 2. Vui lòng đảm bảo tolerance trước khi gửi mẫu

2ND IS REJECTED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO 3RD FIT WITH CORRECTIONS.

Sample Size: M
Status: Rejected

Rejected By: KoryLui (October's Very Own Merchandising)

Rejected On: 02-12-2025 5:04:40 PM

UN-AVAILABLE CO. LTD: Fit Approval-2 - SAMPLE - FRONT, SIDE, BACK						
Article Code	м-0425-кт-6049			Product Group	TOP	T
Article Name	MINI OG 1/4 ZIP MOCK NECK			Product Sub-Category	SWEAT TOP - LS	
Created On	09-07-2024 6:44:46 PM	Material	FLEECE 100%COTTON 410GSM (FB-K1003)	Season	2025 Winter	
Last Modified	02-12-2025 5:27:38 PM	Description		Life Cycle Stage	Development	

