
					Article Summary				Version 1
$(\widetilde{\mathbb{Q}})$	Article Code	С-0425-кв-6294			Product Group	BOTTOM		AT	
MA .	Article Name	NBA BUTTON SNAP SWEATPANT			Product Sub-Category	PANT - SWE	ATPANT	• •	
\mathcal{N}	Created On	12/02/24 11:40:58 AM	Material	100% cotton he REF# PLAW21P24	avy fleece 460gsm (FB-K507)	Season	2025 Winter		
<u> A</u> N	Last Modified	12/30/24 4:17:06 PM	Description	REF# PLAW21P24	65002N00D	Life Cycle Stage	Development	t	100
Gender Classific	cation	Collaboration	Sub Class D		SWEATPANT	Fabrication		KNIT BOTTOM	
upplier		UN-AVAILABLE CO. LTD	Release Date			Ex-Factory		COLORS	
								HEATHER GRE	(HG)
000, 001, 0	002, 003, 00	4, 005, 006, 007, 008			SIZES				

					Bill of Materia	I						Version 1
()	Article Code C-0425-KB-6294						Product Group		BOTTOM			
KA	Article Name NBA BUTTON SNAP SWEATPANT							Product Sub-Cat	tegory	PANT - SWEATPANT	00	
	Created On 12/02/24 11:40:58 AM Materi				100% cotton heavy fleece 460gsm (FB-K507)		Season		2025 Winter		
AS I	Last Modified	12/30/24 4:17:06 PM	Descripti	on	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D			Life Cycle Stage		Development		
Part		Material			Placement	UOM.	Comments	Supp	lier Supplier Ref.			
Fabric												
	(FB-K507) REF# PLAW2 ⁻	neavy fleece 460gsm 1P2465001N00D 1P2465002N00D	E	BODY/P	KT PALM SIDE	0	Yards				Nor	ne
	100% COMBED COTTON JERSEY, 190GSM (FB-K614) REF# OVOTRIP-TS01 SINGLE JERSEY			POCKETS KNUCKLE SIDE			Meter			REF# OVOTRIP- TS01	Nor	ie
Trims												
	ONE GAME M (TR-LT308) OVOS24_072	AIN LABEL				0	Each		CADIC ASIA HONG KONG LIMITE		Nor	ie
	ELASTIC PRES (EC116) PLS REFER TO	SHRUNK D MEASUREMENT CHARTS FOR 1		WB + CUFF			Each		Vendo Source		Nor	ne
	DRAWCORD (TR-DR190)	FLAT 3/8" BARTACK	C	Ŧ		1	Each	DTM BODY, HEATHER GREY DCORD ON HEATHER GREY BODY			Nor	le
	22L SNAP - PI (TR-CL112)	ASTIC	V	NELT PO	OCKET + OUTSEAM	0	Each	DTM TEAM COLOUR	Vendo Source		Nor	IE
PLACEMENT			S	SINGLE STITCHED AT CB			Each		Reca Mainet Asia L		Nor	ne
SEE PLACEMENT FOR	White Satin gr	PPAREL round, Black text t, and Care Instructions may vary	by style.			1	Each		Vendo Source		Nor	ne
	POLY BAG - G (PK101) Clear Plastic,		, UPC			1	Each		Vendo Source		Nor	ne

					Bill of Materia	l .						Version 1	
$(\overline{0}\sqrt{0})$	Article Code	С-0425-КВ-6294						Product Group		BOTTOM		ATTA .	
MA	Article Name	NBA BUTTON SNAP SWEATPANT						Product Sub-Ca	tegory	PANT - SWEATPA	NT	0.0	
	Created On	12/02/24 11:40:58 AM	Materia	I	100% cotton heavy fleece 460gsm ((FB-К507)		Season		2025 Winter			
<u>A</u>	Last Modified	12/30/24 4:17:06 PM	Descrip	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D				Life Cycle Stage)	Development		100	
Part		Material			Placement	Qty.	UOM.	Comments	Supp	lier Supplier Ref.		HG HEATHER GREY	
PLACEMENT FOR DETAILS	PLEASE PRINT	WITH THERMAL PRINTER				2	Each				Nor	le	
WAISTBAND	BUTTON HOLE (BB105)	HIGH STITCH COUNT		INTERN	AL	2	Each	DTM BODY	Vendo Sourc		Nor	le	
PLACEMENT		ha Sizing Tab DW23_181_T/ LBOVO175				1	Each		Reca Maine Asia L		Nor	e	
PLACEMENT	(TR-TV140)	CAIN RIBBON LOOP				1	Each		Vendo Sourc		Nor	le	
SEE PLACEMENT	OVO 2023 Boo (TR-HG142) Article code: H					1	Each		Reca Maine Asia L		1 Nor	le	
	NBA HOLOGR (ST104)	AM STICKER				0	Each				Nor	le	
Graphics													
	TBD - SEE ART (HT-102)	TWORK FILE				0	Each				Nor	le	

				Mater	ial Image Sheet				Version 1	
		С-0425-кв-6294				Product Group	BOTTOM			
K	Article Name	NBA BUTTON SNAP SWEATPANT				Product Sub-Category	PANT - SWEATPA	ANT	00	
	Created On	12/02/24 11:40:58 AM	Material		eece 460gsm (FB-K507)	Season	2025 Winter			
<u>8</u> 2	Last Modified	12/30/24 4:17:06 PM	Description	REF# PLAW21P2465001N REF# PLAW21P2465002N		Life Cycle Stage	Development		100	
	CARD	APPOIL CARDING AND				2.000 2.0000 2.0000 2.0000 2.0000 2.0000 2.0000 2.0000 2.00000 2.00000 2.0000 2.00000000			NGRA NGRA I I	
FB-	K507	TR-LT308	Т	R-DR190	LT138	LT110		PK10	1	
100% cottor 460	n heavy fleed)gsm	CE ONE GAME MAIN LABEL		ORD FLAT 3/8" BARTACK	TEAR-AWAY COO TAB: OVOF21_217_T	CC LABEL - AP	PAREL	POLY BAG -	GENERIC	
STYLE #		Aberners Aberne		ad GAT 5mm						
TR-S	ST114	TR-LT246	Т	R-TV140	TR-HG142					
UPC STICKE	ER- 1" X 2.5	5" OVO 2023 Alpha Sizing Ta	o 5mm GRO	DSGRAIN RIBBON LOOP	OVO 2023 Booklet Hangtag					

			C	construction details - Knit Bottom - relaxed vers2			Version 1
(@ \ @)	Article Code	С-0425-кв-6294			Product Group	воттом	
MA	Article Name	NBA BUTTON SNAP SWEATPANT			Product Sub-Category	PANT - SWEATPANT	00
	Created On	12/02/24 11:40:58 AM	Material		Season	2025 Winter	
AN	Last Modified	12/30/24 4:17:06 PM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Development	



Comments

WAISTBAND Separate self folded waistband with elastic encased. Join all layers (catching elastic) with #512 mock safety stitch. 2N edge coverstitch, straddling WB seam, 1/4" spacing. Two rows of SN chain topstitch forming drawcord casing at centre of WB. Buttonhole drawcord exits at inside CF of WB, 2" spacing.

DRAWCORD

Drawcord ends: Flat, FOLDBACK BARTACKED ENDS Internal Exit

FRONT POCKETS

On seam slash pockets. Front edge folded in to form facing. SN topstitch, 1/4" in at pocket opening. Bartacks at top and bottom of opening.

Top pocket bag in jersey, bottom pocket bag in self. Bag seams join with #512 mock safety stitch. Bag finished into the WB and side seams.

FRONT/ BACK RISES

Join with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.

INSEAM

Join with #512 mock safety stitch

LEG OPENINGS

Self turn up with elastic encased. Elastic join to leg opening edge with #512 mock safety stitch. 2N coverstitch, 1/4" spacing, forming hem. Please ensure leg opening opens at snaps

BACK POCKET

Self single welt pocket, S/N edge T/S around the welt. Bartacks at welt 2 sides.

Top pocket bag in jersey, bottom pocket bag in self. Bag seams join with #512 mock safety stitch. Bag finished into the WB.

8 SNAP PLACKET

Side seam is pushed forward with placket to create functional vent placket - with snap closure.

Both top and bottom plackets are self faced, LIGHTLY FUSED. serged on facing edge. Set to body with S/N T/S. Please ensure snaps are applied on the center of placket. Bottom three snaps will open all the way down to leg hem, all other snaps will be stitched down JOINING ALL LAYERS every two snaps to top of waistband

\sim		·	C 0425 VD C204	Measure	ment - S	weatpan	t - Relax	ed ver 2							re in Inches	Version 1
	Article Code C-0425-KB-6294 Article Name NBA BUTTON SNAP SWEATP Created On 12/02/24 11:40:58 AM Last Modified 12/30/24 4:17:06 PM		NBA BUTTON SNAP SWEATPANT 12/02/24 11:40:58 AM		Material Description		100% cotton heavy fleece 460gsm (FB-к507) REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D					Product Group Product Sub- Season Life Cycle Stage		BOTTOM PANT - SWEATPANT 2025 Winter Development		
POM			Description	+ Tol	- Tol	Grade	XXS	XS	S	М	L	XL	XXL	3XL		
J101	Waist n	neasurement rel	axed :: 1/2 body	1/2	1/2	NA	12	13	14	15	16	17 1/2	19	20 1/2		
J 104	WB hei	ight		1/8	1/8	NA	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4		
J502	Dawcor	rd buttonhole dis	stance	1/8	1/8	NA	2	2	2	2	2	2	2	2		
! K101	Hip at 1	" below WB sear	m: waist pattern mmt.	1/2	1/2	NA	16 1/2	17 1/2	18 1/2	19 1/2	20 1/2	22	23 1/2	25		
! K102	Full Hip	o: 3" above crotc	h point, 3 xpt. Measure	1/2	1/2	NA	18 1/2	19 1/2	20 1/2	21 1/2	22 1/2	24	25 1/2	27		
M101	Thigh ::	: 1" below crotch	seam	1/4	1/4	NA	11 5/8	12 1/4	12 7/8	13 1/2	14 1/8	15	15 7/8	16 3/4		
M106	Knee po	osition from crote	ch pt@inseam	1/4	1/4	NA	11 3/4	11 3/4	12	12	12	12 1/4	12 1/4	12 1/4		
M103	Knee W	Vidth		1/4	1/4	NA	9 3/8	9 3/4	10 1/8	10 1/2	10 7/8	11 3/8	11 7/8	12 3/8		
! I101	Inseam	length :: long pa	ant	1/2	1/2	NA	29	29	29 1/2	29 1/2	29 1/2	30	30	30		
! M202	Leg ope	ening:Long, 1" a	bove casing / rib seam	1/8	1/8	NA	6 1/4	6 1/2	6 3/4	7	7 1/4	7 1/2	7 3/4	8		
! M201	Leg op	ening: Long, ins	ide fold edges of opening	1/8	1/8	NA	4 1/4	4 1/2	4 3/4	5	5 1/4	5 1/2	5 3/4	6		
1702	Leg cuf	ff height		1/8	1/8	NA	1	1	1	1	1	1	1	1		
L103	Front ris	se :: Incl WB		1/4	1/4	NA	13	13 1/4	13 1/2	13 3/4	14	14 1/4	14 1/2	14 3/4		
L203	Back ris	se :: Incl WB		1/4	1/4	NA	16	16 1/4	16 1/2	16 3/4	17	17 1/4	17 1/2	17 3/4		
C202	Side se	am forward posi	ition, fr fold	1/8	1/8	NA	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2		
N201	Front p	ocket length		1/4	1/4	NA	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2		
N202	Front p	ocket stitch width	n	1/8	1/8	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4		
N205	Front p	ocket position fro	om Rib/Band seam	1/8	1/8	NA	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4		
N211	Front p	ocket bag heighi	t :: at center	1/4	1/4	NA	11	11	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2		
N212	Front p	ocket bag width:	: at widest pt.	1/4	1/4	NA	6 1/4	6 1/2	6 1/2	6 3/4	6 3/4	7	7 1/4	7 1/4		
N601C	Back po	ocket welt height		1/8	1/8	0	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8		
! N701		ocket welt openi		1/8	1/8	NA	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2		
N703	· ·	ocket from WB se	5	1/8	1/8	NA	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4		
N508	· ·	ocket position fro		1/8	1/8	NA	1 5/8	1 3/4	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2		
J501		ord length : waist		1	1	NA	50	50	50	50	56	56	56	56		
Q104		EAM PLACKET W		1/4	1/4	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4		
	0.					-										1
- Revised	back po	dated 2023 ST ocket to matc IT w/ mini O(Co	omments	5							