





		Article Summary					Version 1				
		Article Code		C-0326-KT-7455		Product Group		TOP			
		Article Name		CAMPUS 26 HOODIE		Product Sub-Category		PULLOVER HOODIE			
		Created On		10-18-2025 2:10:00 PM		Season		Q3 2026			
		Last Modified		10-21-2025 7:36:00 AM		Life Cycle Stage					
		Material Description		BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON							
Gender Classification		Mens		Sub Class D		Graphic		Fabrication		KNIT TOP	
Supplier		UN-AVAILABLE CO. LTD		Release Date		28 Aug 2026		Ex-Factory		22 May 2026	
										COLORS	
SIZES											
000, 001, 002, 003, 004, 005, 006, 007											

Bill of Materials - #1										Version 1			
	Article Code	C-0326-KT-7455		Material Description	BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON		Product Group		TOP				
	Article Name	CAMPUS 26 HOODIE					Product Sub-Category		PULLOVER HOODIE				
	Created On	10-18-2025 2:10:00 PM					Season		Q3 2026				
	Last Modified	10-21-2025 7:36:00 AM					Life Cycle Stage						
Part	Material				Placement		Cons.	UOM.	Comments		Supplier	Supplier Ref.	
Fabric													
	BRUSHED FLEECE 420 GSM (FB-K1595) - Ver.#1 100% COTTON				BODY		0	Meter				KFA420SGZ	
	RIB 1X1 (FB-K1596) - Ver.#1 99% COTTON 1% ELASTANE				CUFF/ BAND		0	Meter				FW25R0004S -1	
Trims													
SEE PLACEMENT FOR DETAILS	UPC STICKER SIZE 1.5 X 1.5 (TR-ST112) - Ver.#1						2.00	Each					
	POLY BAG - GENERIC (PK101) - Ver.#1 Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.						1.00	Each			Vendor Sourced		
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) - Ver.#1 White Satin ground, Black text COO, Content, and Care Instructions may vary by style.						1.00	Each			Vendor Sourced		
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) - Ver.#1 COUNTRY OF ORIGIN TAB						1.00	Each			Reca Mainetti Asia Ltd	OVOF21_217_T	
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) - Ver.#1 FOR HANGTAG ATTACHMENT						1.00	Each			Vendor Sourced		
	BUTTON HOLE HIGH STITCH COUNT (BB105) - Ver.#1				HOOD		0	Each					
	ROUND 1/4" DRAWCORD WITH PLASTIC TIPS (TR-DR161) - Ver.#1						0	Each					
	NCAA HOLOGRAPHIC STICKER (TR-ST109) - Ver.#1				BACK OF HANGTAG		0	Each	OVO WILL PROVIDE				
	TWILL TAPE- PRESHRUNK (TV101) - Ver.#1				BACK NECK TAPE MATCH TO RUBGY QUALITY		0	Meter	DTM HERRINGBONE TWILL TAPE				
	OVO 2023 One Side Main Label (TR-LT247) - Ver.#1 RECA REF: LBOVO172						0	Each			Reca Mainetti Asia Ltd	LBOVO172	
	OVO 2023 Alpha Sizing Tab (TR-LT246) - Ver.#1 ARTICLE: OVOW23_181_T/ LBOVO175						0	Each			Reca Mainetti Asia Ltd	LBOVO175	
Graphics													
	TBD - SEE ARTWORK FILE (HT-102) - Ver.#1						0	Each					

Bill of Materials - #1 Material Image Sheet							Version 1
	Article Code	C-0326-KT-7455			Product Group	TOP	
	Article Name	CAMPUS 26 HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	10-18-2025 2:10:00 PM			Season	Q3 2026	
	Last Modified	10-21-2025 7:36:00 AM			Life Cycle Stage		
			Material Description	BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON			
							
PK101 POLY BAG - GENERIC		LT110 CC LABEL - APPAREL		LT138 TEAR-AWAY COO TAB: OVOF21_217_T	TR-TV140 5mm GROSGRAIN RIBBON LOOP	TR-ST109 NCAA HOLOGRAPHIC STICKER	TR-LT247 OVO 2023 One Side Main Label
							
TR-LT246 OVO 2023 Alpha Sizing Tab							

Construction details - Hoodie						Version 1
	Article Code	C-0326-KT-7455			Product Group	TOP
	Article Name	CAMPUS 26 HOODIE			Product Sub-Category	PULLOVER HOODIE
	Created On	10-18-2025 2:10:00 PM			Season	Q3 2026
	Last Modified	10-21-2025 7:36:00 AM			Life Cycle Stage	
			Material Description	BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON		



Comments

- 1 HOOD**
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Hood self and hood lining serged separately.
CF of hood overlapping at the neck 3/4", left over right.
SN topstitch at front edge to make channel for drawcord.
Buttonhole exits for drawcord.
Drawcord ends double fold and tacked with bartack. Drawcord tacked at CF of hood as per photo reference.
Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.

Nón 1 mảnh với lót = vải chính. Gấp miệng nón, chiết pen giữa sóng nón. 2 lớp nón vắt sổ riêng biệt.

Giữa trước chồm miệng nón 3/4", từ trái sang phải người mặc. Điều 1k miệng nón để luồn dây. Lỗ khuy luồn dây.


Gấp đôi đuôi dây luồn và đóng bọ. Đóng bọ 3/8" cố định dây luồn ở giữa miệng nón như hình. Đóng bọ 3/8" đuôi chiết pen nón

- 2 NECK SEAM**
Hood join to body with #512 mock safety stitch. SN topstitch on front neck, 1/4" in on body.
Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck.

Đường may nón vắt sổ, điều 1k 1/4" xung quanh cổ áo như hình minh họa

- 3 SHOULDER SEAM**
Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.

Đường may vai chồm về trước, vắt sổ và điều 2k rã 1/4"



- 4** ARMHOLE SEAM
Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.

Nách: may vắt sổ, điều rã 2k 1/4"

- 5** SLEEVE/ SIDE SEAM
Join in one operation. #512 mock safety stitch.

Đường may sườn và tay áo: Vắt sổ

- 6** SLEEVE OPENING
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.


Cửa tay: Bọ gấp đôi, nối đường may, vắt sổ, điều 2k rã 1/4"

- 7** KANGA POCKET
Self pocket bag. Opening edges turned in, 2N coverstitch to form hem, 1/4" spacing.
Side and top edges serged and turned in. SN topstitched to body. Bottom of bag finished into the band seam.
Bartacks at top and bottom of pkt openings.

Triangular reinforcements at top and bottom of kanga opening with jersey fabric swatch at inner side of garment.


Túi áo: Bằng vải chính, miệng túi gấp vào trong, điều 2k 1/4" đánh bông dưới. Cạnh còn lại vắt sổ gấp vào trong. Điều mí 1k vào thân. Cạnh dưới tra vào thân. Đánh bọ ở 2 đầu miệng túi
May miếng tam giác bằng vải single jersey cổ định ở 4 góc túi xem trang minh họa tiếp theo

- 8** BOTTOM OPENING
Folded rib band. Join to bottom opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.

Construction details - HOOD AND PKT DETAILS							Version 1
	Article Code	C-0326-KT-7455			Product Group	TOP	
	Article Name	CAMPUS 26 HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	10-18-2025 2:10:00 PM	Material	BRUSHED FLEECE 420 GSM (FB-K1595)	Season	Q3 2026	
	Last Modified	10-21-2025 7:36:00 AM	Description	100% COTTON	Life Cycle Stage		




hood and drawcord tacking reference



Vị trí đóng bọ

Cấu trúc nón và túi áo



Reinforce kangaroo pocket corners with Jersey fabric

- Reinforce pocket opening corners(inner side of garment)
- Trim off fabric swatch neatly.



Tham khảo cách gia cố góc túi, cắt gọn miếng vải đệm

Gia cố

Measurement - OFFICIAL 2025 GRAPHIC FIT

All measurements are in Inch

Version 1



Article Code	C-0326-KT-7455			Product Group	TOP
Article Name	CAMPUS 26 HOODIE			Product Sub-	PULLOVER HOODIE
Created On	10-18-2025 2:10:00 PM	Material	BRUSHED FLEECE 420 GSM (FB-K1595)	Season	Q3 2026

	POM Code	POM Name		-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A201	Front body length from HPS : Top	Dài áo từ cao vai	1/2	1/2	Mixed	26	26 1/2	27	27 1/2	28	29	30	31
	H101	Neck width :: SEAM TO SEAM	Ngang vai - đm đến đm	1/4	1/4	Mixed	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2
	H201	Front neck drop from HPS : Crew	Hạ cổ trước từ cao vai	1/8	1/8	Mixed	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3	3	3
												11/16	13/16	15/16
	H301	Back neck drop from HPS Crew	Hạ cổ sau từ cao vai	1/8	1/8	Mixed	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16
	D102	Shoulder slope :: from HPS	Xuôi vai - từ cao vai	1/8	1/8	Mixed	1 7/8	1	2	2	2	2 1/16	2 1/8	2 3/16
								15/16						
	D103	Shoulder displacement to front	Chồm vai	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
!	D101	Shoulder width :measured on CB body	Ngang vai - đo ở thân sau	3/8	3/8	Mixed	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4
	B301	Across: Chest : at mid. armhole	Ngang ngực - đo giữa hõm nách	1/4	1/4	Mixed	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2
	B201	Across Back : at mid. armhole	Ngang lưng - đo giữa hõm nách	1/4	1/4	Mixed	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4
!	B101	Chest width :1" below armhole	Ngang ngực dưới nách 1"	1/2	1/2	Mixed	20	21	22	23	24	25 1/2	27	28 1/2
!	C102	Bottom width : 1" above band seam	Ngang lai - trên đường tra bo 1"	1/2	1/2	Mixed	18	19	20	21	22	23 1/2	25	26 1/2
!	C101	Bottom width at band:inside fold edges of band/he	Ngang lai tại mép	1/2	1/2	Mixed	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24
!	E101	Armhole Straight :: measured straight	Nách đo thẳng	1/4	1/4	Mixed	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8
!	G101	Bicep width:1" below amhole	BẮp tay dưới nách 1"	1/4	1/4	Mixed	9 1/4	9 1/2	9 3/4	10	10 1/4	10	10 7/8	11
												9/16		3/16
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	Dài tay đo 3 điểm từ giữa cổ sau	1/2	1/2	Mixed	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4

	N102	Kanga pocket width at top edge	1/4	1/4	Mixed	9 1/2	9 3/4	9 3/4	10	10	10 1/2	10 1/2	10 1/2
!	N103	Kanga pocket width at widest point	1/4	1/4	Mixed	13 1/2	13 3/4	13 3/4	14	14	14 1/2	14 1/2	14 1/2
	N104	Kanga pocket width at band seam	1/4	1/4	Mixed	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 1/2
	N201	Pocket opening hem height	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
!	H709	drawcord length : Hood	1/2	1/2	Mixed	40	41	41	42	42	43	43	43
	H710	Hood drawcord exit pos. fr neck	1/8	1/8	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
	H606	Inside back neck binding width	1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Measurement - OFFICIAL 2025 GRAPHIC FIT

All measurements are in Inch

Version 1




Article Code	C-0326-KT-7455
Article Name	CAMPUS 26 HOODIE
Created On	10-18-2025 2:10:00 PM
Last Modified	10-21-2025 7:36:00 AM

Material Description	BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON
----------------------	--

Product Group	TOP
Product Sub-	PULLOVER HOODIE
Season	Q3 2026
Life Cycle Stage	



	POM Code	POM Name		-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	G104	L/Sleeve opening: inside fold edges of cuff/hem	Cửa tay tại mép	1/8	1/8	Mixed	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16
!	G103	L/Sleeve :: 1" above cuff seam	Cửa tay trên đường tra bo 1"	1/8	1/8	Mixed	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16
	F701	Sleeve Cuff Band Height	Cao bo tay	1/8	1/8	0	3	3	3	3	3	3	3	3
	A703	Body Band Height	Cao bo lai	1/8	1/8	0	3	3	3	3	3	3	3	3
	H708	Hood casing width :: at CF	Cao điều miệng nón hoodie	1/8	1/8	0	1	1	1	1	1	1	1	1
!	H703	Hood width :: at 5" Below Top Edge	Rộng nón hoodie - dưới đỉnh nón 5"	1/4	1/4	1/4	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12
!	H701	Hood height at CF	Cao nón ở giữa trước	1/4	1/4	Mixed	14 1/2	15	15	15 1/2	15 1/2	16	16	16
	H702	Hood height at HPS	Cao nón tại cao vai	1/4	1/4	Mixed	13	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2
!	N101	Kanga pocket height at center	Cao túi ở giữa	1/4	1/4	Mixed	8 3/4	9	9	9 1/4	9 1/4	9 3/4	9 3/4	9 3/4
	N102	Kanga pocket width at top edge	Ngang túi ở cạnh trên	1/4	1/4	Mixed	9 1/2	9 3/4	9 3/4	10	10	10 1/2	10 1/2	10 1/2
!	N103	Kanga pocket width at widest point	Ngang túi ở điểm rộng nhất	1/4	1/4	Mixed	13 1/2	13 3/4	13 3/4	14	14	14 1/2	14 1/2	14 1/2
	N104	Kanga pocket width at band seam	Ngang túi ở đường tra bo	1/4	1/4	Mixed	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 1/2
	N201	Pocket opening hem height	Cao miệng nón	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
!	H709	drawcord length : Hood	Dài dây luồn	1/2	1/2	Mixed	40	41	41	42	42	43	43	43
	H710	Hood drawcord exit pos. fr neck	Định vị lỗ khuy luồn dây từ giữa cổ trước	1/8	1/8	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
	H606	Inside back neck binding width	Dây VCS	1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
!	H404	Minimum Neck Stretch	Giãn cổ tối thiểu	0	1/2	0	24	24	24	24	24	24	24	24

CM Measurement - OFFICIAL 2025 GRAPHIC FIT							All measurements are in CM						Version 1	
	Article Code	C-0326-KT-7455					Product Group		TOP					
	Article Name	CAMPUS 26 HOODIE					Product Sub-		PULLOVER HOODIE					
	Created On	10-18-2025 2:10:00 PM	Material Description	BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON			Season		Q3 2026					
	Last Modified	10-21-2025 7:36:00 AM					Life Cycle Stage							
	POM Code	POM Name		-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A201	Front body length from HPS : Top		1.27	1.27	Mixed	66.04	67.31	68.58	69.85	71.12	73.66	76.2	78.74
	H101	Neck width :: SEAM TO SEAM		0.635	0.635	Mixed	22.86	22.86	23.495	24.13	24.765	25.4	26.035	26.67
	H201	Front neck drop from HPS : Crew		0.3175	0.3175	Mixed	8.5725	8.5725	8.7312	8.89	9.0488	9.3663	9.6837	10.0013
	H301	Back neck drop from HPS Crew		0.3175	0.3175	Mixed	2.2225	2.2225	2.3813	2.54	2.6987	3.0162	3.3338	3.6513
	D102	Shoulder slope :: from HPS		0.3175	0.3175	Mixed	4.7625	4.9212	5.08	5.08	5.08	5.2387	5.3975	5.5563
	D103	Shoulder displacement to front		0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905
!	D101	Shoulder width :measured on CB body		0.9525	0.9525	Mixed	47.625	49.53	51.435	53.34	55.245	57.785	60.325	62.865
	B301	Across: Chest : at mid. armhole		0.635	0.635	Mixed	41.91	43.815	45.72	47.625	49.53	52.07	54.61	57.15
	B201	Across Back : at mid. armhole		0.635	0.635	Mixed	42.545	44.45	46.355	48.26	50.165	52.705	55.245	57.785
!	B101	Chest width :1" below armhole		1.27	1.27	Mixed	50.8	53.34	55.88	58.42	60.96	64.77	68.58	72.39
!	C102	Bottom width : 1" above band seam		1.27	1.27	Mixed	45.72	48.26	50.8	53.34	55.88	59.69	63.5	67.31
!	C101	Bottom width at band:inside fold edges of band/he		1.27	1.27	Mixed	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96
!	E101	Armhole Straight :: measured straight		0.635	0.635	Mixed	25.0825	26.035	26.9875	27.94	28.8925	30.1625	31.4325	32.7025
!	G101	Bicep width:1" below armhole		0.635	0.635	Mixed	23.495	24.13	24.765	25.4	26.035	26.8287	27.6225	28.4163
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure		1.27	1.27	Mixed	84.455	86.36	88.265	90.17	92.075	94.615	97.155	99.695
!	G104	L/Sleeve opening: inside fold edges of cuff/hem		0.3175	0.3175	Mixed	8.0962	8.5725	9.0488	9.525	10.0013	10.6363	11.2713	11.9063
!	G103	L/Sleeve :: 1" above cuff seam		0.3175	0.3175	Mixed	13.8112	14.2875	14.7637	15.24	15.7163	16.3513	16.9862	17.6212
	F701	Sleeve Cuff Band Height		0.3175	0.3175	0	7.62	7.62	7.62	7.62	7.62	7.62	7.62	7.62
	A703	Body Band Height		0.3175	0.3175	0	7.62	7.62	7.62	7.62	7.62	7.62	7.62	7.62
	H708	Hood casing width :: at CF		0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54
!	H703	Hood width :: at 5" Below Top Edge		0.635	0.635	0.635	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48
!	H701	Hood height at CF		0.635	0.635	Mixed	36.83	38.1	38.1	39.37	39.37	40.64	40.64	40.64
	H702	Hood height at HPS		0.635	0.635	Mixed	33.02	34.29	34.29	35.56	35.56	36.83	36.83	36.83
!	N101	Kanga pocket height at center		0.635	0.635	Mixed	22.225	22.86	22.86	23.495	23.495	24.765	24.765	24.765
	N102	Kanga pocket width at top edge		0.635	0.635	Mixed	24.13	24.765	24.765	25.4	25.4	26.67	26.67	26.67
!	N103	Kanga pocket width at widest point		0.635	0.635	Mixed	34.29	34.925	34.925	35.56	35.56	36.83	36.83	36.83
	N104	Kanga pocket width at band seam		0.635	0.635	Mixed	26.67	27.305	27.305	27.94	27.94	29.21	29.21	29.21
	N201	Pocket opening hem height		0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905
!	H709	drawcord length : Hood		1.27	1.27	Mixed	101.6	104.14	104.14	106.68	106.68	109.22	109.22	109.22
	H710	Hood drawcord exit pos. fr neck		0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175
	H606	Inside back neck binding width		0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525

CM Measurement - OFFICIAL 2025 GRAPHIC FIT							All measurements are in CM						Version 1		
	Article Code	C-0326-KT-7455					Product Group	TOP							
	Article Name	CAMPUS 26 HOODIE					Product Sub-	PULLOVER HOODIE							
	Created On	10-18-2025 2:10:00 PM	Material Description	BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON			Season	Q3 2026							
	Last Modified	10-21-2025 7:36:00 AM					Life Cycle Stage								
	POM Code	POM Name			-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
	H404	Minimum Neck Stretch			0	1.27	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96

NOTES
same as 2024 but with smaller pockets 10.21.2024