


Article Summary							Version 1
	Item Code	M-0226-KB-6735			Product Group	BOTTOM	
	Item Name	REVERSIBLE BIG TIMER MESH SHORTS			Product Sub-Category	SHORT - ACTIVE	
	Created On	05-05-2025 1:32:00 PM			Season	Q2 2026	
	Last Modified	01-16-2026 11:42:00 AM			Life Cycle Stage	Production	
Gender Classification		Mens	Sub Class D	Pull on Short	Fabrication	KNIT BOTTOM	
Supplier		UN-AVAILABLE CO. LTD	Release Date	03 Jul 2026	Ex-Factory	10 Apr 2026	
							COLORS
							WHISPER WHITE (WHS) 11-0701 TCX CREAM BIKING RED (BRD) 19-1650 TCX DEEP RED CARTOUCHE (CTE) 17-1325 TCX CAMEL
SIZES							
001, 002, 003, 004, 005, 006, 007							

Bill of Materials - Production #1											Version 1
	Item Code	M-0226-KB-6735		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)			Product Group		BOTTOM		
	Item Name	REVERSIBLE BIG TIMER MESH SHORTS					Product Sub-Category		SHORT - ACTIVE		
	Created On	05-05-2025 1:32:00 PM	Material Description				Season		Q2 2026		
	Last Modified	01-16-2026 11:42:00 AM					Life Cycle Stage		Production		
Part	Material		Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	WHS WHISPER WHITE April Ex Factory 2026.2	BRD BIKING RED April Ex Factory 2026.2	CTE CARTOUCHE April Ex Factory 2026.2
Fabric											
BODY	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692) - Ver.#1		BODY, POCKETS BAGS, CONTRAST LINING	0.00	Meter				None	None	None
Trims											
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) - Ver.#1 White Satin ground, Black text COO, Content, and Care Instructions may vary by style.		INBETWEEN SHORT LAYVERS ABOVE SLIT	1	Each		Laven Industries Ltd.		None	None	None
SEE PLACEMENT FOR DETAILS	POLY BAG - GENERIC (PK101) - Ver.#1 Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.			1	Each		Vendor Sourced		None	None	None
SEE PLACEMENT FOR DETAILS	UPC STICKER- 1" X 2.5" (TR-ST114) - Ver.#1 PLEASE PRINT WITH THERMAL PRINTER			1	Each				None	None	None
WAISTBAND	ELASTIC PRESHRUNK (EC116) - Ver.#1 PLS REFER TO MEASUREMENT CHARTS FOR WIDTH SIZE		WB	1	Each				None	None	None
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) - Ver.#1 Article code: HTOVO141A		PINNED AT POCKET	1	Each		Reca Mainetti Asia Ltd	HTOVO141A	None	None	None
SEE PLACEMENT FOR DETAILS	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) - Ver.#1 COUNTRY OF ORIGIN TAB		CB- BASTING STITCH	1	Each		Reca Mainetti Asia Ltd		None	None	None
DRAWCORD	ROUND DRAWCORD WITH AGLET (TR-DR188) - Ver.#1		INTERNAL WB	1	Each	WHITE ON ALL COLOURWAYS	Vendor Sourced		None	None	None
	BUTTON HOLE HIGH STITCH COUNT (BB105) - Ver.#1		INTERNAL WB	2	Each		Vendor Sourced		None	None	None
Graphics											
	TBD - SEE ARTWORK FILE (HT-102) - Ver.#1			0	Each				None	None	None

Bill of Materials - Production #1 Material Image Sheet								Version 1			
	Item Code	M-0226-KB-6735		Material Description	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM				
	Item Name	REVERSIBLE BIG TIMER MESH SHORTS			Product Sub-Category	SHORT - ACTIVE					
	Created On	05-05-2025 1:32:00 PM			Season	Q2 2026					
	Last Modified	01-16-2026 11:42:00 AM			Life Cycle Stage	Production					
											
FB-K692 MESH - 100% POLYESTER, 230GSM-MA-061		LT110 CC LABEL - APPAREL		PK101 POLY BAG - GENERIC		TR-ST114 UPC STICKER- 1" X 2.5"		TR-HG142 OVO 2023 Booklet Hangtag		LT138 TEAR-AWAY COO TAB: OVOF21_217_T	
											
TR-DR188 ROUND DRAWCORD WITH AGLET											

CARE LABEL PLACEMENT

Version 1

Item Code	M-0226-KB-6735
Item Name	REVERSIBLE BIG TIMER MESH SHORTS
Created On	05-05-2025 1:32:00 PM
Last Modified	01-16-2026 11:42:00 AM

Material Description	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)
----------------------	--

Product Group	BOTTOM
Product Sub-Category	SHORT - ACTIVE
Season	Q2 2026
Life Cycle Stage	Production




OFFSHORE KNIT & ACTIVEWEAR BOTTOMS


MAIN LABEL LBOVO147 - COL A - OPT 1
*INSERT AT CB WAISTBAND SEAM

SIZE TAB OVOW23_181_T - 2023
*INSERT AT WAISTBAND SEAM 0.25" FROM MAIN LABEL

TEAR AWAY COO TAB LT138
*INSERT AT WAISTBAND SEAM 0.25" FROM SIZE TAB




HANG TAG PLACEMENT
*ATTACH TO LOOP AT THE FRONT WAISTBAND SEAM



CARE LABEL PLACEMENT
*ATTACH AT LEFT SIDE SEAM 2" BELOW WAISTBAND SEAM




Construction details - Knit Bottom							Version 1	
	Item Code	M-0226-KB-6735		Material Description	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Item Name	REVERSIBLE BIG TIMER MESH SHORTS			Product Sub-Category	SHORT - ACTIVE		
	Created On	05-05-2025 1:32:00 PM			Season	Q2 2026		
	Last Modified	01-16-2026 11:42:00 AM			Life Cycle Stage	Production		



Comments

- FULLY SELF CONTRAST LINED (REVERSIBLE) JOINED AT INTERIOR WAISTBAND TOP EDGE AND TACKED AT INTERIOR SIDE SEAM AND CROTCH POINT
- WAISTBAND: SELF AND SELF CONTRAST ENCASED ELASTIC WAISTBAND, EDGES ARE MOCK SAFETY SERGED, CONTRAST SELF LINING 3/8" FOLD OVER VISIBLE AT TOP EDGE, SN EDGE TOPSTITCH TO HOLD IN PLACE. APPLY ROW OF SN CHAINSTITCH 1/2" BELOW WB EDGE & SN CHAINSTITCH TO STITCH DOWN EDGE ELASTIC (ENSURE TO CATCH ELASTIC IN STITCH LINE), CLEAN FINISHED
DRAWCORD EXIT: BUTTONHOLE (INTERIOR EXIT) AT CF
- DRAWCORD: ROUND WITH TIPPING
- ONSEAM POCKET: POCKET LINING SET IN BETWEEN LAYERS (SANDWICH IN-BETWEEN SELF + LINING LAYERS)
ON-SEAM POCKETS: 1/4" SN T/S
SELF POCKET BAG: MOCK SAFETY SERGE, 512
POCKET BAG SEWN INTO WAISTBAND AND SIDE SEAM
BARTACK TOP AND BOTTOM POCKET OPENING
- FRONT AND BACK RISE: MOCK SAFETY SERGE, 512. TACK SELF AND SELF CONTRAST LINING TOGETHER AT CROTCH POINT
- INSEAM / OUTSEAM: MOCK SAFETY SERGE, 512
- SIDE SLIT: SLIT AT SIDE SEAM/LEG OPENING. SIDES DOUBLE TURNED IN, 1/4" S/N T/S, APPLY BARTACK AT TOP OF THE SLIT. USE 1 1/2" LENGTH TWILL TAPE 1/8" WIDTH TO ATTACH SELF AND SELF CONTRAST LINING TOGETHER, SELF TAPE 1 1/2" ABOVE SLIT
- LEG HEM: DOUBLE SELF FOLD: 2 N 1/4" COVERSTITCH
- BACK PATCH POCKET (ONLY ON SELF EXTERIOR LAYER): SELF PATCH, LINED WITH SELF, PLACED AT WEARER'S RIGHT SIDE.
POCKET HEM: SERGE EDGE, SINGLE TURN & S/N T/S
SIDES ARE SINGLE TURNED AND S/N EDGE T/S, TRIANGULAR REINFORCEMENT T/S AT POCKET OPENING

Construction details - Knit Bottom					Version 1	
	Item Code	M-0226-KB-6735		Material Description	Product Group	BOTTOM
	Item Name	REVERSIBLE BIG TIMER MESH SHORTS			Product Sub-Category	SHORT - ACTIVE
	Created On	05-05-2025 1:32:00 PM			Season	Q2 2026
	Last Modified	01-16-2026 11:42:00 AM			Life Cycle Stage	Production



2 ENDS.

CONTRAST SELF LINING 3/8" FOLD OVER VISIBLE AT TOP EDGE, SN EDGE TOPSTITCH

Measurement Sheet - Mesh Shorts					All measurements are in Inch		Version 1
	Item Code	M-0226-KB-6735		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Item Name	REVERSIBLE BIG TIMER MESH SHORTS			Product Sub-Category	SHORT - ACTIVE	
	Created On	05-05-2025 1:32:00 PM	Material		Season	Q2 2026	
	Last Modified	01-16-2026 11:42:00 AM	Description		Life Cycle Stage	Production	

	POM Code	POM Name	-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	Mixed	12 3/4	13 3/4	14 3/4	15 3/4	16 3/4	18 1/4	19 3/4	21 1/4
!	J104	WB height: top edge to bottom stitch	1/8	1/8	0	2	2	2	2	2	2	2	2
!	K101	Hip at 1" below WB seam: Waist pattern mmt.	1/2	1/2	Mixed	20	21	22	23	24	25 1/2	27	28 1/2
!	K102	Full Hip: 3 xpt. Measure	1/2	1/2	Mixed	23	24	25	26	27	28 1/2	30	31 1/2
!	M101	Thigh :: 1" below crotch seam	1/4	1/4	Mixed	13 5/8	14 1/4	14 7/8	15 1/2	16 1/8	17	17 7/8	18 3/4
	C202	Side seam forward position, fr fold	1/8	1/8	0	1	1	1	1	1	1	1	1
!	I101	Outseam length: WB top edge to leg opening	1/4	1/4	GA	GA	GA	GA	18 1/2	GA	GA	GA	GA
!	I302	Inseam length :: short	1/4	1/4	1/4	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4	9
!	M402	Leg opening:short :: inside fold edges of opening	1/4	1/4	Mixed	11 3/8	12	12 5/8	13 1/4	13 7/8	14 3/4	15 5/8	16 1/2
!	L103	Front rise :: INCLUDING WB	1/4	1/4	1/4	12 1/4	12 1/2	12 3/4	13	13 1/4	13 1/2	13 3/4	14
!	L203	Back rise :: INCLUDING WB	1/4	1/4	1/4	15	15 1/4	15 1/2	15 3/4	16	16 1/4	16 1/2	16 3/4
!	N201	Onseam pocket length	1/4	1/4	Mixed	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2
	N202	Onseam pocket stitch width	1/8	1/8	0	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
	N205	Onseam pocket position from Rib/Band seam	1/8	1/8	1/8	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4
	N211	Onseam Pocket bag height :: at center	1/4	1/4	Mixed	11	11	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2
	N212	Onseam Pocket bag width:: at widest pt.	1/4	1/4	Mixed	6 3/4	7	7	7 1/4	7 1/4	7 1/2	7 3/4	7 3/4
	N601C	Back pocket length at center	1/8	1/8	Mixed	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2
	N701	Back pocket width at center	1/8	1/8	Mixed	5	5 1/4	5 1/4	5 1/2	5 1/2	5 3/4	6	6
	N703	Back pocket from WB seam/stitch	1/8	1/8	1/8	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2
	N508	Back pocket position from CB seam	1/8	1/8	1/8	2 5/8	2 3/4	2 7/8	3	3 1/8	3 1/4	3 3/8	3 1/2
	Q201	Side slit length	1/8	1/8	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
	I702	Leg hem depth	1/8	1/8	0	1	1	1	1	1	1	1	1
!	J501	Drawcord length : waist, total length	1	1	Mixed	50	50	50	50	56	56	56	56

NOTES

REFERENCE: Supreme mesh short size M overall fit

- shorten rises by 1"

- back pocket revise to patch pocket

UN-AVAILABLE CO. LTD: PP Approval-1(Rev.2) pp [Sample 1 (M)]							Version 1
	Item Code	M-0226-KB-6735			Product Group	BOTTOM	
	Item Name	REVERSIBLE BIG TIMER MESH SHORTS			Product Sub-Category	SHORT - ACTIVE	
	Created On	05-05-2025 1:32:00 PM			Season	Q2 2026	
	Last Modified	01-16-2026 11:42:00 AM			Life Cycle Stage	Production	
			Material	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)			
			Description				

Group	POM	Description	+ Tol	- Tol	M	Sample	Diff	Revised
	J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	15 3/4	16	1/4	
	J104	WB height: top edge to bottom stitch	1/8	1/8	1 3/4	1 3/4	0	2
	K101	Hip at 1" below WB seam: Waist pattern mmt.	1/2	1/2	23	23	0	
	K102	Full Hip: 3 xpt. Measure	1/2	1/2	26	26 1/4	1/4	
	M101	Thigh :: 1" below crotch seam	1/4	1/4	15 1/2	15 3/4	1/4	
	C202	Side seam forward position, fr fold	1/8	1/8	1	1 1/8	1/8	
	I101	Outseam length: WB top edge to leg opening	1/4	1/4	18 1/2	18	-1/2	
	I302	Inseam length :: short	1/4	1/4	8	8	0	
	M402	Leg opening:short :: inside fold edges of opening	1/4	1/4	13 1/4	13 1/2	1/4	
	L103	Front rise :: INCLUDING WB	1/4	1/4	13	13	0	
	L203	Back rise :: INCLUDING WB	1/4	1/4	15 3/4	16	1/4	
	N201	Onseam pocket length	1/4	1/4	6	6	0	
	N202	Onseam pocket stitch width	1/8	1/8	1/4	1/4	0	
	N205	Onseam pocket position from Rib/Band seam	1/8	1/8	3/4	5/8	-1/8	
	N211	Onseam Pocket bag height :: at center	1/4	1/4	11 1/2	11 1/4	-1/4	
	N212	Onseam Pocket bag width:: at widest pt.	1/4	1/4	7 1/4	7 1/2	1/4	
	N601C	Back pocket length at center	1/8	1/8	6	6	0	
	N701	Back pocket width at center	1/8	1/8	5 1/2	5 1/4	-1/4	
	N703	Back pocket from WB seam/stitch	1/8	1/8	1 1/2	1 1/2	0	
	N508	Back pocket position from CB seam	1/8	1/8	3	3 1/4	1/4	
	Q201	Side slit length	1/8	1/8	1 1/4	1 1/4	0	
	I702	Leg hem depth	1/8	1/8	1	1	0	
	J501	Drawcord length : waist, total length	1	1	50	51	1	

COMMENTS

1.6.2026

STYLING COMMENTS:

1. Please keep self fabric in between layers to chain both layers together

UN-AVAILABLE CO. LTD: PP Approval-1(Rev.2) pp [Sample 1 (M)]							Version 1
	Item Code	M-0226-KB-6735		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Item Name	REVERSIBLE BIG TIMER MESH SHORTS			Product Sub-Category	SHORT - ACTIVE	
	Created On	05-05-2025 1:32:00 PM	Material		Season	Q2 2026	
	Last Modified	01-16-2026 11:42:00 AM	Description		Life Cycle Stage	Production	

FITTING COMMENTS:

1. bring back to spec on WB height measurement
2. Bring back to spec on back pocket width at center
3. Bring back to spec on back pocket from wb seam/ stitch
4. Ensure all measurements are brought back to spec.
5. Please watch for outseam, it looks like outseam is hiking. Bring back to spec on outseam measurement
6. Please ensure gathering is even around the CF and CB of waistband
7. (1.27.2026) revised wb height length, please extend WB stitching and not at the fold over. Please keep fold over at 3/8"

WORKMANSHIP COMMENTS:

- 1.
- 2.

PP IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PRODUCTION WITH CORRECTIONS

Sample Size: M
Status: Approved
Approved By: KoryLui (October's Very Own Merchandising)
Approved On: 01-27-2026 10:20:00 AM

GÓP Ý PP SAMPLE:

1. Vui lòng giữ vải chính (self fabric) ở giữa các lớp để may móc xích (chain stitch) liên kết hai lớp vải lại với nhau.

GÓP Ý THÔNG SỐ:

1. Quay lại đúng thông số: Cao lưng đo từ cạnh trên đến đường may cạnh dưới
2. Quay lại đúng thông số: Dài túi sau đo ở giữa
3. Quay lại đúng thông số: Định vị túi từ đường may giữa lưng sau
4. Vui lòng đảm bảo các thông số nằm trong dung sai
5. Đường sườn ngoài trông như bị (kéo lệch / bị chạy lên). Vui lòng đảm bảo vấn đề này được điều chỉnh và sửa lại.
6. Vui lòng đảm bảo độ nhún được phân bố đều quanh giữa thân trước và giữa thân sau của cạp/quai lưng.

7. (1.27.2026) revised wb height length, please extend WB stitching and not at the fold over. Please keep fold over at 3/8"

(Ngày 27/1/2026) Chiều cao lưng được điều chỉnh lại. Vui lòng kéo dài đường may cạp quần chứ không phải ở phần gấp. Vui lòng giữ phần gấp ở mức 3/8 inch.

GÓP Ý QUY CÁCH MAY:


1. Vui lòng đảm bảo không có hiện tượng nhăn dúm / nhăn gợn quá mức trên các đường may.
2. Đảm bảo đường may ống trong của hai ống quần đều nhau.

=> PP đã được duyệt về form dáng (fit) và kết cấu may (construction), vui lòng tiến hành sản xuất theo các chỉnh sửa/điều chỉnh đã nêu.

	Item Code	M-0226-KB-6735			Product Group	BOTTOM	
	Item Name	REVERSIBLE BIG TIMER MESH SHORTS			Product Sub-Category	SHORT - ACTIVE	
	Created On	05-05-2025 1:32:00 PM			Season	Q2 2026	
	Last Modified	01-16-2026 11:42:00 AM			Life Cycle Stage	Production	
			Material Description	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)			



UN-AVAILABLE CO. LTD: PP Approval-1(Rev.2) pp - outseam hiking						Version 1
Item Code	M-0226-KB-6735	Material Description	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
Item Name	REVERSIBLE BIG TIMER MESH SHORTS			Product Sub-Category	SHORT - ACTIVE	
Created On	05-05-2025 1:32:00 PM			Season	Q2 2026	
Last Modified	01-16-2026 11:42:00 AM			Life Cycle Stage	Production	



OUTSEAM LOOKS LIKE ITS
HIKING PLEASE ENSURE
THAT THIS IS CORRECTED

ĐƯỜNG SƯỜN NGOÀI TRÔNG NHƯ BỊ (KÉO
LỆCH / BỊ CHẠY LÊN). VUI LÒNG ĐẢM BẢO
VẤN ĐỀ NÀY ĐƯỢC ĐIỀU CHỈNH VÀ SỬA
LẠI CHO HÀNG SẢN XUẤT