




Article Summary							Version 1
	Article Code	M-0226-KB-6735		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Article Name	MESH SHORTS			Product Sub-Category	SHORT - ACTIVE	
	Created On	05-05-2025 1:32:16 PM			Season	Q2 2026	
	Last Modified	06-19-2025 11:51:58 AM			Life Cycle Stage	Development	
Gender Classification		Mens	Sub Class D	Pull on Short	Fabrication	KNIT BOTTOM	
Supplier		UN-AVAILABLE CO. LTD	Release Date	01 May 2026	Ex-Factory	03 Feb 2026	
							COLORS
							BLACK (BK) BLACK BIKING RED (BRD) 19-1650 TCX DEEP RED CARTOUCHE (CTE) 17-1325 TCX CAMEL
SIZES							
001, 002, 003, 004, 005, 006, 007							

Bill of Materials											Version 1	
	Article Code	M-0226-KB-6735					Product Group	BOTTOM				
	Article Name	MESH SHORTS					Product Sub-Category	SHORT - ACTIVE				
	Created On	05-05-2025 1:32:16 PM	Material	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)			Season	Q2 2026				
	Last Modified	06-19-2025 11:51:58 AM	Description				Life Cycle Stage	Development				
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK	BRD BIKING RED	CTE CARTOUCHE
Fabric												
BODY	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)		BODY, POCKETS BAGS, CONTRAST LINING		0	Meter				None	None	None
Trims												
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				1	Each		Laven Industries Ltd.		None	None	None
SEE PLACEMENT FOR DETAILS	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each		Vendor Sourced		None	None	None
SEE PLACEMENT FOR DETAILS	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER				1	Each				None	None	None
WAISTBAND	ELASTIC PRESHRUNK (EC116) PLS REFER TO MEASUREMENT CHARTS FOR WIDTH SIZE		WB		1	Each				None	None	None
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A				1	Each		Reca Mainetti Asia Ltd	HTOVO141A	None	None	None
SEE PLACEMENT FOR DETAILS	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB		SINGLE STITCH- EASILY REMOVABLE		1	Each		Reca Mainetti Asia Ltd		None	None	None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		FOR HANGTAG ATTACHMENT		1	Each		Vendor Sourced		None	None	None
	OVO 2023 Main Loop Label (TR-LT252)				1	Each		Reca Mainetti Asia Ltd	LBOVO147	None	None	None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175				1	Each		Reca Mainetti Asia Ltd	LBOVO175	None	None	None
DRAWCORD	ROUND DRAWCORD WITH AGLET (TR-DR188)		INTERNAL WB		1	Each	WHITE ON ALL COLOURWAYS	Vendor Sourced		None	None	None

Bill of Materials											Version 1	
	Article Code	M-0226-KB-6735		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)				Product Group	BOTTOM			
	Article Name	MESH SHORTS						Product Sub-Category	SHORT - ACTIVE			
	Created On	05-05-2025 1:32:16 PM	Material Description					Season	Q2 2026			
	Last Modified	06-19-2025 11:51:58 AM						Life Cycle Stage	Development			
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK	BRD BIKING RED	CTE CARTOUCHE
	BUTTON HOLE HIGH STITCH COUNT (BB105)		INTERNAL WB		2	Each		Vendor Sourced		None	None	None
Graphics												
	TBD - SEE ARTWORK FILE (HT-102)				0	Each				None	None	None

Bill of Materials Material Image Sheet						Version 1
	Article Code	M-0226-KB-6735		Product Group	BOTTOM	
	Article Name	MESH SHORTS			Product Sub-Category	SHORT - ACTIVE
	Created On	05-05-2025 1:32:16 PM			Season	Q2 2026
	Last Modified	06-19-2025 11:51:58 AM			Life Cycle Stage	Development
			Material Description	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)		
						
FB-K692 MESH - 100% POLYESTER, 230GSM-MA-061	LT110 CC LABEL - APPAREL		PK101 POLY BAG - GENERIC	TR-ST114 UPC STICKER- 1" X 2.5"	TR-HG142 OVO 2023 Booklet Hangtag	LT138 TEAR-AWAY COO TAB: OVOF21_217_T
						
TR-TV140 5mm GROSGRAIN RIBBON LOOP	TR-LT252 OVO 2023 Main Loop Label		TR-LT246 OVO 2023 Alpha Sizing Tab	TR-DR188 ROUND DRAWCORD WITH AGLET		


CARE LABEL PLACEMENT							Version 1
	Article Code	M-0226-KB-6735		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Article Name	MESH SHORTS			Product Sub-Category	SHORT - ACTIVE	
	Created On	05-05-2025 1:32:16 PM	Material		Season	Q2 2026	
	Last Modified	06-19-2025 11:51:58 AM	Description		Life Cycle Stage	Development	

OFFSHORE KNIT & ACTIVEWEAR BOTTOMS


MAIN LABEL LBOVO147 - COL A - OPT 1
*INSERT AT CB WAISTBAND SEAM

SIZE TAB OVOW23_181_T - 2023
*INSERT AT WAISTBAND SEAM 0.25" FROM MAIN LABEL

TEAR AWAY COO TAB LT138
*INSERT AT WAISTBAND SEAM 0.25" FROM SIZE TAB




HANG TAG PLACEMENT
*ATTACH TO LOOP AT THE FRONT WAISTBAND SEAM



CARE LABEL PLACEMENT
*ATTACH AT LEFT SIDE SEAM 2" BELOW WAISTBAND SEAM



Construction details - Knit Bottom					Version 1
Article Code	M-0226-KB-6735	Material Description	MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM
Article Name	MESH SHORTS			Product Sub-Category	SHORT - ACTIVE
Created On	05-05-2025 1:32:16 PM			Season	Q2 2026
Last Modified	06-19-2025 11:51:58 AM			Life Cycle Stage	Development



Comments

- FULLY SELF CONTRAST LINED (REVERSIBLE)
JOINED AT INTERIOR WAISTBAND TOP EDGE AND TACKED AT INTERIOR SIDE SEAM AND CROTCH POINT

Phối lót bên trong , lộn được
Nối với nhau tại cạnh lưng trên và
đỉnh 2 lớp với nhau tại bên trong
sườn ngoài và đáy

- WAISTBAND:
SELF AND SELF CONTRAST ENCASED ELASTIC WAISTBAND, EDGES ARE MOCK SAFETY SERGED, CONTRAST SELF LINING 3/8" FOLD OVER VISIBLE AT TOP EDGE, SN EDGE TOPSTITCH TO HOLD IN PLACE. APPLY ROW OF SN CHAINSTITCH 1/2" BELOW WB EDGE & SN CHAINSTITCH TO STITCH DOWN EDGE ELASTIC (ENSURE TO CATCH ELASTIC IN STITCH LINE), CLEAN FINISHED
DRAWCORD EXIT: BUTTONHOLE (INTERIOR EXIT) AT CF

Lưng quần:
Vải chính và phối may kẹp thun lưng, cạnh vắt sổ
Lớp phối bên trong chồm ra ngoài 3/8" ở cạnh trên. Điều 1k để
giữ cố định
Điều 1k móc xích 1/2" dưới cạnh trên lưng quần 1/2" và điều 1k
móc xích ở cạnh dây thun(đảm bảo dây thun bên trong đường
chỉ). May sạch
Khuy luồn dây ở giữa thân trước - bên trong




- DRAWCORD:
ROUND WITH TIPPING

Dây luồn đầu tip

- ONSEAM POCKET:
POCKET LINING SET IN BETWEEN LAYERS (SANDWICH IN- BETWEEN SELF + LINING LAYERS)
ON-SEAM POCKETS: 1/4" SN T/S
SELF POCKET BAG: MOCK SAFETY SERGE, 512
POCKET BAG SEWN INTO WAISTBAND AND SIDE SEAM
BARTACK TOP AND BOTTOM POCKET OPENING

Túi sườn:
Túi may bên trong lớp vải (bên trong lớp
chính và lớp phối)
Túi điều 1/4" dọc miệng túi
Bao túi tra vào lưng và đánh bọ ở 2 đầu miệng
túi sườn

Construction details - Knit Bottom					Version 1
Article Code	M-0226-KB-6735		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM
Article Name	MESH SHORTS			Product Sub-Category	SHORT - ACTIVE
Created On	05-05-2025 1:32:16 PM			Season	Q2 2026
Last Modified	06-19-2025 11:51:58 AM			Life Cycle Stage	Development



Lining tacked with shell 1 1/2" above slit

5 FRONT AND BACK RISE: MOCK SAFETY SERGE, 512.
TACK SELF AND SELF CONTRAST LINING TOGETHER AT CROTCH POINT

6 INSEAM / OUTSEAM: MOCK SAFETY SERGE, 512

7 SIDE SLIT:
SLIT AT SIDE SEAM/LEG OPENING. SIDES DOUBLE TURNED IN, 1/4" S/N T/S, APPLY BARTACK AT TOP OF THE SLIT. TACK SELF AND SELF CONTRAST LINING TOGETHER, 1 1/2" ABOVE SLIT

8 LEG HEM:
DOUBLE SELF FOLD: 2 N 1/4" COVERSTITCH

9 BACK PATCH POCKET (ONLY ON SELF EXTERIOR LAYER):
SELF PATCH, LINED WITH SELF, PLACED AT WEARER'S RIGHT SIDE.
POCKET HEM: SINGLE TURN & S/N T/S
SIDES ARE SINGLE TURNED AND S/N EDGE T/S, TRIANGULAR REINFORCEMENT T/S AT POCKET OPENING 2 ENDS.

Đáy trước / sau: vắt sổ, đính 2 lớp tại đáy

Sườn trong/ ngoài: vắt sổ

Xẻ sườn:
Xẻ sườn tại sườn trong/lai, cuộn vào 2 lần.
Điều 1K 1/4", đánh bọ ở đầu xẻ tà. Đính 2 lớp với nhau trên xẻ tà 1 1/2"

Lai quần:
Gấp 2 lần điều 2k 1/4" đánh bông dưới

Túi sau: chỉ may trên lớp bên ngoài
Vải chính, bên phải người mặc
Miệng túi: Gấp vào và điều 1K và điều góc túi tam giác như hình, điều 1k mí cho các cạnh xung quanh

Measurement Sheet - Mesh Shorts					All measurements are in Inch		Version 1
	Article Code	M-0226-KB-6735		MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM	
	Article Name	MESH SHORTS			Product Sub-Category	SHORT - ACTIVE	
	Created On	05-05-2025 1:32:16 PM	Material		Season	Q2 2026	
	Last Modified	06-19-2025 11:51:58 AM	Description		Life Cycle Stage	Development	

	POM Code	POM Name	-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	Mixed	12 3/4	13 3/4	14 3/4	15 3/4	16 3/4	18 1/4	19 3/4	21 1/4
!	J104	WB height: top edge to bottom stitch	1/8	1/8	0	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
!	K101	Hip at 1" below WB seam: Waist pattern mmt.	1/2	1/2	Mixed	20	21	22	23	24	25 1/2	27	28 1/2
!	K102	Full Hip: 3 xpt. Measure	1/2	1/2	Mixed	22	23	24	25	26	27 1/2	29	30 1/2
!	M101	Thigh :: 1" below crotch seam	1/4	1/4	Mixed	12 7/8	13 1/2	14 1/8	14 3/4	15 3/8	16 1/4	17 1/8	18
	C202	Side seam forward position, fr fold	1/8	1/8	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
!	I101	Outseam length: WB top edge to leg opening	1/4	1/4	GA	GA	GA	GA	18 1/2	GA	GA	GA	GA
!	I302	Inseam length :: short	1/4	1/4	1/4	6 3/4	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2
!	M402	Leg opening:short :: inside fold edges of opening	1/4	1/4	Mixed	11 3/8	12	12 5/8	13 1/4	13 7/8	14 3/4	15 5/8	16 1/2
!	L103	Front rise :: INCLUDING WB	1/4	1/4	1/4	12 1/4	12 1/2	12 3/4	13	13 1/4	13 1/2	13 3/4	14
!	L203	Back rise :: INCLUDING WB	1/4	1/4	1/4	15	15 1/4	15 1/2	15 3/4	16	16 1/4	16 1/2	16 3/4
!	N201	Onseam pocket length	1/4	1/4	Mixed	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2
	N202	Onseam pocket stitch width	1/8	1/8	0	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
	N205	Onseam pocket position from Rib/Band seam	1/8	1/8	1/8	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4
	N211	Onseam Pocket bag height :: at center	1/4	1/4	Mixed	11	11	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2
	N212	Onseam Pocket bag width:: at widest pt.	1/4	1/4	Mixed	6 3/4	7	7	7 1/4	7 1/4	7 1/2	7 3/4	7 3/4
	N601C	Back pocket length at center	1/8	1/8	Mixed	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2
	N701	Back pocket width at center	1/8	1/8	Mixed	5	5 1/4	5 1/4	5 1/2	5 1/2	5 3/4	6	6
	N703	Back pocket from WB seam/stitch	1/8	1/8	1/8	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2
	N508	Back pocket position from CB seam	1/8	1/8	1/8	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3
	Q201	Side slit length	1/8	1/8	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
	I702	Leg hem depth	1/8	1/8	0	1	1	1	1	1	1	1	1
!	J501	Drawcord length : waist, total length	1	1	Mixed	50	50	50	50	56	56	56	56

NOTES

REFERENCE: Supreme mesh short size M overall fit

- shorten rises by 1"

- back pocket revise to patch pocket

	CM of Measurement Sheet - Mesh Shorts					All measurements are in CM		Version 1	
	Article Code	M-0226-KB-6735			MESH - 100% POLYESTER, 230GSM-MA-061 (FB-K692)	Product Group	BOTTOM		
	Article Name	MESH SHORTS				Product Sub-Category	SHORT - ACTIVE		
	Created On	05-05-2025 1:32:16 PM		Material Description		Season	Q2 2026		
	Last Modified	06-19-2025 11:51:58 AM				Life Cycle Stage	Development		

	POM Code	POM Name	-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	J101	Waist measurement relaxed :: 1/2 body	1.27	1.27	0	32.385	34.925	37.465	40.005	42.545	46.355	50.165	53.975
!	J104	WB height: top edge to bottom stitch	0.3175	0.3175	0	3.81	3.81	3.81	3.81	3.81	3.81	3.81	3.81
!	K101	Hip at 1" below WB seam: Waist pattern mmt.	1.27	1.27	0	50.8	53.34	55.88	58.42	60.96	64.77	68.58	72.39
!	K102	Full Hip: 3 xpt. Measure	1.27	1.27	0	55.88	58.42	60.96	63.5	66.04	69.85	73.66	77.47
!	M101	Thigh :: 1" below crotch seam	0.635	0.635	0	32.7025	34.29	35.8775	37.465	39.0525	41.275	43.4975	45.72
	C202	Side seam forward position, fr fold	0.3175	0.3175	0	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27
!	I101	Outseam length: WB top edge to leg opening	0.635	0.635	GA	GA	GA	GA	46.99	GA	GA	GA	GA
!	I302	Inseam length :: short	0.635	0.635	0.635	17.145	17.78	18.415	19.05	19.685	20.32	20.955	21.59
!	M402	Leg opening:short :: inside fold edges of opening	0.635	0.635	0	28.8925	30.48	32.0675	33.655	35.2425	37.465	39.6875	41.91
!	L103	Front rise :: INCLUDING WB	0.635	0.635	0.635	31.115	31.75	32.385	33.02	33.655	34.29	34.925	35.56
!	L203	Back rise :: INCLUDING WB	0.635	0.635	0.635	38.1	38.735	39.37	40.005	40.64	41.275	41.91	42.545
!	N201	Onseam pocket length	0.635	0.635	0	13.97	14.605	14.605	15.24	15.24	15.875	16.51	16.51
	N202	Onseam pocket stitch width	0.3175	0.3175	0	0.635	0.635	0.635	0.635	0.635	0.635	0.635	0.635
	N205	Onseam pocket position from Rib/Band seam	0.3175	0.3175	0.3175	0.9525	1.27	1.5875	1.905	2.2225	2.54	2.8575	3.175
	N211	Onseam Pocket bag height :: at center	0.635	0.635	0	27.94	27.94	29.21	29.21	29.21	29.21	29.21	29.21
	N212	Onseam Pocket bag width:: at widest pt.	0.635	0.635	0	17.145	17.78	17.78	18.415	18.415	19.05	19.685	19.685
	N601C	Back pocket length at center	0.3175	0.3175	0	13.97	14.605	14.605	15.24	15.24	15.875	16.51	16.51
	N701	Back pocket width at center	0.3175	0.3175	0	12.7	13.335	13.335	13.97	13.97	14.605	15.24	15.24
	N703	Back pocket from WB seam/stitch	0.3175	0.3175	0.3175	2.8575	3.175	3.4925	3.81	4.1275	4.445	4.7625	5.08
	N508	Back pocket position from CB seam	0.3175	0.3175	0.3175	5.3975	5.715	6.0325	6.35	6.6675	6.985	7.3025	7.62
	Q201	Side slit length	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175
	I702	Leg hem depth	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54
!	J501	Drawcord length : waist, total length	2.54	2.54	0	127	127	127	127	142.24	142.24	142.24	142.24

NOTES

REFERENCE: Supreme mesh short size M overall fit

- shorten rises by 1"
- back pocket revise to patch pocket