




Article Summary						Version 1	
	Article Code	M-0226-KT-7046		100% COTTON, HEAVY JERSEY 300-310GSM (FB-K1188)	Product Group	TOP	
	Article Name	STRIPED SS TEE			Product Sub-Category	T-SHIRT - SS	
	Created On	07-07-2025 6:22:35 PM			Season	Q2 2026	
	Last Modified	08-01-2025 2:48:16 PM			Life Cycle Stage	Development	
Gender Classification		Mens	Sub Class D	Short Sleeve	Fabrication	KNIT TOP	
Supplier		Roopa Knitting Mills	Release Date	01 May 2026	Ex-Factory	27 Mar 2026	
							COLORS
							BLACK (BK) BLACK WHISPER WHITE (WHS) 11-0701 TCX CREAM BLACK PINSTRIPE (BPN) BLACK PINSTRIPE
SIZES							
000, 001, 002, 003, 004, 005, 006, 007							

Bill of Materials											Version 1	
	Article Code	M-0226-KT-7046		100% COTTON, HEAVY JERSEY 300-310GSM (FB-K1188)			Product Group	TOP				
	Article Name	STRIPED SS TEE					Product Sub-Category	T-SHIRT - SS				
	Created On	07-07-2025 6:22:35 PM	Material				Season	Q2 2026				
	Last Modified	08-01-2025 2:48:16 PM	Description				Life Cycle Stage	Development				
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK	WHS WHISPER WHITE	BPN BLACK PINSTRIPE
Fabric												
	100% COTTON, HEAVY JERSEY 300-310GSM (FB-K1188)		BODY / SLEEVES/ HALF MOON		0	Meter			BRAIN DEAD SAMPLE	None	None	None
	1X1 RIB COTTON /LYCRA (FB-K1066) WEIGHT TBD		NECK		0	Meter	CONTRAST COLOUR - TBD			None	None	None
Trims												
	DOMESTIC TSHIRT LABEL (TR-LT253) LBOVO151				1	Each		Reca Mainetti Asia Ltd		None	None	None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175				1	Each		Reca Mainetti Asia Ltd	LBOVO175	None	None	None
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				1	Each		Vendor Sourced		None	None	None
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT				1	Each		Vendor Sourced		None	None	None
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A				1	Each		Reca Mainetti Asia Ltd	HTOVO141A	None	None	None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each0		Vendor Sourced		None	None	None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER				2	Each				None	None	None
Graphics												
	TBD - SEE ARTWORK FILE (HT-102)				0	Each				None	None	None

Bill of Materials Material Image Sheet								Version 1
	Article Code	M-0226-KT-7046		100% COTTON, HEAVY JERSEY 300-310GSM (FB-K1188)	Product Group	TOP		
	Article Name	STRIPED SS TEE			Product Sub-Category	T-SHIRT - SS		
	Created On	07-07-2025 6:22:35 PM			Season	Q2 2026		
	Last Modified	08-01-2025 2:48:16 PM			Life Cycle Stage	Development		
								
FB-K1188 100 % COTTON, HEAVY JERSEY 300-310GSM		TR-LT253 DOMESTIC TSHIRT LABEL		TR-LT246 OVO 2023 Alpha Sizing Tab		TR-TV140 5mm GROSGRAIN RIBBON LOOP		
								
PK101 POLY BAG - GENERIC		TR-ST114 UPC STICKER- 1" X 2.5"						



Construction Details - Crew							Version 1
	Article Code	M-0226-KT-7046		100% COTTON, HEAVY JERSEY 300-310GSM (FB-K1188)	Product Group	TOP	
	Article Name	STRIPED SS TEE			Product Sub-Category	T-SHIRT - SS	
	Created On	07-07-2025 6:22:35 PM	Material		Season	Q2 2026	
	Last Modified	08-01-2025 2:48:16 PM	Description		Life Cycle Stage	Development	




Comments

- 1 NECK
Folded rib band applied to neck. Join with #512 mock safety stitch. 2-needle coverstitch straddling seam.
Inside back neck cleanfinished with jersey taping. 1-needle edge topstitch on taping. 1-needle topstitch, 1/4" in, visible on back body.
- 2 SHOULDER SEAM
Set forward on body. Join with #512 mock safety stitch. 2- Needle coverstitch straddling seam, 1/4" spacing.
- 3 ARMHOLE SEAM
Sleeve join to body with #512 mock safety stitch. 2-Needle coverstitch straddling seam, 1/4" spacing.
- 4 SLEEVE/SIDE SEAM
Join in one operation, #512 mock safety stitch.
- 5 CUFF
Rib cuff join to sleeve opening with #512 mock safety stitch. 2- Needle coverstitch straddling seam, 1/4" spacing.
- 6 BACK NECK FACING
Woven contrast fabric facing, edges turned in. 2-Needle edge coverstitch to join to body. Top edge finished into neck seam.
- 7 SIDE SLIT: see next page
Slit along side seam at bottom opening. Inside cleanfinished with twill tape. Join with 1-needle edge topstitch. Bartack at top of slit.
- 8 BOTTOM HEM
Single turn up to form hem. 2-needle coverstitch, 1/4" spacing.

Construction Details - Slit						Version 1
Article Code	M-0226-KT-7046		100% COTTON, HEAVY JERSEY 300-310GSM (FB-K1188)	Product Group	TOP	
Article Name	STRIPED SS TEE			Product Sub-Category	T-SHIRT - SS	
Created On	07-07-2025 6:22:35 PM			Season	Q2 2026	
Last Modified	08-01-2025 2:48:16 PM			Life Cycle Stage	Development	



7cm/2 3/4" side split
1cm cotton herringbone tape
on inside



Measurement Sheet - CREW							All measurements are in Inch						Version 1	
	Article Code	M-0226-KT-7046					Product Group		TOP					
	Article Name	STRIPED SS TEE					Product Sub-Category		T-SHIRT - SS					
	Created On	07-07-2025 6:22:35 PM	Material Description	100% COTTON, HEAVY JERSEY 300-310GSM (FB-K1188)			Season		Q2 2026					
	Last Modified	08-01-2025 2:48:16 PM					Life Cycle Stage		Development					
	POM Code	POM Name		-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A101	Back body length from HPS : Top		1/2	1/2	Mixed	27	27 1/2	28	28 1/2	29	30	31	32
!	H101	Neck width :: SEAM TO SEAM		1/4	1/4	Mixed	7	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2
	H201	Front neck drop from HPS : Crew		1/8	1/8	Mixed	3 5/8	3 5/8	3 11/16	3 3/4	3 13/16	3 15/16	4 1/16	4 3/16
	H301	Back neck drop from HPS Crew		1/8	1/8	Mixed	1 1/8	1 1/8	1 3/16	1 1/4	1 5/16	1 7/16	1 9/16	1 11/16
!	H605	Neckband width		1/8	1/8	0	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8
	D102	Shoulder slope :: from HPS		1/8	1/8	Mixed	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16
	D103	Shoulder displacement to front		1/8	1/8	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
!	D101	Shoulder width :measured on CB body		3/8	3/8	Mixed	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4
	B301	Across: Chest : at mid. armhole		1/4	1/4	Mixed	13 3/4	14 1/2	15 1/4	16	16 3/4	17 3/4	18 3/4	19 3/4
	B201	Across Back : at mid. armhole		1/4	1/4	Mixed	14 3/4	15 1/2	16 1/4	17	17 3/4	18 3/4	19 3/4	20 3/4
!	B101	Chest width :1" below armhole		1/2	1/2	Mixed	19	20	21	22	23	24 1/2	26	27 1/2
!	C101	Bottom width at band:inside fold edges of hem		1/2	1/2	Mixed	18 1/2	19 1/2	20 1/2	21 1/2	22 1/2	24	25 1/2	27
	A701	Body hem depth		1/8	1/8	0	1	1	1	1	1	1	1	1
	Q201	Side slit length		1/8	1/8	0	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
!	E101	Armhole Straight :: measured straight		1/4	1/4	Mixed	7 7/8	8 1/4	8 5/8	9	9 3/8	9 7/8	10 3/8	10 7/8
!	G101	Bicep width:1" below armhole		1/4	1/4	Mixed	7 1/4	7 1/2	7 3/4	8	8 1/4	8 9/16	8 7/8	9 3/16
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure		1/2	1/2	Mixed	32 3/4	33 1/2	34 1/4	35	35 3/4	36 3/4	37 3/4	38 3/4
!	G104	L/Sleeve opening: inside fold edges of cuff/hem		1/8	1/8	Mixed	3 7/16	3 5/8	3 13/16	4	4 3/16	4 7/16	4 11/16	4 15/16
	G103	L/Sleeve :: 1" above cuff seam		1/8	1/8	Mixed	4 7/16	4 5/8	4 13/16	5	5 3/16	5 7/16	5 11/16	5 15/16
	F701	Sleeve Cuff Band Height		1/8	1/8	0	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
	D202	Inside back yoke depth :: from CB neck seam		1/8	1/8	1/8	2	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8
	D201	Inside back yoke width along top edge		1/8	1/8	1/8	4 3/8	4 1/2	4 5/8	4 3/4	4 7/8	5	5 1/8	5 1/4
!	H404	Minimum Neck Stretch		0	1/2	0	24	24	24	24	24	24	24	24

NOTES

REFERENCE: M-0225-KT-5367 rugby + Mini OG crew neck

CM Measurement Sheet - CREW							All measurements are in CM						Version 1		
	Article Code	M-0226-KT-7046					Product Group		TOP						
	Article Name	STRIPED SS TEE					Product Sub-Category		T-SHIRT - SS						
	Created On	07-07-2025 6:22:35 PM	Material Description	100% COTTON, HEAVY JERSEY 300-310GSM (FB-K1188)			Season		Q2 2026						
	Last Modified	08-01-2025 2:48:16 PM					Life Cycle Stage		Development						
	POM Code	POM Name			-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A101	Back body length from HPS : Top			1.27	1.27	0	68.58	69.85	71.12	72.39	73.66	76.2	78.74	81.28
!	H101	Neck width :: SEAM TO SEAM			0.635	0.635	0	17.78	17.78	18.415	19.05	19.685	20.32	20.955	21.59
	H201	Front neck drop from HPS : Crew			0.3175	0.3175	0	9.2075	9.2075	9.3662	9.525	9.6838	10.0013	10.3187	10.6363
	H301	Back neck drop from HPS Crew			0.3175	0.3175	0	2.8575	2.8575	3.0162	3.175	3.3338	3.6513	3.9687	4.2863
!	H605	Neckband width			0.3175	0.3175	0	2.2225	2.2225	2.2225	2.2225	2.2225	2.2225	2.2225	2.2225
	D102	Shoulder slope :: from HPS			0.3175	0.3175	0	4.7625	4.9212	5.08	5.08	5.08	5.2388	5.3975	5.5563
	D103	Shoulder displacement to front			0.3175	0.3175	0	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27
!	D101	Shoulder width :measured on CB body			0.9525	0.9525	0	42.545	44.45	46.355	48.26	50.165	52.705	55.245	57.785
	B301	Across: Chest : at mid. armhole			0.635	0.635	0	34.925	36.83	38.735	40.64	42.545	45.085	47.625	50.165
	B201	Across Back : at mid. armhole			0.635	0.635	0	37.465	39.37	41.275	43.18	45.085	47.625	50.165	52.705
!	B101	Chest width :1" below armhole			1.27	1.27	0	48.26	50.8	53.34	55.88	58.42	62.23	66.04	69.85
!	C101	Bottom width at band:inside fold edges of hem			1.27	1.27	0	46.99	49.53	52.07	54.61	57.15	60.96	64.77	68.58
	A701	Body hem depth			0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54
	Q201	Side slit length			0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985
!	E101	Armhole Straight :: measured straight			0.635	0.635	0	20.0025	20.955	21.9075	22.86	23.8125	25.0825	26.3525	27.6225
!	G101	Bicep width:1" below armhole			0.635	0.635	0	18.415	19.05	19.685	20.32	20.955	21.7487	22.5425	23.3363
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1.27	1.27	0	83.185	85.09	86.995	88.9	90.805	93.345	95.885	98.425
!	G104	L/Sleeve opening: inside fold edges of cuff/hem			0.3175	0.3175	0	8.7313	9.2075	9.6837	10.16	10.6363	11.2713	11.9063	12.5413
	G103	L/Sleeve :: 1" above cuff seam			0.3175	0.3175	0	11.2713	11.7475	12.2237	12.7	13.1763	13.8113	14.4463	15.0813
	F701	Sleeve Cuff Band Height			0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985
	D202	Inside back yoke depth :: from CB neck seam			0.3175	0.3175	0.3175	5.08	5.3975	5.715	6.0325	6.35	6.6675	6.985	7.3025
	D201	Inside back yoke width along top edge			0.3175	0.3175	0.3175	11.1125	11.43	11.7475	12.065	12.3825	12.7	13.0175	13.335
!	H404	Minimum Neck Stretch			0	1.27	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96

NOTES

REFERENCE: M-0225-KT-5367 rugby + Mini OG crew neck