



Article Summary						Version 1				
	Article Code	M-0126-KT-6724		UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s	Product Group	TOP				
	Article Name	NOT FOR FASHION T-SHIRT			Product Sub-Category	T-SHIRT - SS				
	Created On	05-02-2025 4:17:53 PM			Material	Season			Q1 2026	
	Last Modified	05-07-2025 9:16:24 AM			Description	Life Cycle Stage			Production	
Gender Classification		Mens	Sub Class D		Graphic	Fabrication		KNIT TOP		
Supplier		UN-AVAILABLE CO. LTD	Release Date			Ex-Factory				
								COLORS		
									BLACK (BK) BLACK	
									WHITE (WT) WHITE	
									LIME (LM) Evening Primrose, 13-0651 TCX	
SIZES										
000, 001, 002, 003, 004, 005, 006, 007										

Bill of Materials											Version 1	
	Article Code	M-0126-KT-6724		Material Description UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s				Product Group	TOP			
	Article Name	NOT FOR FASHION T-SHIRT						Product Sub-Category	T-SHIRT - SS			
	Created On	05-02-2025 4:17:53 PM	Season					Q1 2026				
	Last Modified	05-07-2025 9:16:24 AM	Life Cycle Stage					Production				
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK	WT WHITE	LM LIME
Fabric												
	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s				0	Meter				ALL OVER PRINT AOP	ALL OVER PRINT AOP	None
	1X1 RIB 100% COTTON (FB-K270)				0	Meter				None	None	None
Trims												
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				1	Each	use template for Dali provided on 4/8			None	None	None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each				None	None	None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER				0	Each				None	None	None
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT				0	Each		Vendor Sourced		None	None	None
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A				0	Each		Reca Mainetti Asia Ltd	HTOVO141A	None	None	None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175				0	Each		Reca Mainetti Asia Ltd	OVOW23_181_T	None	None	None
	TEE MAIN LABEL-LBOVO151 (TR-LT251) LBOVO151				0	Each		Reca Mainetti Asia Ltd		None	None	None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB				0	Each		Reca Mainetti Asia Ltd	OVOF21_217_T	WHITE WT WHITE	WHITE WT WHITE	None
Graphics												
	TBD - SEE ARTWORK FILE (HT-102)				0	Each				None	None	None

Bill of Materials Material Image Sheet								Version 1
	Article Code	M-0126-KT-6724		Material Description	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s	Product Group	TOP	
	Article Name	NOT FOR FASHION T-SHIRT			Product Sub-Category	T-SHIRT - SS		
	Created On	05-02-2025 4:17:53 PM			Season	Q1 2026		
	Last Modified	05-07-2025 9:16:24 AM			Life Cycle Stage	Production		
								
FB-K508 UA - 100% COTTON JERSEY, 190GSM		LT110 CC LABEL - APPAREL		PK101 POLY BAG - GENERIC		TR-TV140 5mm GROSGRAIN RIBBON LOOP		TR-HG142 OVO 2023 Booklet Hangtag
								
TR-LT246 OVO 2023 Alpha Sizing Tab		TR-LT251 TEE MAIN LABEL-LBOVO151		LT138 TEAR-AWAY COO TAB: OVOF21_217_T				

Construction Details - Crewneck							Version 1
	Article Code	M-0126-KT-6724		Material Description UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s	Product Group	TOP	
	Article Name	NOT FOR FASHION T-SHIRT			Product Sub-Category	T-SHIRT - SS	
	Created On	05-02-2025 4:17:53 PM			Season	Q1 2026	
	Last Modified	05-07-2025 9:16:24 AM			Life Cycle Stage	Production	



Comments

- 1 NECKBAND:
RIB COLLAR, DOUBLE FOLD, MOCK SAFETY SERGE, 512 TO NECK SEAM, S/N EDGE T/S TO FRONT NECK SEAM
- 2 NECK/SHOULDER TAPE:
JERSEY BINDING ALONG BACK NECK FROM SHOULDER TO SHOULDER, 2 NDL CHAINSTITCH (LOOPER SIDE EXPOSED ON EXERIOR)
- 3 SHOULDER SEAM
MOCK SAFETY SERGED, 512
- 4 ARMHOLE SEAM
MOCK SAFETY SERGED, 512
- 5 SLEEVE HEM:
SELF TURNED WITH 2 NDL COVERSTITCH, 1/4" GAUGE
- 6 SLEEVE/ SIDE SEAM
MOCK SAFETY SERGED, 512
- 7 BODY HEM:
SELF TURNED WITH 2 NDL COVERSTITCH, 1/4" GAUGE

MEASUREMENT -2024 DEVELOPMENT FIT												All Measurements are in Inches					Version 1	
	Article Code	M-0126-KT-6724				UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s						Product Group	TOP					
	Article Name	NOT FOR FASHION T-SHIRT										Product Sub-Category	T-SHIRT - SS					
	Created On	05-02-2025 4:17:53 PM										Season	Q1 2026					
	Last Modified	05-07-2025 9:16:24 AM										Life Cycle Stage	Production					
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL						
 A101	Back body length from HPS : Top	1/2	1/2	NA	27 1/2	28	28 1/2	29	29 1/2	30 1/2	31 1/2	32 1/2						
 H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	6 1/2	6 1/2	6 3/4	7	7 1/4	7 1/2	7 3/4	8						
 H201	Front neck drop from HPS : Crew	1/8	1/8	NA	4 1/8	4 1/8	4 3/16	4 1/4	4 5/16	4 7/16	4 9/16	4 11/16						
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16						
 H605	Neckband width	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4						
 D102	Shoulder slope :: from HPS	1/8	1/8	NA	2	2 1/16	2 1/8	2 1/8	2 1/8	2 3/16	2 1/4	2 5/16						
D103	Shoulder displacement to front	1/8	1/8	NA	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2						
 D101	Shoulder width :measured on CB body	3/8	3/8	NA	17 1/2	18 1/4	19	19 3/4	20 1/2	21 1/2	22 1/2	23 1/2						
 B301	Across: Chest : at mid. armhole	1/4	1/4	NA	15 3/4	16 1/2	17 1/4	18	18 3/4	19 3/4	20 3/4	21 3/4						
 B201	Across Back : at mid. armhole	1/4	1/4	NA	15 3/4	16 1/2	17 1/4	18	18 3/4	19 3/4	20 3/4	21 3/4						
 B101	Chest width :1" below armhole	1/2	1/2	NA	19 1/2	20 1/2	21 1/2	22 1/2	23 1/2	25	26 1/2	28						
 C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	18 3/4	19 3/4	20 3/4	21 3/4	22 3/4	24 1/4	25 3/4	27 1/4						
 E101	Armhole Straight :: measured straight	1/4	1/4	NA	8 1/8	8 1/2	8 7/8	9 1/4	9 5/8	10 1/8	10 5/8	11 1/8						
 F303	S:Sleeve overarm fr. CB neck :: 3 x point measure	1/4	1/4	NA	17 1/2	18	18 1/2	19	19 1/2	20 1/4	21	21 3/4						
 G101	Bicep width:1" below armhole	1/8	1/8	NA	6 3/4	7	7 1/4	7 1/2	7 3/4	8 1/16	8 3/8	8 11/16						
 G301	S/Sleeve opening:inside fold edges of cuff or hem	1/8	1/8	NA	6 1/4	6 1/2	6 3/4	7	7 1/4	7 9/16	7 7/8	8 3/16						
H606	Neck binding width	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8						
A701	Body hem depth	1/8	1/8	NA	1	1	1	1	1	1	1	1						
F702	Sleeve Hem Height	1/8	1/8	NA	1	1	1	1	1	1	1	1						
 H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24						
Comments																		
JUNE 2024 UPDATED FIT FOR TSHIRT																		

Cm MEASUREMENT -2024 DEVELOPMENT FIT												All Measurements are in CMs					Version 1	
	Article Code	M-0126-KT-6724				UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s						Product Group	TOP					
	Article Name	NOT FOR FASHION T-SHIRT										Product Sub-Category	T-SHIRT - SS					
	Created On	05-02-2025 4:17:53 PM			Material Description	Season	Q1 2026											
	Last Modified	05-07-2025 9:16:24 AM				Life Cycle Stage	Production											
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL						
! A101	Back body length from HPS : Top	1.27	1.27	0	69.85	71.12	72.39	73.66	74.93	77.47	80.01	82.55						
! H101	Neck width :: SEAM TO SEAM	0.635	0.635	0	16.51	16.51	17.145	17.78	18.415	19.05	19.685	20.32						
! H201	Front neck drop from HPS : Crew	0.3175	0.3175	0	10.4775	10.4775	10.6362	10.795	10.9538	11.2713	11.5887	11.9063						
H301	Back neck drop from HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513						
! H605	Neckband width	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905						
! D102	Shoulder slope :: from HPS	0.3175	0.3175	0	5.0800	5.2387	5.3975	5.3975	5.3975	5.5563	5.7150	5.8738						
D103	Shoulder displacement to front	0.3175	0.3175	0	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27						
! D101	Shoulder width :measured on CB body	0.9525	0.9525	0	44.450	46.355	48.260	50.165	52.070	54.610	57.150	59.690						
! B301	Across: Chest : at mid. armhole	0.635	0.635	0	40.005	41.91	43.815	45.72	47.625	50.165	52.705	55.245						
! B201	Across Back : at mid. armhole	0.635	0.635	0	40.005	41.91	43.815	45.72	47.625	50.165	52.705	55.245						
! B101	Chest width :1" below armhole	1.27	1.27	0	49.53	52.07	54.61	57.15	59.69	63.50	67.31	71.12						
! C101	Bottom width at band:inside fold edges of band/hem	1.27	1.27	0	47.625	50.165	52.705	55.245	57.785	61.595	65.405	69.215						
! E101	Armhole Straight :: measured straight	0.635	0.635	0	20.6375	21.590	22.5425	23.495	24.4475	25.7175	26.9875	28.2575						
! F303	S:Sleeve overarm fr. CB neck :: 3 x point measure	0.635	0.635	0	44.45	45.72	46.99	48.26	49.53	51.435	53.34	55.245						
! G101	Bicep width:1" below armhole	0.3175	0.3175	0	17.145	17.78	18.415	19.05	19.685	20.4787	21.2725	22.0663						
! G301	S/Sleeve opening:inside fold edges of cuff or hem	0.3175	0.3175	0	15.875	16.51	17.145	17.78	18.415	19.2087	20.0025	20.7963						
H606	Neck binding width	0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525						
A701	Body hem depth	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54						
F702	Sleeve Hem Height	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54						
! H404	Minimum Neck Stretch	1.27	0	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96						
Comments																		
JUNE 2024 UPDATED FIT FOR TSHIRT																		