



DENIM TEARS	BOTTOMS: DT CHENILLE EMBROIDERED SWEATPANT	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
SKETCH			



Name	DT Chenille Embroidered Sweatpant
Style No.	SS26BAS1527
Description	DT Chenille Embroidered Sweatpant
Division	Mens
Category	Sweatpant
Season	Spring/Summer
Year	2026
Size Scale	<div>M</div> -Sample size <div>XS</div> <div>S</div> <div>M</div> <div>L</div> <div>XL</div> <div>XXL</div>
Factory	Un-Available
Created by/Author	1/7/2026 Genny Mayden genny@denimtears.com

DT Chenille Embroidered Sweatpant



### 1. No Color Assigned

Style Color Code	Not Set
Carryover/New	Not Set



DENIM TEARS

BOTTOMS: DT CHENILLE EMBROIDERED SWEATPANT	SEASON: SP26	DESIGNER: BRYCE
FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
SKETCH		



DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-DTChenilleEmbroideredSweatpant\_11-1



DENIM TEARS	BOTTOMS: DT CHENILLE EMBROIDERED SWEATPANT SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY VARIANTS: 3
COLORWAYS		



NAVY

SELF A: NAVY  
SELF B: TAN  
SELF C: NAVY  
STITCH: TONAL  
EMBROIDERED EYELET: NAVY  
DRAWCORD: NAVY



DK BROWN

SELF A: DK BROWN  
SELF B: OLIVE  
SELF C: DK BROWN  
STITCH: TONAL  
EMBROIDERED EYELET: DK BROWN  
DRAWCORD: DK BROWN















DENIM TEARS CONFIDENTIAL	UPDATED: XX/XX/XXXX
--------------------------	---------------------

SP26-DTChenilleEmbroideredSweatpant\_11-2





DENIM TEARS	BOTTOMS: DT CHENILLE EMBROIDERED SWEATPANT SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY VARIANTS: 3
COLOR & QUALITY STANDARDS		

ITEM	PLACEMENT	QUANTITY	SIZE	COLORWAY 1	COLORWAY 2		
100% COTTON - XXXX	SELF A: MAIN BODY			 NAVY - NAVY BLAZER 19-3923 TCX	 DK BROWN - PUCE 19-1518 TCX		
100% COTTON TWILL -	SELF B: TOP APPLIED PANELS 			 TAN - CURDS & WHEY 16-0920 TCX	 DK GREEN - OVERLAND TREK 17-0619 TCX		
100% COTTON TWILL -	SELF C: TOP APPLIED PANELS 			 NAVY - NAVY BLAZER 19-3923 TCX	 DK BROWN - PUCE 19-1518 TCX		
BASKETWEAVE FLAT DRAWCORD - 100% HIGH DENSITY COTTON	TRIM A: WAISTBAND	1	1/4" WIDE	 NAVY - NAVY BLAZER 19-3923 TCX	 DK BROWN - PUCE 19-1518 TCX		
THREAD 1:	SELF A: MAIN BODY, EMBROIDERED EYELET, BNT			 DTM NAVY	 DTM DK BROWN		
THREAD 2:	SELF B: TOP APPLIED PANEL			 TAN - CURDS & WHEY 16-0920 TCX	 DK GREEN - OVERLAND TREK 17-0619 TCX		
WASH:	GARMENT			45 MIN ENZYME	45 MIN ENZYME		

DENIM TEARS CONFIDENTIAL	UPDATED: XX/XX/XXXX
--------------------------	---------------------

SP26-DTChenilleEmbroideredSweatpant\_11-4  
1. No Color Assigned



TRIMS

WOVEN LABEL

INTERNAL SIZE LABEL

CONSTRUCTION

\*\*\*\*\*NOT SHOWN TO SCALE

HANG TAG

BOTTOMS-SWEATPANTS-BLOCK-2



DENIM TEARS

BOTTOMS: DT CHENILLE EMBROIDERED SWEATPANT SP26

DESIGNER: BRYCE

FACTORY: FACTORY


COLLECTION: OUR LADY LIBERTY VARIANTS: 3

CONSTRUCTION

SELF A

SELF B

SELF C



embroidered 5/8" eyelets center to center in interior

1/4" wide cotton drawcord w/ single knotted end

single welt pocket topstitch and bartacks at ends

pocket bag: lining on top handside self on palm side

3/8" wide top applied panels with edgestitch

top applied panels start 1/4" from natural fold

1/2" space bw panels

bendback WB encased elastic with drawcord 3 rows of single needle topstitch evenly placed created drawcord tunnel

1/4" split needle coverstitch

no gusset

no side seam

bendback hem encased elastic

1/4" split needle coverstitch

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-DTChenilleEmbroideredSweatpant\_11-3

Created with backbone

© Denim Tears


Page 7 of 20



DENIM TEARS	BOTTOMS: DT CHENILLE EMBROIDERED SWEATPANT SP26	DESIGNER: BRYCE	
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3

GRAPHICS

CHENILLE APPLIQUE WITH FELT BACKING & ZIG ZAG OUTLINE  
5.396" WIDE, 6" TALL \*ACTUAL SCALE\*



DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-DTChenilleEmbroideredSweatpant\_11-5




DENIM TEARS	BOTTOMS: DT CHENILLE EMBROIDERED SWEATPANT SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY VARIANTS: 3
ARTWORK PLACEMENT		


1/2" UNDER POCKET BARTACK  
& CENTERED ON WEARERS  
RIGHT LEG



NAVY SWEATPANT:



DK BROWN SWEATPANT:



\*MATCH THIS FOR QUALITY\*



DENIM TEARS CONFIDENTIAL	UPDATED: XX/XX/XXXX
--------------------------	---------------------

SP26-DTChenilleEmbroideredSweatpant\_11-6



DENIM TEARS	BOTTOMS: DT CHENILLE EMBROIDERED SWEATPANT SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	VARIANTS: 3
2ND PROTO - COMMENTS		

DESIGN

- Removing potassium wash, should be solid color only.
- Sweatpant colorway/side tape color is incorrect, please follow TP
- Top applied stripe color not correct, please follow TP

GRAPHIC

- Artwork has been updated please follow updated TP
- FELT Backing on chenille embroidered patch is incorrect, please follow TP





Sample Size: M

POINT OF MEASURE	CODE	TOLERANCE	XS	S	M	L	XL	XXL
Waist @ WB Edge (Relaxed)	zvFldU	3/8 in	-1 in	-1 in	15 1/4 in	1 1/4 in	1 1/4 in	1 1/4 in
Waist @ Edge (Extended)	90UTTm	3/8 in	-1 in	-1 in	22 in	1 1/4 in	1 1/4 in	1 1/4 in
WB Height	UBN6PW	1/8 in	0 in	0 in	1 7/8 in	0 in	0 in	0 in
Low Hip @ 8" Below WB Top Edge	git1Gu	3/8 in	-1 in	-1 in	23 1/4 in	1 1/4 in	1 1/4 in	1 1/4 in
Thigh @ 1" Below Crotch	X3rywO	1/4 in	-3/4 in	-3/4 in	14 3/4 in	7/8 in	7/8 in	7/8 in
Knee @ Half of Inseam	LC56eg	1/4 in	-1/2 in	-1/2 in	11 1/4 in	5/8 in	5/8 in	5/8 in
Leg Opening (Relaxed)	fQu0Dk	1/4 in	-3/8 in	-3/8 in	6 1/2 in	3/8 in	3/8 in	3/8 in
Leg Opening (Extended)	RCK0g	1/4 in	-3/8 in	-3/8 in	8 1/4 in	3/8 in	3/8 in	3/8 in
Cuff Height @ Leg Opening	AHYaQ2	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Front Rise from WB Edge	0lk1vw	1/4 in	-3/4 in	-3/4 in	13 1/2 in	3/4 in	3/4 in	3/4 in
Back Rise from WB Edge	Uu3xDT	1/4 in	-3/4 in	-3/4 in	18 in	3/4 in	3/4 in	3/4 in
Inseam Length	RVmCjg	1/4 in	0 in	0 in	30 1/2 in	0 in	0 in	0 in
Outseam Length from WB Edge	YUbVae	1/4 in	-3/4 in	-3/4 in	41 3/4 in	3/4 in	3/4 in	3/4 in
Welt Pocket Placement Forward from Fold	iSMowj	1/8 in	0 in	0 in	1 3/4 in	0 in	0 in	0 in
Pocket Below WB Edge	pZyscG	1/8 in	0 in	0 in	3 in	0 in	0 in	0 in
Pocket Opening Length	ozon2y	1/8 in	0 in	-1/2 in	7 in	0 in	1/2 in	0 in
Welt Width	W2YljE	1/8 in	0 in	0 in	5/8 in	0 in	0 in	0 in
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	0 in	-1/2 in	8 1/4 in	0 in	1/2 in	0 in
Pocket Bag Height from Bottom of WB to Edge	4wOAYh	1/4 in	0 in	-1/2 in	12 in	0 in	1/2 in	0 in
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	0 in	0 in	9 in	0 in	0 in	0 in
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	0 in	0 in	2 in	0 in	0 in	0 in

Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Waist @ WB Edge (Relaxed)	zvFldU	3/8 in	15 1/4 in	15 1/2 in	1/4 in	0 in	15 1/4 in	Update to match the block	-
Waist @ Edge (Extended)	90UTTm	3/8 in	22 in	20 1/2 in	-1 1/2 in	0 in	22 in		-
WB Height	UBN6PW	1/8 in	1 7/8 in	0 in	0 in	0 in	1 7/8 in		-
Low Hip @ 8" Below WB Top Edge	git1Gu	3/8 in	23 1/4 in	23 in	-1/4 in	0 in	23 1/4 in		-
Thigh @ 1" Below Crotch	X3rywO	1/4 in	14 3/4 in	14 3/4 in	0 in	0 in	14 3/4 in		-
Knee @ Half of Inseam	LC56eg	1/4 in	11 1/4 in	11 in	-1/4 in	0 in	11 1/4 in		-
Leg Opening (Relaxed)	fQu0Dk	1/4 in	6 1/2 in	6 3/4 in	1/4 in	0 in	6 1/2 in		-
Leg Opening (Extended)	RCK0g	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Cuff Height @ Leg Opening	AHYaQ2	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Front Rise from WB Edge	0lk1vw	1/4 in	13 1/2 in	15 1/2 in	2 in	0 in	13 1/2 in		-
Back Rise from WB Edge	Uu3xDt	1/4 in	18 in	20 in	2 in	0 in	18 in		-
Inseam Length	RVmCjg	1/4 in	30 1/2 in	29 1/2 in	-1 in	0 in	30 1/2 in		-
Outseam Length from WB Edge	YUbVae	1/4 in	41 3/4 in	0 in	0 in	0 in	41 3/4 in		-
Welt Pocket Placement Forward from Fold	iSMowj	1/8 in	1/2 in	0 in	0 in	-1/2 in	0 in	TBD	-
Pocket Below WB Edge	pZyscG	1/8 in	3 in	0 in	0 in	0 in	3 in		-
Pocket Opening Length	ozon2y	1/8 in	7 in	0 in	0 in	0 in	7 in		-
Welt Width	W2YljE	1/8 in	-	-		-	-		-
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	8 1/4 in	0 in	0 in	0 in	8 1/4 in		-
Pocket Bag Height from Bottom of WB to Edge	4wOAYH	1/4 in	11 3/4 in	0 in	0 in	0 in	11 3/4 in		-
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	7 in	0 in	0 in	0 in	7 in		-
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	2 in	0 in	0 in	0 in	2 in		-



Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	2ND PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Waist @ WB Edge (Relaxed)	zvFldU	3/8 in	15 1/4 in	15 1/4 in	0 in	0 in	15 1/4 in		-
Waist @ Edge (Extended)	90UTTm	3/8 in	22 in	22 in	0 in	0 in	22 in		-
WB Height	UBN6PW	1/8 in	1 7/8 in	1 7/8 in	0 in	0 in	1 7/8 in		-
Low Hip @ 8" Below WB Top Edge	git1Gu	3/8 in	23 1/4 in	23 1/4 in	0 in	0 in	23 1/4 in		-
Thigh @ 1" Below Crotch	X3rywO	1/4 in	14 3/4 in	14 5/8 in	-1/8 in	0 in	14 3/4 in		-
Knee @ Half of Inseam	LC56eg	1/4 in	11 1/4 in	11 in	-1/4 in	0 in	11 1/4 in		Back To Spec
Leg Opening (Relaxed)	fQu0Dk	1/4 in	6 1/2 in	6 3/8 in	-1/8 in	0 in	6 1/2 in		-
Leg Opening (Extended)	RCK0g	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Cuff Height @ Leg Opening	AHYaQ2	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Front Rise from WB Edge	0lk1vw	1/4 in	13 1/2 in	13 3/8 in	-1/8 in	0 in	13 1/2 in		-
Back Rise from WB Edge	Uu3xDT	1/4 in	18 in	18 1/8 in	1/8 in	0 in	18 in		-
Inseam Length	RVmCjg	1/4 in	30 1/2 in	30 1/2 in	0 in	0 in	30 1/2 in		-
Outseam Length from WB Edge	YUbVae	1/4 in	41 3/4 in	41 3/4 in	0 in	0 in	41 3/4 in		-
Welt Pocket Placement Forward from Fold	iSMowj	1/8 in	0 in	1 3/4 in	1 3/4 in	1 3/4 in	1 3/4 in		-
Pocket Below WB Edge	pZyscG	1/8 in	3 in	3 in	0 in	0 in	3 in		-
Pocket Opening Length	ozon2y	1/8 in	7 in	7 1/8 in	1/8 in	0 in	7 in		-
Welt Width	W2YljE	1/8 in	0 in	5/8 in	5/8 in	5/8 in	5/8 in		-
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Pocket Bag Height from Bottom of WB to Edge	4wOAYH	1/4 in	11 3/4 in	11 3/4 in	0 in	1/4 in	12 in		See New Value
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	7 in	9 in	2 in	2 in	9 in		Keep As Sample
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	2 in	2 in	0 in	0 in	2 in		-



Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	PPS - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Waist @ WB Edge (Relaxed)	zvFldU	3/8 in	15 1/4 in	15 1/4 in	0 in	0 in	15 1/4 in		-
Waist @ Edge (Extended)	90UTTm	3/8 in	22 in	22 in	0 in	0 in	22 in		-
WB Height	UBN6PW	1/8 in	1 7/8 in	2 in	1/8 in	0 in	1 7/8 in		-
Low Hip @ 8" Below WB Top Edge	git1Gu	3/8 in	23 1/4 in	23 in	-1/4 in	0 in	23 1/4 in		-
Thigh @ 1" Below Crotch	X3rywO	1/4 in	14 3/4 in	14 3/4 in	0 in	0 in	14 3/4 in		-
Knee @ Half of Inseam	LC56eg	1/4 in	11 1/4 in	11 1/4 in	0 in	0 in	11 1/4 in		-
Leg Opening (Relaxed)	fQu0Dk	1/4 in	6 1/2 in	6 1/2 in	0 in	0 in	6 1/2 in		-
Leg Opening (Extended)	RCK0g	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Cuff Height @ Leg Opening	AHYaQ2	1/8 in	1 in	0 in	0 in	0 in	1 in		-
Front Rise from WB Edge	0lk1vw	1/4 in	13 1/2 in	13 3/4 in	1/4 in	0 in	13 1/2 in		-
Back Rise from WB Edge	Uu3xDt	1/4 in	18 in	18 1/4 in	1/4 in	0 in	18 in		-
Inseam Length	RVmCjg	1/4 in	30 1/2 in	30 in	-1/2 in	0 in	30 1/2 in		Back To Spec
Outseam Length from WB Edge	YUbVae	1/4 in	41 3/4 in	41 1/2 in	-1/4 in	0 in	41 3/4 in		-
Welt Pocket Placement Forward from Fold	iSMowj	1/8 in	1 3/4 in	1 3/4 in	0 in	0 in	1 3/4 in		-
Pocket Below WB Edge	pZyscG	1/8 in	3 in	3 in	0 in	0 in	3 in		-
Pocket Opening Length	ozon2y	1/8 in	7 in	7 1/4 in	1/4 in	0 in	7 in		Back To Spec
Welt Width	W2YlJE	1/8 in	5/8 in	5/8 in	0 in	0 in	5/8 in		-
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Pocket Bag Height from Bottom of WB to Edge	4wOAYH	1/4 in	12 in	12 in	0 in	0 in	12 in		-
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	9 in	9 in	0 in	0 in	9 in		-
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	2 in	2 in	0 in	0 in	2 in		-



## 9/5 design notes - Genny Mayden

CREATED ON SEP 8, 2025 5:23 PM

- We will send new pantone for the chenille patch



## Fitting 9.5.25 - Misha Strelnikov

CREATED ON SEP 15, 2025 8:35 PM

### **FIT/PATTERN**

- 1) The overall measurements are coming in off> we need to match our "Sweatpants w/ Cuff" block  
> follow provided reference pattern for the overall shape

### **CONSTRUCTION/WORKMANSHIP**

- 1) Revise WB to match proto> separate piece with encased elastic
  - keep 3 rows of top stitching
- 2) Revise Leg Opening to have separate elasticated cuffs as per proto
- 3) Shift stripe placement backward> stripes should be centered at side fold edge
  - shift pocket opening backward accordingly
- 4) Keep eyelets/drawcord @ interior
- 5) All coverstitch should be revised to 1/4" split needle top stitch (Bottom Coverlock)
  - keep each side of the seam w/ split needle finish flat without bumps

Thanks,



**SS26BAS1527 DT Chenille Embroidered Sweatpants - 1st Proto**



SS26BAS1527 DT Chenille Embroidered Sweatpant - 1st Proto.jpg



## Fitting 10.23.25 - Misha Strelnikov

CREATED ON NOV 5, 2025 9:48 PM

### **\*\*PPS MUST BE ON SPEC**

#### **FIT/PATTERN**

- 1) Knee is missing -1/4"> get back to spec
- 2) All other points can be accepted within tolerance
- 3) Increase pocket bag height +1/4" to finish at 12"

#### **CONSTRUCTION/WORKMANSHIP**

- 1) Revise Waistband to be a Turnback with encased elastic (NOT a separate piece, so theres no WB Seam)
  - the distance between top stitching needs to be more EVEN> please improve
- 2) Revise Cuff at leg opening to be Turnback with encased elastic as well

Thank you,  
M



## Comments 1.7.26 - Misha Strelnikov

CREATED ON JAN 7, 2026 6:22 PM

PPS: SIZE:M, ARRIVAL DATE:01-06-2026

**STATUS:** PPS APPROVED TO TOP W/ COMMENTS

\*Please ensure that all specs are within tolerance

### **FIT/PATTERN:**

- 1.) Inseam length is short by 1/2". Please adjust to keep within tolerance.
- 2.) Pocket length is over by 1/4". Please keep within tolerance.

### **CONSTRUCTION/ WORKMANSHIP:**

- 1.) Please keep construction and workmanship as the PPS. Thanks!

### **ARTWORK:**

- 1.) The artwork placement is incorrect> please see diagram below for placement

### **FIT / RẬP:**


- 1.) Chiều dài ống trong (inseam) đang ngắn hơn 1/2 inch. Vui lòng điều chỉnh lại để nằm trong dung sai.
- 2.) Chiều dài túi đang dài hơn 1/4 inch. Vui lòng điều chỉnh lại để nằm trong dung sai.

### **CẤU TRÚC / TAY NGHỀ MAY:**

- 1.) Vui lòng giữ nguyên cấu trúc và tay nghề may giống như mẫu PPS. Cảm ơn!

### **ARTWORK:**

- 1.) Vị trí hình in đang sai – vui lòng xem sơ đồ bên dưới để điều chỉnh vị trí.



DT Artwork.jpg