



## Cotton Wreath Olaf Shorts - Style #SS26BRA1445


Mens, Short, Spring/Summer, 2026

Summary  
12-17-2025

**DENIM TEARS**

BOTTOMS: COTTON WREATH OLAF SHORTS	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1

SKETCH



Name Cotton Wreath Olaf Shorts

Style No. SS26BRA1445

Description Cotton Wreath Olaf Shorts

Division Mens

Category Short

Season Spring/Summer

Year 2026

Size Scale **M** -Sample size

XS  S  M  L  XL  XXL

Created by/Author

12/17/2025

Genny Mayden

genny@denimtears.com

DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

## Cotton Wreath Olaf Shorts



1. No Color Assigned


Style Color Code	Not Set
Carryover/New	Not Set



## DENIM TEARS

BOTTOMS: COTTON WREATH OLAF SHORTS	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1

SKETCH



DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26CottonWreathOlafShorts\_12-1



## DENIM TEARS

BOTTOMS: COTTON WREATH OLAF SHORTS	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1


### COLORWAYS

FABRIC QUALITY: PLEASE SEND MESH  
QUALITIES  
RIB QUALITY -KNIT RIB



#### NAVY

SELF A: NAVY  
SELF B: LT. BLUE  
RIBBING: KNIT RIB - WHITE/LT.BLUE STRIPES  
STITCH: TONAL  
FABRIC: PLEASE SEND MESH QUALITIES  
FIT: MATCH TO 5Q BASKETBALL SHORT





#### BLACK

SELF A: NAVY  
SELF B: LT. BLUE  
RIBBING: KNIT RIB - WHITE/BLACK STRIPES  
STITCH: TONAL  
FABRIC: PLEASE SEND MESH QUALITIES  
FIT: MATCH TO 5Q BASKETBALL SHORT



DENIM TEARS		BOTTOMS: COTTON WREATH OLAF SHORTS	SEASON: SS26	DESIGNER: DESIGNER
		FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1
COLOR STANDARDS				

COTTON WREATH OLAF SHORTS	SELF A	SELF B	RIBBING
NAVY	 NAVY 	 LIGHT BLUE 	 WHITE BASE,  MIDDLE STRIPE - LIGHT BLUE
	 BLACK  JET BLACK 19-0303 TCX	 GREY  GARGOYLE 18-0503 TCX	 WHITE BASE,  MIDDLE STRIPE - BLACK  JET BLACK 19-0303 TCX



DENIM TEARS		
BOTTOMS: COTTON WREATH OLAF SHORTS	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1
1ST PROTO COMMENTS		

#### DESIGN

-WAISTBAND QUALITY IS INCORRECT. SHOULD BE KNIT RIB W/ ENCASED ELASTIC. SEE REFERENCE PHOTO BELOW:



#### GRAPHIC

-WREATH PLACEMENT AT SIDE PANELS HAS BEEN ADJUSTED. PLEASE SEE UPDATED ARTWORK FILE (SHORTS-PANELS.AI)

SS26CottonWreathOlafShorts\_12-8



TRIMS

\*\*\*\*\*NOT SHOWN TO SCALE

WOVEN LABEL



INTERNAL SIZE LABEL



CONSTRUCTION



[CARE LABEL]

HANG TAG



BOTTOMS-SWEATPANTS-BLOCK-2



TRIMS

NAME	ARTICLE #	SUPPLIER	LOCATION	COLORWAY
WOVEN LABEL RTW	EA01E11049	FACTORY	END FOLD (L/R) LABEL @ INTERIOR BACK WB APPLIED W/ EDGESEWING ONLY @ TOP - THREAD DTM	
INTERNAL SIZE LABEL	EA0530986	FACTORY	LOOP FOLD LABEL INSERTED UNDER RIGHT SIDE OF WOVEN LABEL	
CARE LABEL	XXXXXXXXXX	FACTORY	@ WL INTERIOR SIDE SEAM 5" BELOW TOP OF WB PLACED HORIZONTALLY, CAUGHT IN SEAM @ TOP EDGE - THREAD DTM	
HANGTAG	CA12A7197	FACTORY	ATTACHED W STRING + SAFETY PIN THROUGH SIZE LABEL LOOP	

BOTTOMS-SWEATPANTS-BLOCK-1



## DENIM TEARS

		BOTTOMS: COTTON WREATH OLAF SHORTS	SEASON: SS26	DESIGNER: DESIGNER
		FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1
CONSTRUCTION				
<span style="border: 1px solid blue; display: inline-block; width: 15px; height: 15px;"></span> = SELF A	DRAWCORD & THREAD EYELET @ INTERIOR			
<span style="background-color: #ccc; border: 1px solid blue; display: inline-block; width: 15px; height: 15px;"></span> = SELF B	WELT POCKET W/ EDGE STITCH, BARTACK AT TOP AND BOTTOM			
<p>ALL KNIT RIB STRIPES TO BE TOP APPLIED W/ SN EDGE STITCH</p>				
<p>PLEASE MATCH FOR CONSTRUCTION ONLY, NOT FOR FIT:</p>				
<p>DENIM TEARS CONFIDENTIAL</p>				
<p>UPDATED: 03/18/2025</p>				

SS26CottonWreathOlafShorts\_12-3



**DENIM TEARS**

BOTTOMS: COTTON WREATH OLAF SHORTS	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1

REFERENCE FOR FIT



DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26CottonWreathOlafShorts\_12-7



## DENIM TEARS

BOTTOMS: COTTON WREATH OLAF SHORTS	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1

GRAPHICS

ARTWORK TECHNIQUE: SCREENPRINTED

NOT AT 100% ACTUAL SCALE



DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26CottonWreathOlafShorts\_12-5



## **DENIM TEARS**

BOTTOMS: COTTON WREATH OLAF SHORTS	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1

ARTWORK PLACEMENT

WEARERS RIGHT SIDE PANEL:



WEARERS LEFT SIDE PANEL:



ARTWORK TECHNIQUE: SCREENPRINTED (PLEASE SEE SEPARATE ARTWORK FILE SHORTS-PANELS.AI)  
NOT AT 100% ACTUAL SCALE

DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26CottonWreathOlafShorts\_12-6

**Sample Size: M**

POINT OF MEASURE	CODE	TOLERANCE	XS	S	M	L	XL	XXL
Waist @ WB Edge (Relaxed)	zvFIdU	3/8 in	0 in	0 in	15 3/4 in	0 in	0 in	0 in
Waist @ Edge (Extended)	90UTTm	3/8 in	0 in	0 in	21 3/4 in	0 in	0 in	0 in
WB Height	UBN6PW	1/8 in	0 in	0 in	1 3/4 in	0 in	0 in	0 in
Low Hip @ 7" Below WB Seam	git1Gu	3/8 in	0 in	0 in	24 3/4 in	0 in	0 in	0 in
Thigh @ 1" Below Crotch	X3rywO	1/4 in	0 in	0 in	16 1/8 in	0 in	0 in	0 in
Leg Opening	fQu0Dk	1/4 in	0 in	0 in	14 1/2 in	0 in	0 in	0 in
Front Rise from WB Seam	0lk1vw	1/4 in	0 in	0 in	11 3/4 in	0 in	0 in	0 in
Back Rise from WB Seam	Uu3xDT	1/4 in	0 in	0 in	17 in	0 in	0 in	0 in
Inseam Length	RVmCjg	1/4 in	0 in	0 in	8 3/4 in	0 in	0 in	0 in
Outseam Length from WB Seam to Leg Opening	YUbVae	1/4 in	0 in	0 in	20 1/2 in	0 in	0 in	0 in
Side Panel Placement at Front from SS Natural Fold	1pjqRc	1/8 in	0 in	0 in	3 3/4 in	0 in	0 in	0 in
Side Panel Width (Incl Stripes)	XDpjD	1/8 in	0 in	0 in	7 1/4 in	0 in	0 in	0 in
Hand Pocket Below WB Edge	pZyscG	1/8 in	0 in	0 in	1 1/2 in	0 in	0 in	0 in
Hand Pocket Opening Length	ozon2y	1/8 in	0 in	0 in	6 3/4 in	0 in	0 in	0 in
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	0 in	0 in	7 3/4 in	0 in	0 in	0 in
Pocket Bag Height from Waist Sm at Center	4wOAyH	1/4 in	0 in	0 in	12 1/2 in	0 in	0 in	0 in
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	0 in	0 in	9 in	0 in	0 in	0 in
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	0 in	0 in	2 in	0 in	0 in	0 in



## Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Waist @ WB Edge (Relaxed)	zvFlU	3/8 in	0 in	17 in	17 in	15 3/4 in	15 3/4 in	Reduce -1 1/4"	See New Value
Waist @ Edge (Extended)	90UTTm	3/8 in	0 in	23 in	23 in	21 3/4 in	21 3/4 in	Reduce -1 1/4"	See New Value
WB Height	UBN6PW	1/8 in	0 in	1 1/2 in	1 1/2 in	1 3/4 in	1 3/4 in	Increase +1/4"	See New Value
Low Hip @ 7" Below WB Seam	git1Gu	3/8 in	0 in	26 in	26 in	24 3/4 in	24 3/4 in	Reduce -1 1/4"	See New Value
Thigh @ 1" Below Crotch	X3rywO	1/4 in	0 in	17 in	17 in	16 1/8 in	16 1/8 in	Reduce -7/8"	-
Leg Opening	fQu0Dk	1/4 in	0 in	15 in	15 in	14 1/2 in	14 1/2 in	Reduce -1/2"	-
Front Rise from WB Seam	0lk1vw	1/4 in	0 in	14 in	14 in	0 in	0 in	TBD	-
Back Rise from WB Seam	Uu3xDT	1/4 in	0 in	19 1/4 in	19 1/4 in	0 in	0 in	TBD	-
Inseam Length	RVmCjg	1/4 in	0 in	6 1/2 in	6 1/2 in	7 1/2 in	7 1/2 in	RVSD due to higher Crotch	See New Value
Outseam Length from WB Seam to Leg Opening	YUbVae	1/4 in	0 in	20 in	20 in	20 in	20 in		-
Side Panel Placement at Front from SS Natural Fold	1pjqRc	1/8 in	0 in	3 3/4 in	3 3/4 in	3 3/4 in	3 3/4 in		-
Side Panel Width (Incl Stripes)	XDpjD	1/8 in	0 in	0 in	0 in	7 1/4 in	7 1/4 in		-
Hand Pocket Below WB Edge	pZyscG	1/8 in	0 in	1 in	1 in	1 1/2 in	1 1/2 in	Drop +1/2"	See New Value
Hand Pocket Opening Length	ozon2y	1/8 in	0 in	6 1/8 in	6 1/8 in	6 3/4 in	6 3/4 in	Increase +5/8"	See New Value
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	0 in	7 3/4 in	7 3/4 in	7 3/4 in	7 3/4 in		-
Pocket Bag Height from Waist Sm at Center	4wOAyH	1/4 in	0 in	11 1/2 in	11 1/2 in	12 1/2 in	12 1/2 in	Increase due to lowering the pocket opening	See New Value
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	0 in	9 in	9 in	9 in	9 in		-
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	0 in	0 in	0 in	2 in	2 in		-



## Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	2ND PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Waist @ WB Edge (Relaxed)	zvFlU	3/8 in	15 3/4 in	16 in	1/4 in	0 in	15 3/4 in		Within Tolerance
Waist @ Edge (Extended)	90UTTm	3/8 in	21 3/4 in	21 3/4 in	0 in	0 in	21 3/4 in		-
WB Height	UBN6PW	1/8 in	1 3/4 in	1 3/4 in	0 in	0 in	1 3/4 in		-
Low Hip @ 7" Below WB Seam	git1Gu	3/8 in	24 3/4 in	24 3/4 in	0 in	0 in	24 3/4 in		-
Thigh @ 1" Below Crotch	X3rywO	1/4 in	16 1/8 in	16 1/4 in	1/8 in	0 in	16 1/8 in		Back To Spec
Leg Opening	fQu0Dk	1/4 in	14 1/2 in	14 1/4 in	-1/4 in	0 in	14 1/2 in		Back To Spec
Front Rise from WB Seam	0lk1vw	1/4 in	0 in	13 in	13 in	11 3/4 in	11 3/4 in	Raise front rise by 1 1/4" and scoop-out	See New Value
Back Rise from WB Seam	Uu3xDT	1/4 in	0 in	18 1/4 in	18 1/4 in	17 in	17 in	Raise Back Rise by 1 1/4" and scoop-out	See New Value
Inseam Length	RVmCjg	1/4 in	7 1/2 in	7 3/8 in	-1/8 in	1 1/4 in	8 3/4 in	Increase since rise has shortened	See New Value
Outseam Length from WB Seam to Leg Opening	YUbVae	1/4 in	20 in	19 7/8 in	-1/8 in	1/2 in	20 1/2 in	Slash and drop outseam 1/2"	See New Value
Side Panel Placement at Front from SS Natural Fold	1pjqRc	1/8 in	3 3/4 in	4 1/4 in	1/2 in	0 in	3 3/4 in	Shift Back	Back To Spec
Side Panel Width (Incl Stripes)	XDpjD	1/8 in	7 1/4 in	7 1/4 in	0 in	0 in	7 1/4 in		-
Hand Pocket Below WB Edge	pZyscG	1/8 in	1 1/2 in	1 1/2 in	0 in	0 in	1 1/2 in		-
Hand Pocket Opening Length	ozon2y	1/8 in	6 3/4 in	6 5/8 in	-1/8 in	0 in	6 3/4 in		Within Tolerance
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	7 3/4 in	7 7/8 in	1/8 in	0 in	7 3/4 in		Within Tolerance
Pocket Bag Height from Waist Sm at Center	4wOAyH	1/4 in	12 1/2 in	12 3/4 in	1/4 in	0 in	12 1/2 in		Within Tolerance
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	9 in	9 in	0 in	0 in	9 in		-
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	2 in	2 in	0 in	0 in	2 in		-



## 8/26 design notes - Genny Mayden

CREATED ON AUG 26, 2025 7:44 PM

Waistband should be same material as bottom hem elastic



## Fitting 9.5.25 - Misha Strelnikov

CREATED ON SEP 17, 2025 5:26 PM

### FIT/PATTERN

- 1) The shorts are too baggy> need to size them down to Medium
  - reduce width at waistband and low hip - 1 1/4"
  - reduce thigh -7/8"
  - reduce leg opening only -1/2"
- 2) WB fabric is changing to rib quality - see design comments
  - please increase WB height +1/4" to finish at 1 3/4"
- 3) Straighten Front/Back rises by shifting the waist in by 1/2" - see **photo comments**
  - Front WB sits a bit too low> please add 1/4" to front rise length at WB
- 4) Raise crotch placement up by 1"
  - inseam length was updated +1" accordingly
- 5) Side panel: width and placement are OK as per sample
- 6) Side Pocket:
  - drop pocket opening placement +1/2" to 1 1/2" from WB seam
  - increase pocket opening length to finish at 6 3/4"
  - add 1" to pocket bag hight to make it deeper

### CONSTRUCTION/WORKMANSHIP

\*\*See design comments

\*\*When applying the rib trim - make sure it lies flat and doesn't pull the fabric after it's sewn on

Thanks,



**SS26BRA1445 Olaf Shorts - 1st Proto**



SS26BRA1445 Cotton Wreath Olaf Shorts - 1st Proto-01.jpg



### SS26BRA1445 Olaf Shorts - 1st Proto



SS26BRA1445 Cotton Wreath Olaf Shorts - 1st Proto-02.jpg



## 11/10 design notes - Genny Mayden

CREATED ON DEC 3, 2025 10:13 PM

- Waistband is supposed to be an actual knit rib all the way through
- revisiting graphic



## Fitting 12.16.25 - Misha Strelnikov

CREATED ON DEC 16, 2025 7:58 PM

**STATUS:** PLEASE SUBMIT PPS FOLLOWING ALL CALL OUTS

### FIT/ PATTERN:

#### 1. FRONT AND BACK RISE:

- a. Raise the drop of the crotch by 1 1/4"

#### 2. SADDLE WIDTH:

- b. Scoop out the saddle width 3/4"~1" at the bottom and blend/smooth the shape to 0" at the top of WB
- c. Front and Back Rises will increase slightly in length due to a deeper scoop> follow updated specs

#### 3. INSEAM:

- d. Increase the inseam length by 1 1/4" to account for raising up the rise - we want the short to hit on the same place on the leg

#### 4. OUTSEAM:

- e. Outseam is winging out at the bottom edge
- f. Slash and open the outseam 1/2" and blend to 0" at CF/CB

### CONSTRUCTION/WORKMANSHIP:

#### 1. SEE DESIGN NOTES - Switch the waistband to rib quality, and construct as folded with elastic encased.

- a. Ensure that seam allowance inside is as clean/nicely constructed as possible

#### 2. Regarding the striped bottom trim and vertical trim at the sides of the side panels, please give the length of these trims a bit of ease, to avoid puckering, pulling in, or hiking the leg openings up. Thanks!



OUTSEAM.jpg



CROTCH DEPTH + INSEAM.jpg



TRIM SEWING.jpg



SADDLE WIDTH.jpg



SS26BRA1445 Olaf Shorts - 2nd Proto



TRIM IS PULLING SO  
THE OUTSEAM IS  
SWINGING OUT>  
PLEASE CORRECT

SS26BRA1445 Olaf Shorts - 2nd Proto.jpg