

001, 002, 003, 004, 005, 006, 007



Article Description												
Article Code	M-0125-WB-5150			Product Group	воттом							
Article Name	GARMENT DYE NYLON CARGO SHORT			Product Sub-Category	SHORT							
Created On	02/09/24 3:02:32 PM	Material	70% RECYCLED NYLON 30% NYLON RIPSTOP - 80 GSM (FB-	Season	2025 Spring	AIA						
ast Modified	03/04/24 3:55:12 PM	Description	W1043) MILL: RECYCTEX	Life Cycle Stage	Development							

## Material Description

70% RECYCLED NYLON 30% NYLON RIPSTOP - 80 GSM (FB-W1043)


MILL: RECYCTEX

CONSTRUCTION: 40D\*40D

WIDTH: 56" FINISH: P/D+W/R

				Bill of Material							Version 1
(@\@)	Article Code	M-0125-WB-5150					Product Group	вот	ГОМ		
W/\	Article Name	GARMENT DYE NYLON CARGO SHORT					Product Sub-Car				
///	Created On	02/09/24 3:02:32 PM	Material	70% RECYCLED NYLON 30% NYLON RIPSTON W1043)	P - 80 GS	M (FB-	Season 2025 Spring				AIR
15 M	Last Modified 03/04/24 3:55:12 PM Descrip			MILL: RECYCTEX			Life Cycle Stage	Dev	evelopment		
Part		Material		Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		TBD TO BE DETERMINED
Fabric							•				
BODY	GSM (FB-W1043) MILL: RECYCTEX CONSTRUCTION: 40D*40D WIDTH: 56"			DDY & POCKET BAGS	0	Meter	FABRIC OPTION 1		RONT 7890	N	one
BODY	FINISH: P/D+W/R DDY 100% NYLON RIPSTOP - GARMENT DYED (FB-W1042) MILL: LIMONTA		ВО	BODY & POCKET BAGS			FABRIC OPTION 2		ART: RIPPLY 570 DIAM HSK	N	one
INSERT	RT INTERFACING (FB-N126) LT WT FUSIBLE			HERE REQUIRED	0	Meter		Vendor Sourced			/HITE /T
Trims											
WAISTBAND	(EC116)	ESHRUNK TO MEASUREMENT CHARTS FOR		ENCASED IN WAISTBAND		Each					/HITE /T
WAISTBAND	OVO 2023 M (TR-LT252)	lain Loop Label	СВ	CB INSIDE WAIST SEAM		Each		Reca Mainetti Asia Ltd.	LBOVO1 47		/HITE /T
WAISTBAND	(TR-LT246)	lpha Sizing Tab VOW23_181_T/ LBOVO175	.25	5" FROM MAIN LABEL	1	Each		Reca Mainetti Asia Ltd.	OVOW23 _181_T		/HITE /T
WAISTBAND	(LT138)	COO TAB: OVOF21_217_T  F ORIGIN TAB	.25	5" FROM SIZE TAB	1	Each		Reca Mainetti Asia Ltd.	OVOF21 _217_T	N	one
SIDE INSERT 1	CC LABEL - (TR-LT230) PRINTED SA	100% COTTON MADE IN CHINA ATIN LABEL	IN.	TERIOR SIDE SEAM - SEE TRIM PAGE	1	Each	VENDOR SOURCED	Vendor Sourced		N	one
	(TR-HG142)	ooklet Hangtag e: HTOVO141A	SA	FETY PINNED TO BACK OF MAIN LABEL	1	Each		Reca Mainetti Asia Ltd.	HTOVO1 41A	ВВВ	LACK K
SEE PLACEMENT FOR DETAILS	(TR-TV140)	GRAIN RIBBON LOOP AG ATTACHMENT	IN	SIDE WAIST SEAM	1	Each		Vendor Sourced			/HITE /T
		GENERIC , with suffocation warning on back, ment on bottom right corner of bag.		ZE LARGE	1	Each	VENDOR SOURCED	Vendor Sourced		N	one

					Bill of Material							Version 1
Article Code M-0125-WB-5150						Product Group BOTTOM						
164	Article Name	GARMENT DYE NYLON CARGO SHORT						Product Sub-Cat	egory S	HORT		
Created On 02/09/24 3:02:32 PM Mate				aterial 70% RECYCLED NYLON 30% NYLON RIPSTOP - 80		- 80 GS	M (FB-	Season	025 Spring		AIA	
CAR.	Last Modified	03/04/24 3:55:12 PM	Descript	tion	w1043) MILL: RECYCTEX			Life Cycle Stage		Development		
Part	Material Material			Placement	Qty.	UOM.	Comments	Supplie	Supplier Ref.		TBD TO BE DETERMINED	
-	UPC STICKE	ER		1. INSI	DEHANGTAG 2. ON POLYBAG	2	Each					None
PLACEMENT	(TR-ST111)											
FOR	1.5" x 1.5"											
DETAILS												
	PLS ADVISE	IF YOU HAVE THE CAPABILITY	OF									
	PRINTING L	JPC STICKERS										






LABEL PLACEMENT GUIDE - ELASTIC WAIST BOTTOMS												
		M-0125-WB-5150			Product Group	воттом						
7	rticle Name	GARMENT DYE NYLON CARGO SHORT			Product Sub-Category	SHORT						
(	reated On	02/09/24 3:02:32 PM	Material	70% RECYCLED NYLON 30% NYLON RIPSTOP - 80 GSM (FB-	Season	2025 Spring	AIA					
Ī	ast Modified	03/04/24 3:55:12 PM	Description	w1043) MILL: RECYCTEX	Life Cycle Stage	Development						

## OFFSHORE KNIT & ACTIVEWEAR BOTTOMS


MAIN LABEL LBOVO147 - COL A - OPT 1
\*INSERT AT CB WAISTBAND SEAM

SIZE TAB OVOW23\_181\_T - 2023
\*INSERT AT WAISTBAND SEAM 0.25" FROM MAIN LABEL

TEAR AWAY COO TAB LT138
\*INSERT AT WAISTBAND SEAM 0.25" FROM SIZE TAB



HANG TAG PLACEMENT
\*ATTACH TO LOOP AT THE FRONT WAISTBAND SEAM




CARE LABEL PLACEMENT
\*ATTACH AT LEFT SIDE SEAM 2" BELOW WAISTBAND SEAM





			UPC PLACEMENT GUIDE			Version 1
Article Code	M-0125-WB-5150			Product Group	воттом	
Article Name	GARMENT DYE NYLON CARGO SHORT			Product Sub-Category	SHORT	
Created On	02/09/24 3:02:32 PM	Material	70% RECYCLED NYLON 30% NYLON RIPSTOP - 80 GSM (FB-	Season	2025 Spring	AIR
Last Modified	03/04/24 3:55:12 PM	Description	W1043) MILL: RECYCTEX	Life Cycle Stage	Development	

STYLE



QUATER/YEAR

# STICKER PLACEMENT (2 PER GARMENT)

**UPC STICKER#1** PLACE ON BOTTOM RIGHT CORNER OF POLY BAG



**UPC STICKER #2** PLACE INSIDE HANGTAG BOOKLET



**DIMENSIONS** 

1.5"



1.5"

Printed by Adrienne Ball on 03/19/24 9:58:42 AM Powered by WFX. All rights reserved. Page 7 of 10




Article Code	M-0125-WB-5150			Ī
Article Name	GARMENT DYE NYLON CARGO SHORT			Ī
Created On	02/09/24 3:02:32 PM	Material	70% RECYCLED NYLON 30% NYLON RIPSTOP - 80 GSM (FB-	Ī
Last Modified	03/04/24 3:55:12 PM	Description	W1043) MILL: RECYCTEX	

**Construction details** 







### Comments

- WAIST
  Separate clean finished self waistband with elastic encased. 1n chainstitch 1/8" topstitch top, 2n, 1/4" chainstitch edgestitch bottom.
- FRONT NON-FUNCTIONAL FLY
  Non-functional fly with self facings, 1n chainstitch edgestitch, 1n chainstitch "J" topstitch.
- FRONT POCKETS
  Side seam pocket with self facing, 1n, 1/2" topstitch opening, bartack top and bottom. Facings serged and edgestitched to pocket bag. Bags attached at waist and side seams, french seam to close.
- FRONT AND BACK RISES


  #512 mock safety serge to join, 1n chainstitch edgestitch,
  bartack end 1/2" into J stitch.
- 5 INSEAM #512 safety serge to join
- OUTSEAM
  1/2" forward, #512 safety stitch to join, 1n, 1/2" chainstitch topstitch to the front.
- 7 CARGO POCKETS
  Self patch pocket set over outseams. Top of pocket edge double turned in to form hem, SN topstitch, 3/4" in for hem. SN edge topstitch around sides and bottom pkt edge to join to body.
  Bartacks at top corners of opening. Self bellow on BACK SIDE of pocket bag only. 2 tucks on front of pocket bag, 1/2" depth, folded towards back. SN edge topstitch on tucks.
  2 ply self flap set over opening of pocket, cleanfinished, FUSED. SN topstitch, 1/4" in around flap. Bartacks at top
- BACK POCKETS


  2 ply fused self flap set over opening of pocket, clean finished.

  1n, 1/8" topstitch sides and bottom, 1n, 1/8" topstitch to body, bartack ends. Front bottom corners of flap bartacked through all layers.

corners of flap. Hidden 2 snap closure on flap.

- Pocket bag with 1" side bellows, 1n understitch to body. Opening 3/4" double turn, 1n topstitch.
- 9 LEG OPENING Double turn, 1n topstitch.
- 10 TOPSTITCHING THREAD WHITE





				Measur	ement S	heet - al	pha carg	o pant					All Meas	surements	are in Ind	ches	,	Version 1
(@\@)		Article Code	M-0125-WB-5150									Product	Group	воттом			Pillian I	1
M		Article Name	GARMENT DYE NYLON CARGO SHORT									Product	Sub-	SHORT				
		Created On	02/09/24 3:02:32 PM	Mate	erial			YLON 30%	NYLON RIF	PSTOP - 80	) GSM (FB-	Season		2025 Spr	ing		7	F
<u> </u>	71	Last Modified	03/04/24 3:55:12 PM	Des	cription	-	w1043) MILL: RECYCTEX				Life Cycle Stage		Development					
POM			Description	+ Tol	- Tol	Grade	XS	S	M	L	XL	XXL	3XL					
! J101	Waist r	measurement rela	axed :: 1/2 body	1/2	1/2	NA	14	15	16	17	18 1/2	20	21 1/2					
! J104	WB he	ight		1/8	1/8	0	1 7/8	1 7/8	1 7/8	1 7/8	1 7/8	1 7/8	1 7/8					
! K101	Hip at 1	1" below WB sear	m: waist pattern mmt.	1/2	1/2	NA	18 1/2	19 1/2	20 1/2	21 1/2	23	24 1/2	26					
! K102	Full Hip	p: 3" above crotcl	h point, 3 xpt. Measure	1/2	1/2	NA	19 1/4	20 1/4	21 1/4	22 1/4	23 3/4	25 1/4	26 3/4					
			seam	1/4	1/4	NA	12 1/4	12 7/8	13 1/2	14 1/8	15	15 7/8	16 3/4			1	1 1	

8 1/2

11 1/4

1

12

8 1/2

11 1/2

1

12 1/4

8 1/2

11 3/4

1

12 1/2

8 3/4

12

1

12 3/4

1/4

1/8

1/8

1/4

1/4

1/8

1/8

1/4

NA

1/4

0

1/4

8 1/2

11

1

11 3/4

9

12 1/2

1

13 1/4

9

12 1/4

1

13

### L203 Back rise :: INCLUDING WB 1/4 16 1/4 16 1/2 16 3/4 17 17 1/4 17 1/2 1/4 1/4 16 Front faux fly length: WB seam to bottom of TS L302 1/4 1/4 NA 5 3/4 6 6 6 6 1/4 6 1/4 6 1/4 L301 Front faux fly width :: edge to T/S outline 1 1/2 1 1/2 1/8 1/8 0 1 1/2 1 1/2 1 1/2 1 1/2 1 1/2 C202 Side seam pocket placement from waist seam 1/8 1/8 0 1 1 1 1 1 1 1 N502 6 Side seam pocket opening 1/4 1/4 1/8 5 3/4 5 7/8 6 1/8 6 1/4 6 3/8 6 1/2 N507 Front pkt lining bag height: fr WB seam 11 1/2 11 1/2 11 1/2 11 1/2 12 12 1/4 1/4 NA 11 7 7 N509 Front pkt lining bag width :: at widest point 1/4 1/4 NA 6 3/4 6 3/4 7 1/4 7 1/2 7 1/2 0 N806 Cargo pocket flap width at top edge 1/8 1/8 NA 0 0 8 3/4 0 0 0 N803 Cargo pocket flap height at center 1/8 1/8 2 3/8 2 3/8 2 1/2 2 1/2 2 5/8 2 3/4 2 3/4 NA Cargo pocket height at center :: including flap 1/4 9 9 N801 1/4 NA 8 1/4 8 1/4 8 1/2 8 1/2 8 3/4 Cargo pocket width at top edge N805 1/8 1/8 NA 8 1/4 8 1/4 8 1/2 8 1/2 8 3/4 9 9 N312 Cargo pocket bellow width 1/8 1/8 0 1 1 1 1 1 1 1 N807 Cargo pocket from WB seam 1/4 1/4 NA 8 1/4 8 3/8 8 1/2 8 5/8 8 3/4 8 3/4 8 3/4 Comments

Dec.8, 2023 Revise inseam to 8 1/2" as per Brunello

REFERENCE: M-0323-WB-3618 cargo pant + RL Polo pant pkt and tab details

1101

M201

L103

1702

Inseam length: short

Front rise :: INCLUDING WB

Leg hem height

Leg opening: Long, inside fold edges of opening